

Table 11. Clostridial Strains Isolated from Skin, Clothing, and Soil in Korea, 1952-1953

Clostridium Species	Skin		Clothing		Soil	
	Total Number	Per Cent of Total Strains	Total Number	Per Cent of Total Strains	Total Number	Per Cent of Total Strains
<i>Cl. perfringens</i>	10	20.8	9	32.1	44	32.1
<i>Cl. sporogenes</i>	11	22.9	3	10.6	24	17.5
<i>Cl. novyi</i>	3	6.2	0	-----	4	2.9
<i>Cl. multifementans</i>	3	6.2	0	-----	15	10.9
<i>Cl. bifermentans</i>	1	2.0	2	6.9	15	10.9
<i>Cl. sordelli</i>	0	-----	1	3.5	1	.7
<i>Cl. lentoputrescens</i>	0	-----	0	-----	3	2.1
<i>Cl. paraputrificum</i>	2	4.1	0	-----	1	.7
<i>Cl. tetanomorphum</i>	1	2.0	1	3.5	3	2.1
<i>Cl. tertium</i>	1	2.0	0	-----	2	1.4
<i>Cl. difficile</i>	0	-----	0	-----	1	.7
<i>Cl. butyricum</i>	0	-----	3	10.6	9	6.5
<i>Cl. putrefaciens</i>	1	2.0	0	-----	0	-----
<i>Cl. capitovale</i>	1	2.0	0	-----	0	-----
<i>Cl. fallax</i>	0	-----	1	3.5	0	-----
<i>Cl. tetani</i>	1	2.0	1	3.5	0	-----
<i>Cl. cochlearium</i>	1	2.0	1	3.5	1	.7
<i>Cl. aerofoetidum</i>	2	4.1	0	-----	4	2.9
<i>Cl. carnis</i>	0	-----	0	-----	2	1.4
<i>Cl. sphenoides</i>	0	-----	0	-----	1	.7
<i>Cl. histolyticum</i>	0	-----	1	3.5	0	-----
<i>Cl. parobotulinum</i>	1	2.0	1	3.5	0	-----
<i>Cl. subterminale</i>	1	2.0	0	-----	0	-----
<i>Cl. pasteurianum</i>	1	2.0	0	-----	2	1.4
<i>Cl. beijerinckii</i>	2	4.1	0	-----	0	-----
unclassified	5	10.4	4	14.2	5	3.6
Total	48		28		137	

Skin cultures of individuals numbered 66; skin cultures positive for Clostridia, 31. Samples of clothing cultured, 17; samples positive for Clostridia, 13. Samples of soil cultured, 50; samples positive for Clostridia, 50.