Plates, X-ray:
- 14 by 17 inches ..... dozen .. 6
- 10 by 12 inches ..... do 6
- 8 by 10 inches ..... do 10
- 5 by 7 inches ..... do 6

Rack, tube, 5-inch holes, wooden (to be made by carpenter) ..... dozen .. 1

Ruler, wood (15 inches) with metric system, having 2 metal buttons 3 mm. in diameter, the centers of which are exactly 10 cm. apart ..... number .. 1

Reels, trolley:
- Plain ..... do 4
- Double-Coolidge ..... do 2

Roentgenoscope, vertical, arranged for Coolidge tube, box protected by sheet lead 1/8 inch thick on front and sides, furnished with good grade fluoroscopic screen, 11 by 14 inches, mounted in screen holder with protected handles and covered with lead glass at least 1/8 inch thick ..... number .. 1

Rotary converter, 7½ kilowatts capacity, complete with starting box and switches, capable of continuous operation at 7½ kilowatts and of sustaining an overload of 150 per cent for 10 seconds, and to deliver a satisfactory alternating current to the X-ray machine from a direct-current source (to be furnished only where direct current is the sole source of supply) ..... number .. 1

Safe light, dark room, Wratten ..... do 1

Sandbags, 3 by 4 by 8 inches, empty ..... do 6

Scale, localizing, for cross-thread method ..... do 1

Screens, intensifying:

Mounted in cassettes, detachable—
- Size 14 by 17 ..... do 2
- Size 10 by 12 ..... do 2
- Size 8 by 10 ..... do 2
- Size 5 by 7 ..... do 2

Without cassettes, furnished in cardboard folder
- Size 14 by 17 ..... number ..
- Size 10 by 12 ..... do 4
- Size 8 by 10 ..... do 4
- Size 5 by 7 ..... do 4

Stand:
- Tube, Kelley-Koett type, with 2 cones, 5 and 7 inch ..... number .. 1
- Insulating, for Coolidge tube transformer ..... do 1

Stereoscope, Wheatstone, furnished with four 100-watt nitrogen lamps permitting of gradual regulation ..... number .. 1

Switch:
- Foot, so devised that the room may be in total darkness without either X ray or electric light, or with X ray on and no electric light, or with lights on and no X ray (Kelley-Koett) ..... number .. 1
- High-tension –
  - Double-throw, Coolidge equipped ..... do 1
  - Single-throw, Coolidge equipped table, base hospital type ..... number .. 1

Tank, porcelain:
- 4½ by 14¾ by 20 inches ..... do 1
- 14¾ by 14¾ by 20 inches ..... do 2

Thermometer, bath ..... do 2

Trays, enamel ware:
- For 14 by 17 plates ..... do 2
- For 10 by 12 plates ..... do 2

Tools, set, consisting of hammer, saw, case opener, large and small screw drivers, and heavy cutting pliers ..... sets .. 1

Transformer, Coolidge tube, insulated against breakdown test of 50,000 volts ..... number .. 1

Tubes, Coolidge:
- Medium focus ..... do 3
- Special radiator type ..... do 2

Tubes, tungsten target, 7-inch ..... do 2

Tunnel, plate changing, aluminum, 17 by 17 inches, with one plate draw ..... number .. 1

Wire, copper, spool 12 yards in length, No. 18 spools ..... number .. 1

Wedge, wooden, 12 by 3 inches, angle 23° ..... do 1

Wires, bronze, for trolley system, No. 10 ..... feet 150