

TABLE 25.—Physical disabilities resulting from wounds (excluding fatal cases), by military agents, officers, and enlisted men, 1917-18; absolute numbers and percentage of each disability to the total number of cases wounded by the military agents—Continued

Results	Rifle		Shot and shrapnel		Hand grenade		Other gunshot		Others		Total	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Total admissions	20,420		51,229		660		79,125		5,886		152,320	
Hands, both:												
Loss of all			1	0.00							1	0.00
Loss of, at wrist												
Loss of, part of			1	.00					1	0.00	1	.00
Hand, r. h.:												
Amputation of one or more joints	171	0.85	330	.63	4	0.60	144	0.18	9	.15	760	.50
Loss of			2	.00	1	.11	1	.00			4	.02
Hand, disfigurement of			1	.00			1	.00	1	.02	3	.02
Hip, right:												
Amputation, bone, of	1	.00	1	.00			1	.00			3	.02
Amputation, fibrous, of	2	.02	11	.02			14	.02			27	.17
Amputation, partial and deformation of	13	.06	9	.02			11	.01			33	.21
Arthritis, chronic, of			1	.00			1	.00	1	.02	3	.02
Hip, left:												
Amputation, bone, of			1	.00			4	.01			5	.03
Amputation, fibrous, of	9	.04	13	.02			12	.02	1	.02	35	.22
Amputation, partial and deformation of	19	.09	20	.04	1	.11	9	.01	1	.02	50	.32
Arthritis, chronic, of	1	.00	1	.00							2	.01
Fluid joint of			1	.00							1	.00
Hips, s. h. i.:												
Amputation, bone, of	2	.01					3	.00			5	.03
Amputation, fibrous, of	4	.02	7	.01			19	.02	1	.02	31	.20
Amputation, partial and deformation of	4	.02	11	.02			9	.01			24	.15
Intestines:												
Amputation of	11	.05	19	.03			5	.01	1	.02	36	.23
Fistula of			1	.00							1	.00
Stricture of			1	.00			1	.00			2	.01
Partial loss of			1	.00							1	.00
Colostomy, loss of, non-septic							1	.00			1	.00
Knave, right:												
Amputation, bone, of	4	.02	17	.03			20	.03			41	.26
Amputation, fibrous, of	10	.04	47	.09	2	.25	43	.06	2	.03	102	.67
Amputation, partial and deformation of	49	.24	109	.21			61	.09	7	.12	226	.15
Arthritis, chronic, of	2	.01	10	.02			2	.01	1	.02	15	.10
Fluid joint of			1	.00			1	.00			2	.01
Synovitis of	4	.02	9	.02			7	.01	2	.03	21	.14
Knave, left:												
Amputation, bone, of	12	.06	26	.05	1	.11	11	.01			50	.32
Amputation, fibrous, of	20	.10	61	.12			32	.05	4	.07	117	.76
Amputation, partial and deformation of	46	.24	104	.20	1	.11	52	.07	3	.05	206	.14
Arthritis, chronic, of	2	.01	4	.01			1	.01	2	.03	9	.06
Fluid joint of			1	.00							1	.00
Synovitis, chronic, of	2	.01	7	.01	1	.11	4	.01	1	.02	17	.11
Knees, both:												
Amputation, bone, of	2	.01	2	.00							4	.03
Amputation, fibrous, of									1	.02	1	.00
Amputation, partial and deformation of	2	.01	7	.01			4	.00			13	.09
Arthritis, chronic, of			2	.00							2	.01
Knees, s. h. i.:												
Amputation, bone, of	5	.02	9	.02			2	.00			17	.11
Amputation, fibrous, of	10	.05	29	.06	1	.11	26	.04	2	.03	68	.44
Amputation, partial and deformation of	9	.04	41	.08	1	.11	7	.01	1	.02	58	.38
Arthritis, chronic, of			2	.00							2	.01
Leg, right:												
Amputation of	1	.00									1	.00
Contracture of	1	.00	4	.01			1	.00			7	.00
Loss of	2	.01	9	.02			7	.01			11	.07
Loss of, at ankle	2	.01	20	.04	2	.25	1	.01			25	.16
Loss of, at knee	5	.02	21	.04	1	.11	3	.00	1	.02	30	.20
Loss of, middle third	26	.13	97	.20	4	.46	26	.04	3	.05	152	.99
Neuritis of, following injury	2	.01	5	.01			7	.01	1	.02	15	.10
Paralysis of	29	.14	26	.05	1	.11	29	.04	9	.15	133	.87
Paralysis of, from cord injuries			1	.00			1	.00			2	.01
Swollen toes injured blood vessels	1	.00					1	.00			2	.01
Leg, left:												
Contracture of	2	.01	7	.01			2	.00	1	.02	12	.08
Loss of	2	.01	17	.03			1	.00			20	.13
Loss of, at ankle	13	.07	55	.11	1	.11	12	.02	2	.03	83	.54
Loss of, at knee	10	.05	36	.07			4	.00			50	.33
Loss of, middle third	26	.13	116	.23			29	.04	3	.05	174	.11
Neuritis of, following injury	2	.01	10	.02			12	.02			24	.16
Paralysis of	27	.13	50	.10	1	.11	45	.07	1	.02	123	.80
Paralysis of, from cord injuries	1	.00					1	.00			2	.01