

TABLE 50.—Fractured fibula, United States veterans of the World War, rated less than 10 per cent disabled on first examination, showing interval elapsing between injury and last rating and degree of disability on last rating, as of January 1, 1926 \*

Months (interval elapsing between injury and last rating)	Degree of impairment on last rating †				Total			Total †
	10-19		20-29	40-49	Less than 10 per cent	Temporary	Permanent	
	Temporary	Permanent	Permanent	Temporary				
3.....					27			27
6.....					2			2
9.....					1			1
12.....					6			6
15.....					2			2
18.....					2			2
21.....					1			1
24.....					6			6
<b>Total.....</b>					<b>47</b>			<b>47</b>
27.....					6			6
30.....					6			6
33.....					17			17
36.....					15			15
39.....					7			7
42.....					7			7
45.....					15			15
48.....					8			8
<b>Total.....</b>					<b>81</b>			<b>81</b>
51.....	1				7	1		8
54.....					5			5
57.....					9			9
60.....		1	1		4		2	6
63.....					5			5
66.....					7			7
69.....					2		1	3
72.....		1			5		1	6
<b>Total.....</b>	<b>1</b>	<b>3</b>	<b>1</b>		<b>44</b>	<b>1</b>	<b>4</b>	<b>49</b>
75.....	1	1		1	4	2	1	7
78.....		1			3		1	4
81.....		1			5		1	6
84.....					1			1
87.....	1				4	1		5
90.....	1					1		1
<b>Total.....</b>	<b>3</b>	<b>3</b>		<b>1</b>	<b>17</b>	<b>4</b>	<b>3</b>	<b>24</b>
<b>Grand total.....</b>	<b>4</b>	<b>6</b>	<b>1</b>	<b>1</b>	<b>199</b>	<b>5</b>	<b>7</b>	<b>200</b>

\* Source of information: Coordination Service, Evaluation Division, U. S. Veterans' Bureau.

† Where the column is omitted there were no cases.

‡ Exclusive of patients who died during the 6-year period of the study.