

TABLE 21.—Fractured *fibula*, United States veterans of the World War, rated 10-29 per cent disabled on first examination, showing interval elapsing between injury and last rating and degree of disability on last rating, as of January 1, 1938 *

Months (interval elapsing between injury and last rating)	Degree of impairment on last rating †										Total			Total ‡		
	10-19		20-29		30-39		40-49		50-59		100		Less than 10 per cent		Temporary	Permanent
	Temporary	Permanent	Temporary	Permanent	Temporary	Permanent	Temporary	Permanent	Temporary	Permanent	Temporary	Permanent				
1	1		1	1											1	3
2	1															
3		1													1	4
4															1	4
5	1		1												1	4
6	1															1
Total	10	1	6	2								23	16	3		42
7	2	1										16	2		1	17
8	3	2										16	7		1	24
9	4	3										11	3		3	21
10	6	3	4	2								7	20		3	27
11	6	6	2	2	6							14	5		12	35
12	1	1	1	1								13	1		1	25
13	6	3						1				21	7		4	32
14	4	2	3	2								15	7		4	26
Total	49	18	14	11				1				111	54	30		195
15	2	5	1	1		1						20	3		9	32
16	5	13		2		1						16	6		16	42
17	5	15		5		1		1				17	4		20	43
18	5	32	4	5		3		1				23	11		42	76
19	6	40	1	4		1			1			26	19		47	83
20	5	49	1	9		3						30	6		61	87
21	8	39	9	3		3						17	6		32	77
22	3	32	4	6		1			1			11	11		42	64
Total	49	324	11	47	1	13	1	3	1			102	63	260		504
23	3	18	1	3		2	1					3	4		25	32
24	5	11		4	1					1		1	4		17	26
25	3	4	1	4	1					1		2	5		9	16
26	2	9		2								3	3		11	15
27		2		2		1						2			3	5
28				1											1	1
29				1											1	1
30										1					1	1
Total	12	44	2	17	2	3	1			3	1	1	12	18	67	87
31																1
Grand total	111	287	33	77	3	16	2	6	1	2	1	1	299	151	289	839

* Source of information: Coordination Service, Evaluation Division, U. S. Veterans' Bureau.

† Where the column is omitted there were no cases.

‡ Exclusive of patients who died during the 6-year period of the study.