Table 52.—Nonbattle deaths in the Medical Department: Actual, 7 December 1941-31 December 1946; estimated, 7 December 1941-30 September 1945

Group	Strengt	All nonbattle deaths					Accidental deaths									Die	Died of disease			Other causes			
						All accidental deaths							Aircraft										
	er er	Jo s			Number s Pate 8		Total 4		Ad- justed ⁵					Ad- justed 8			Ad- justed ⁵		d 5		Ad- justed 5		
	Median 7 December 1941–30 September 1945 ²	Number of months of exposure 3	Total 4	V.					Number		Rate ⁶		Total 4		Number	Percent of ad- justed accidental	Total 4		Number	Rate 5	Total 4	Number	Rate 6
Total Army:																							
Worldwide	7, 444, 816	3 46	92, 656	82,	770	2. 9	56	, 852	51,	155	1. 8	8 27	, 628	26,	027	51	26, 518	3 23,	793	0.8	9, 286	7, 822	0. 3
Overseas	2, 526, 729	46	52, 758	47,	021	4. 9	31	, 885	28,	102	2.	9 12	, 835	11,	785	42	15, 290	14,	403	1. 5	5, 583	4, 516	. 5
Officers:																							
Worldwide	684, 360		20, 950														2, 831	2,	548	1. 0			
Overseas	206, 910	46	9, 984	9,	068	11.	1 8	, 208	7,	473	9.	4 6	, 892	6,	341	85	1, 201	1,	129	1. 4	575	446	. 6
Enlisted:																							
Worldwide	6, 676, 698	3 46	71, 706	63,	884	2. 3	39	, 653	35,	, 117	1.	4 12	, 688	11,	927	34	23, 687	21,	318	. 8	8, 366	7, 027	. 3
Overseas	2, 319, 819	46	42, 774	38,	019	4. 3	3 23	, 667	20,	719	2. :	3 5	, 943	5,	468	26	14, 089	13,	244	1, 5	5, 008	4, 056	
Medical Department:																							
Worldwide	621, 731	46	3, 692	3,	215	1. 3	3 1	, 552	1,	348	. (6	227		203	15	1, 668	3 1,	471	. 6	472	5	
Overseas	209, 414	46	1, 920	1,	690	2.	I.	977		845	1.	1	175		158	19	714	Į.	658	. 8	229	187	, 2
Officers:																							
Worldwide	110, 563	3 46	854	1	715	1. 7	7	325		276		7	142		123	45	425	5	352	. 8	104	87	. 2
Overseas Medical Corps:	37, 587	46	365	5	310	1.	1	201		173	. (6	99		88	51	128	3	102	. 4	41	35	. 1
Worldwide	40, 983	3 46	463	3	400	2. 5	5	161		145	!	9	78		67	46	241		204	1. 3		51	. 3
Overseas	14, 920) 46	193	3	168	2. 9)	94		84	1.	5	50		43	51	71		60	1. 0	28	24	. 4

See footnotes at end of table.

PERSONNEL

	Strength		All non	battle de	aths			Accider	ntal deaths		Died o	Died of disease			Other causes		
Group	Stronge		An nonogene desires			All accidental deaths				Aircraft		Diet of discuso			Other Master		
	Median 7 December 1941-30 September 1945 $^{\it z}$	Jo St		Ad juste	d 5		Ad- justed ⁵			Ad- justed ⁵			Ad- justed ⁵			Ad- justed ⁵	
		Number of months of exposure 3	Total 4	Number	Rate 6	Total 4	Number	Rate 6	Total 4	Number	Percent of adjusted accidental	Total 4	Number	Rate 6	Total 4	Number	Rate 6
Medical Department—Con. Officers—Continued Dental Corps:																	
Worldwide	13, 776	46	91	77	1. 5	25	18	0. 3	8	6	33	56	49	0. 9	10	10	0. 2
Overseas	2, 929	46	32	27	2. 4	13	10		6	5	50	16	14	1. 2	3	3	
Sanitary Corps:																	
Worldwide	2,178	46	6	5	. 6		3		2	2	1	3		. 2	0	0	
Overseas	466	46	2	2	1. 1	2	2	1. 1	1	1	50	0	0	. 0	0	0	. 0
Veterinary Corps:																	
Worldwide	1, 963		13	12			7	. 9	4	4	57	6	5		0	0	8 3
Overseas Medical Administra-	405	46	6	6	3, 9	4	4	2. 6	2	2	50	2	2	1. 3	0	0	. 0
tive Corps:																	
Worldwide	14,385		76	59		1000	20		4	3	100000	36	31	. 6		8	
Overseas	3, 334	46	29	23	1. 8	13	10	. 8	2	2	20	12	10	. 8	4	3	. 2
Army Nurse Corps:															-		
$Worldwide_{}$	35, 381	46	199	159			81	. 6	45	41	51	81	60	. 4	20	18	
Overseas	15, 081	46	101	82	1. 4	73	61	1. 1	38	35	57	22	16	. 3	6	5	. 1
Physical Therapists:						-											
Worldwide	783		5	3			2		0	0	3.1	2	1	. 5		0	
Overseas	371	30	2	2	2. 2	2	2	2. 2	0	0	0	0	0	. 0	0	0	. 0

Table 52.—Nonbattle deaths in the Medical Department: Actual, 7 December 1941-31 December 1946; estimated, 7 December 1941-30 September 1945—Continued

Enlisted:		1	1						1								
Worldwide	511, 061	46	2,838	2,500	1. 3	1, 227	1,072	. 5	85	80	8	1, 243	1, 119	. 6	368	309	. 2
Overseas	171, 828	46	1, 555	1,380	2. 1	776	672	1.0	76	70	10	591	556	. 8	188	152	. 2

- ¹ Basic data, unless otherwise specified, from "All Army Deaths by Duty Branch and Type of Deaths: 7 December 1941-31 December 1946," in Department of the Army, "Army Battle Casualties and Nonbattle Deaths in World War II. Final Report 7 December 1941-31 December 1946," pp. 112, 114. Hospital dietitians incurred but one nonbattle death. This occurred in the Zone of Interior and was caused by an aircraft accident.
- ² For the means of determining median strength, see table 48, footnote 2. Worldwide and oversea strength of the Army at large and the Medical Department based on data in table 31. Worldwide and oversea strength of Army officers at large determined from data in table 45, plus WAAC officers as shown in "Strength of the Army." Worldwide strength of Army enlisted men at large derived from data in table 56, plus WAAC and WAC enlisted personnel as reported in "Strength of the Army." Medical Department officer and enlisted strength, worldwide and overseas, based on strengths shown in tables 45 and 56.
 - 3 Determined according to criteria stated in table 48, footnote 2.
 - 4 Number of cases between 7 December 1941 and 31 December 1946.
- 5 Deaths from 7 December 1941 to 30 September 1945. Data are from basic source in the following instances; Total Army, worldwide and overseas for all types of deaths; total Army officers; total Army enlisted; Army Nurse Corps; and physical therapists, all worldwide, for the entire number of nonbattle deaths. In all other cases, the figures are estimates. In the case of Medical Department officer groups, the number in each worldwide category has been attained by subtracting from the number of deaths reported in such category in the basic source the number of deaths shown for the corresponding category during the period 1 October 1945-31 December 1946 in monthly reports both current and supplementary (OTM 53 and OTM 55) on file in the Statistics Section, Statistical and Accounting Branch, Office of The Adjutant General. For the oversea categories, the numbers shown in the basic source have been reduced by a percentage equal to the corresponding worldwide percentage as determined by the procedure just described. This results in a very conservative estimate of the number of deaths prior to 30 September 1945 since the reduction of oversea strength of Medical Department officers between that date and the end of 1946 was much more rapid than the worldwide reduction of the same group. However, knowledge available in the Office of The Surgeon General has been used to some extent in determining oversea deaths in the Veterinary Corps and among physical therapists. The total number of nonbattle deaths among Medical Department officers (and the number in the Medical Department as a whole) to 30 September 1945 must be increased by one, which occurred among the Hospital Dietitians in the Zone of Interior as a result of an aircraft accident. (Data from basic source.) In the case of Medical Department enlisted men, the estimates of worldwide losses between 7 December 1941 and 30 September 1945 have been attained by reducing the numbers reported in each category in the basic source by the percentage that losses in the same categories among all Army personnel from 1 October 1945 to 31 December 1946 constitute in relation to corresponding losses between 7 December 1941 and 31 December 1946 as shown in this table. Oversea losses have been estimated by using the equivalent oversea data. To estimate the nonbattle deaths of officers and enlisted men in the Army at large prior to 1 October 1945, the same procedures were utilized. However, while all adjustments pertaining to the Medical Department have been made consistent with the data from the basic source, this procedure has not been followed in the present cases. Nevertheless, no marked variation in rates shown would follow if the procedure were used. The total number of estimated officer nonbattle deaths is 19,308—or 7.4 per 1,000 per annum. The equivalent for enlisted men is 63,462 or 2.5 per 1,000 per annum.

⁶ Annual rate per 1,000 of median strength.