

TABLE 16.—BLOOD CHANGES IN 69 SEVERELY WOUNDED MEN CLASSIFIED  
 ACCORDING TO DEGREE OF SHOCK  
 C. Moderate Shock—21 Patients

Case No.	Blood Volume and Total Hemoglobin Determinations <i>Percent deviation from normal</i>						Blood Pressure at Time of Blood Volume Determination <i>mm. Hg</i>	Time after Wounding <i>hours</i>	Blood Sugar <i>mg. per 100 cc.</i>
	Blood Volume			Hemoglobin					
	From Observed Value	By Correction		From Observed Value	By Correction				
		A	B		A	B			
53	-10.6	-22.9	-22.9	-29.6	-37.8	-37.8	80/40	3¼	—
107	-20.7	-78.6	-68.9	-49.5	-77.6	-77.6	80/50	3	374
126	-30.9	-32.3	-32.3	-43.0	-44.4	-44.4	100/60	2¼	183
129	-21.7	-30.9	-21.7	-44.2	-44.2	-44.2	120/64	5½	191
142	-25.7	-31.9	-27.0	-41.9	-43.0	-43.0	110/70	6¾	210
143	+3.4	-13.9	+1.8	-22.5	-24.0	-24.0	80/54	6	203
148	-5.2	-24.8	-14.9	-39.6	-45.8	-45.8	74/20	12	175
A-3	+5.4	+2.9	+2.9	-5.8	-8.3	-8.3	136/90	4	185
A-6	-24.2	-29.8	-24.2	-38.4	-38.4	-38.4	118/64	3¾	208
A-9	-25.9	-35.0	-25.9	-49.1	-49.1	-49.1	112/70	7½	—
A-12	-11.3	-20.4	-20.4	-23.5	-35.6	-35.6	104/70	2¼	164
A-14	-32.6	-40.2	-32.6	-50.3	-50.3	-50.3	100/80	5¼	93
A-15	-29.2	-44.4	-29.2	-53.5	-53.5	-53.5	104/70	7	143
A-18	-42.7	-46.6	-42.7	-61.7	-61.7	-61.7	30/20	8¼	134
A-30	-31.8	-54.1	-40.7	-57.8	-66.7	-66.7	88/40	5¼	198
A-31	-10.2	-17.8	-10.2	-26.9	-26.9	-26.9	80/52	10	180
A-32	-25.4	-37.9	-29.5	-42.6	-46.8	-46.8	80/40	7½	115
A-33	-2.9	-28.4	-25.3	-21.7	-40.6	-40.6	90/50	5¼	175
A-35	-37.5	-41.9	-37.5	-55.1	-55.1	-55.1	86/66	?	159
A-36	-34.1	-38.6	-38.6	-56.8	-56.8	-56.8	108/88	20½	163
A-37	-41.6	-52.4	-52.4	-62.4	-62.4	-62.4	120/68	3	136