

TABLE 56.—TYPE AND LOCATION OF WOUNDS OR INJURIES IN PATIENTS WITH  
RENAL INSUFFICIENCY

| Type and Location of Wound                | High Azotemia<br><i>Number<br/>of cases</i> | Oliguria<br><i>Number<br/>of cases</i> | Anuria<br><i>Number<br/>of cases</i> |
|---|---|--|--------------------------------------|
| Peripheral, with Fracture . . . . .       | 32  | 18                                     | 11                                   |
| Intra-abdominal . . . . .                 | 32  | 14                                     | 13                                   |
| Thoracic . . . . .                        | 15  | 10                                     | 7                                    |
| Peripheral, without Fracture . . . . .    | 8   | 5                                      | 5                                    |
| Thoraco-abdominal . . . . .               | 6   | 7                                      | 4                                    |
| Liver . . . . .                           | 12  | 7                                      | 8                                    |
| Kidney . . . . .                          | <sup>1</sup> 10                             | <sup>2</sup> 7                         | <sup>2</sup> 6                       |
| Urinary Tract other than Kidney . . . . . | 6   | 3                                      | 4                                    |
| Crush . . . . .                           | 4   | 1                                      | 4                                    |
| Burn . . . . .                            | 1   | 1                                      | 0                                    |
| Spinal Cord Injury . . . . .              | 2   | 0                                      | 1                                    |
| <b>Totals</b>                             |   |  |                                      |
| Multiple Major Wounds . . . . .           | 21  | 10                                     | 7                                    |
| Single Major Wound . . . . .              | 52  | 35                                     | 26                                   |
| Total Cases Included . . . . .            | <sup>3</sup> 73                             | 45                                     | 43                                   |

<sup>1</sup> Six treated by nephrectomy.

<sup>2</sup> Four treated by nephrectomy.

<sup>3</sup> Includes 1 case of incompatible blood transfusion.

<sup>4</sup> Includes 1 case of incompatible blood transfusion and 1 case of sulfathiazole crystalluria.