

TABLE 36.—Distribution of 369 battle casualties, by anatomic location of wounds (regional frequency) and by disposition

Anatomic location	Regional frequency	Total casualties		Dead						Living wounded									
				Total		Killed in action		Died of wounds		Total		Returned to duty from aid post		Returned to duty from first echelon		Returned to duty from rear echelon		Evacuated to United States	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Head.....	20.0	74	100.0	32	43.2	25	33.7	7	9.5	42	56.8	16	21.6	7	9.5	7	9.5	12	16.2
Thorax.....	17.1	63	100.0	32	50.8	25	39.7	7	11.1	31	49.2	16	25.4	6	9.5	6	9.5	3	4.8
Abdomen.....	6.8	25	100.0	11	44.0		.0	11	44.0	14	56.0	5	20.0	1	4.0	7	28.0	1	4.0
Extremities:																			
Upper.....	17.1	63	100.0	1	1.6		.0	1	1.6	62	98.4	15	23.8	19	30.2	22	34.9	6	9.5
Lower.....	22.5	83	100.0	2	2.4		.0	2	2.4	81	97.6	17	20.5	15	18.1	37	44.6	12	14.4
Multiple.....	16.5	61	100.0	23	37.7	15	24.6	8	13.1	38	62.3	5	8.2	13	21.3	12	19.7	8	13.1
Total.....	100.0	369	100.0	101	27.4	65	17.6	36	9.7	268	72.6	74	20.0	61	16.5	91	24.7	42	11.5