

Table 11.-- DEATHS AND DEATH RATES FOR NONBATTLE CAUSES
(Rates expressed as number of deaths)

Line no.	Cause of death ^{a/} (1)	Inter- mediate list numbers (2)	Number of deaths (3)	Total (4)
1	All nonbattle causes--total.....	...	2,103	148.2
2	All disease.....	...	560	39.5
3	All nonbattle injury.....	...	1,543	108.7
DISEASE				
4	Tuberculosis of respiratory system.....	A 1	3	0.2
5	Tuberculosis of meninges and central nervous system.	A 2	1	0.1
6	Tuberculosis, all other forms.....	A 5	2	0.1
7	All other syphilis ^{b/}	A 10	1	0.1
8	Gonococcal infection.....	A 11	2	0.1
9	Septicemia and pyemia.....	A 20	3	0.2
10	Meningococcal infections.....	A 23	9	0.6
11	Acute poliomyelitis.....	A 28	16	1.1
12	Acute infectious encephalitis.....	A 29	4	0.3
13	Infectious hepatitis.....	A 34	4	0.3
14	Schistosomiasis.....	A 38	1	0.1
15	All other diseases classified as infective and parasitic.	A 43	19	1.3
16	Malignant neoplasm of buccal cavity and pharynx.	A 44	1	0.1
17	Malignant neoplasm of esophagus.....	A 45	2	0.1
18	Malignant neoplasm of stomach.....	A 46	5	0.4
19	Malignant neoplasm of intestine, except rectum.	A 47	4	0.3
20	Malignant neoplasm of rectum.....	A 48	2	0.1
21	Malignant neoplasm of larynx.....	A 49	1	0.1
22	Malignant neoplasm of trachea, and of bronchus and lung not specified as secondary.	A 50	14	1.0
23	Malignant neoplasm of breast.....	A 51	1	0.1
24	Malignant neoplasm of cervix uteri.....	A 52	1	0.1
25	Malignant neoplasm of skin.....	A 55	2	0.1
26	Malignant neoplasm of bone and connective tissue.	A 56	3	0.2
27	Malignant neoplasm of all other and un- specified sites.	A 57	46	3.3
28	Leukemia and aleukemia.....	A 58	19	1.3
29	Lymphosarcoma and other neoplasms of lym- phatic and hematopoietic system.	A 59	11	0.8
30	Benign neoplasms and neoplasms of unspeci- fied nature.	A 60	4	0.3

For footnotes, see end of table.

BY AGE AT ADMISSION AND SELECTED DIAGNOSES, U. S. ARMY, 1954
per 100,000 average strength per year)

Age								Line no.
Under 20 (5)	20-24 (6)	25-29 (7)	30-34 (8)	35-39 (9)	40-44 (10)	45-49 (11)	50 and over (12)	
143.9	120.1	153.9	185.0	222.5	256.2	525.2	808.9	1
16.4	20.2	25.5	65.8	104.1	158.7	435.5	717.6	2
127.5	99.9	128.4	119.2	118.4	97.5	89.7	91.3	3
-	0.1	-	-	1.4	-	6.4	-	4
-	-	0.5	-	-	-	-	-	5
-	0.1	-	-	-	-	-	13.0	6
-	-	-	1.1	-	-	-	-	7
-	-	-	1.1	-	-	-	13.0	8
-	0.2	0.5	-	-	-	-	-	9
0.7	0.8	0.5	-	-	-	-	-	10
-	1.2	1.2	4.6	-	-	-	-	11
-	0.3	0.5	-	-	-	-	-	12
0.7	0.2	0.5	-	-	-	-	-	13
-	-	-	-	1.4	-	-	-	14
2.6	1.7	0.5	-	-	-	-	-	15
-	-	0.5	-	-	-	-	-	16
-	-	-	-	1.4	-	6.4	-	17
-	-	0.5	1.1	1.4	-	12.8	-	18
-	-	-	-	1.4	-	12.8	13.0	19
-	0.1	-	-	-	-	-	13.0	20
-	-	-	-	1.4	-	-	-	21
-	-	1.1	3.4	1.4	5.6	25.6	26.2	22
-	-	-	-	-	-	6.4	-	23
-	-	-	-	-	2.8	-	-	24
-	0.1	-	-	1.4	-	-	-	25
0.7	0.2	-	-	-	-	-	-	26
1.3	2.4	2.3	2.2	8.6	-	44.9	65.3	27
0.7	1.5	2.3	2.2	-	-	-	-	28
1.3	0.5	-	2.2	2.9	2.8	-	-	29
-	0.1	-	-	1.4	2.8	-	13.0	30

Table 11.-- DEATHS AND DEATH RATES FOR NONBATTLE CAUSES BY
(Rates expressed as number of deaths)

Line no.	Cause of death ^{a/} (1)	Inter- mediate list numbers (2)	Number of deaths (3)	Total (4)
1	Thyrototoxicosis with or without goiter.....	A 62	1	0.1
2	Diabetes mellitus.....	A 63	4	0.3
3	Anemias.....	A 65	3	0.2
4	Allergic disorders; all other endocrine, metabolic, and blood diseases.	A 66	9	0.6
5	Psychoses.....	A 67	6	0.4
6	Psychoneuroses and disorders of personality	A 68	2	0.1
7	Vascular lesions affecting central nervous system.	A 70	36	2.5
8	Nonmeningococcal meningitis.....	A 71	6	0.4
9	Epilepsy.....	A 73	3	0.2
10	All other diseases of the nervous system and sense organs.	A 78	11	0.8
11	Rheumatic fever.....	A 79	1	0.1
12	Chronic rheumatic heart disease.....	A 80	5	0.4
13	Arteriosclerotic and degenerative heart disease.	A 81	151	10.7
14	Other disease of heart.....	A 82	14	1.0
15	Hypertension with heart disease.....	A 83	9	0.6
16	Diseases of arteries.....	A 85	8	0.6
17	Other diseases of circulatory system.....	A 86	4	0.3
18	Acute upper respiratory infections.....	A 87	2	0.1
19	Lobar pneumonia.....	A 89	3	0.2
20	Bronchopneumonia.....	A 90	4	0.3
21	Primary atypical, other, and unspecified pneumonia.	A 91	4	0.3
22	Empyema and abscess of lung.....	A 95	1	0.1
23	All other respiratory diseases.....	A 97	9	0.6
24	Ulcer of stomach.....	A 99	1	0.1
25	Ulcer of duodenum.....	A 100	7	0.5
26	Appendicitis.....	A 102	2	0.1
27	Intestinal obstruction and hernia.....	A 103	4	0.3
28	Gastroenteritis and colitis.....	A 104	2	0.1
29	Cirrhosis of liver.....	A 105	10	0.7
30	Cholelithiasis and cholecystitis.....	A 106	2	0.1
31	Other diseases of digestive system.....	A 107	11	0.8
32	Acute nephritis.....	A 108	4	0.3
33	Chronic, other, and unspecified nephritis..	A 109	12	0.8
34	Infections of kidney.....	A 110	1	0.1
35	All other diseases of skin and musculo- skeletal system.	A 126	1	0.1

AGE AT ADMISSION AND SELECTED DIAGNOSES, U. S. ARMY, 1954..Continued
per 100,000 average strength per year)

Age								Line no.
Under 20 (5)	20-24 (6)	25-29 (7)	30-34 (8)	35-39 (9)	40-44 (10)	45-49 (11)	50 and over (12)	
-	-	0.5	-	-	-	-	-	1
0.7	0.2	-	1.1	-	-	-	-	2
-	0.2	-	-	-	-	6.4	-	3
-	0.6	-	1.1	1.4	-	6.4	13.0	4
0.7	0.3	-	1.1	1.4	-	-	-	5
-	0.1	-	-	-	2.8	-	-	6
0.7	0.9	1.7	5.7	12.9	8.3	25.6	39.2	7
-	0.7	-	-	-	-	-	-	8
-	0.3	-	-	-	-	-	-	9
1.4	0.3	1.1	2.2	1.4	-	6.4	-	10
-	-	0.5	-	-	-	-	-	11
-	-	0.5	1.1	-	2.8	-	26.1	12
-	0.8	3.4	20.2	38.6	94.6	205.0	352.4	13
0.7	0.6	-	2.2	2.9	8.3	6.4	-	14
-	0.1	-	-	1.4	2.8	12.8	52.3	15
-	0.6	-	2.2	-	-	6.4	-	16
-	0.1	0.5	1.1	-	-	6.4	-	17
-	-	0.5	-	1.4	-	-	-	18
0.7	0.1	-	-	-	2.8	-	-	19
1.4	0.2	-	-	-	-	-	-	20
-	0.1	-	2.2	-	-	6.4	-	21
-	-	-	1.1	-	-	-	-	22
0.7	0.5	1.1	1.1	-	2.8	-	-	23
-	-	-	-	-	2.8	-	-	24
-	0.2	1.1	1.1	-	-	6.4	13.0	25
-	-	-	-	-	-	12.8	-	26
-	0.5	-	-	-	-	-	-	27
-	-	1.1	-	-	-	-	-	28
-	-	0.5	-	5.7	2.8	12.8	26.1	29
-	-	-	-	-	2.8	-	13.0	30
-	0.3	0.5	1.1	2.9	8.3	-	13.0	31
-	0.3	-	-	1.4	-	-	-	32
0.7	0.8	1.1	-	2.9	-	-	-	33
-	0.1	-	-	-	-	-	-	34
-	-	-	-	1.4	-	-	-	35

Table 11... DEATHS AND DEATH RATES FOR NONBATTLE CAUSES BY

(Rates expressed as number of deaths)

Line no.	Cause of death ^{a/} (1)	Inter- mediate list numbers (2)	Number of deaths (3)	Total (4)
1	Congenital malformations of circulatory system.	A 128	6	0.4
2	All other congenital malformations.....	A 129	4	0.3
3	Ill-defined and unknown causes of morbidity and mortality.	A 137	16	1.1
INJURY				
4	Fracture of skull.....	AN 138	408	28.7
5	Fracture of spine and trunk.....	AN 139	72	5.1
6	Fracture of limbs.....	AN 140	9	0.6
7	Dislocation without fracture.....	AN 141	1	0.1
8	Sprains and strains of joints and adjacent muscles.	AN 142	-	-
9	Head injury (excluding fracture).....	AN 143	219	15.4
10	Internal injury of chest, abdomen, and pelvis.	AN 144	227	16.0
11	Laceration and open wounds.....	AN 145	75	5.3
12	Superficial injury, contusion, and crushing with intact skin surface.	AN 146	28	2.0
13	Effects of foreign body entering through orifice.	AN 147	7	0.5
14	Burns.....	AN 148	33	2.3
15	Effects of poisons.....	AN 149	67	4.7
16	All other and unspecified effects of external causes.	AN 150	397	28.0
17	Suicide ^{c/}	AE 148	162	11.4
18	Homicide ^{c/}	AE 149	82	5.8

^{a/} The causes of death listed in this table are based on the Intermediate List of 150 Causes for Tabulation of Morbidity and Mortality. (See column 2.) In those instances where the Intermediate List numbers are not listed, there were no deaths reported in 1954. Thus, for example, there was one death from "tuberculosis of meninges and central nervous system" (A 2), and no death from "tuberculosis of intestines, peritoneum, and mesenteric glands" (A 3), or from "tuberculosis of bones and joints" (A 4). Number of deaths by more detailed diagnosis is shown in table 1.

AGE AT ADMISSION AND SELECTED DIAGNOSES, U. S. ARMY, 1954..Continued
per 100,000 average strength per year)

Age								Line no.
Under 20 (5)	20-24 (6)	25-29 (7)	30-34 (8)	35-39 (9)	40-44 (10)	45-49 (11)	50 and over (12)	
0.7	0.3	-	1.1	-	2.8	-	-	1
-	0.1	-	-	2.9	-	-	13.0	2
-	1.4	0.5	2.2	1.4	-	-	-	3
39.6	25.3	35.8	37.9	27.0	19.5	6.4	13.1	4
5.5	5.1	5.4	5.6	2.9	5.6	-	13.0	5
1.4	0.5	0.5	-	2.9	-	-	-	6
-	0.1	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	8
14.4	13.8	15.2	25.6	18.5	19.5	25.7	13.0	9
15.8	16.0	20.1	7.8	18.5	8.4	19.2	26.2	10
9.6	5.3	4.3	5.6	2.9	-	-	-	11
2.1	2.1	1.6	-	2.9	2.8	6.4	-	12
0.7	0.3	-	1.1	2.9	-	-	-	13
1.4	2.4	3.3	2.2	2.9	-	-	-	14
3.4	3.8	6.0	3.3	8.6	16.7	12.8	13.0	15
33.6	25.2	36.2	30.1	28.4	25.0	19.2	13.0	16
16.4	6.9	14.1	18.9	22.8	33.4	32.0	26.1	17
4.1	5.9	6.5	7.8	7.1	-	6.4	-	18

b/ Excludes congenital syphilis, early syphilis, tabes dorsalis, and general paralysis of insane--diagnoses for which no deaths were reported.

c/ Suicides and homicides are also included in the distribution by cause of death (codes AN 138 through AN 150).