

Table 14.—DEATH RATE BY AGE AT ADMISSION, SEPARATELY FOR BATTLE AND
[Rates expressed as number of deaths]

Line no.	Cause of death	Total	Age	
			Under 20	20-24
	(1)	(2)	(3)	(4)
1	All causes—Total.....	322.3	371.3	306.9
2	Battle deaths—Total.....	143.2	188.6	153.9
3	Killed in action.....	115.1	174.3	134.8
4	Died of wounds.....	15.0	14.3	18.8
5	Other deaths.....	a/ 13.1	-	0.3
6	Nonbattle deaths—Total.....	179.1	183.2	153.0
7	Disease.....	46.2	34.0	26.6
8	Injury.....	132.9	149.2	126.4
	Class I			
9	Infective and parasitic diseases (except certain acute respiratory infections and rheumatic fever).	6.8	15.1	6.6
10	Tuberculosis.....	0.8	0.9	0.6
11	Tuberculosis, pulmonary.....	0.3	-	0.1
12	Tuberculosis, pleural.....	-	-	-
13	Tuberculous meningitis.....	0.4	0.9	0.4
14	Tuberculosis, all other.....	0.1	-	0.1
15	Venereal disease.....	0.1	-	0.1
16	Syphilis, early.....	-	-	-
17	Syphilis, other and sequelae.....	-	-	-
18	Gonorrhea, acute or unspecified.....	0.1	-	0.1
19	Gonococcal infection, other.....	-	-	-
20	Chancroid.....	-	-	-
21	Venereal disease, other.....	-	-	-
22	Infections commonly arising in the digestive tract.	0.1	-	0.1
23	Dysentery, bacillary.....	-	-	-
24	Amebiasis.....	-	-	-
25	Food poisoning.....	-	-	-
26	Other infections commonly arising in the digestive tract.	0.1	-	0.1
27	Other bacterial diseases.....	1.3	7.1	1.1
28	Streptococcal infections.....	-	-	-
29	Meningitis, meningococcal.....	0.8	6.2	0.5
30	Other bacterial diseases.....	0.5	0.9	0.6
31	Spirochetal diseases (except syphilis).....	-	-	-
32	Diseases attributable to viruses.....	1.9	3.5	2.0
33	Poliomyelitis, acute.....	1.0	1.7	1.0
34	Encephalitis, infectious, acute.....	0.4	0.9	0.5
35	Smallpox.....	0.1	-	0.1
36	Measles.....	-	-	-
37	Rubella (German measles).....	-	-	-
38	Chickenpox.....	-	-	-
39	Herpes zoster.....	-	-	-
40	Mumps.....	-	-	-
41	Infectious hepatitis.....	0.3	0.9	0.3
42	Infectious mononucleosis.....	0.1	-	0.1
43	Other viral diseases.....	-	-	-
44	Rickettsial diseases.....	-	-	-
45	Malaria, all types.....	-	-	-

a/ Includes: Died in enemy prison; officially declared dead. Data for personnel officially declared dead are included in the total but are not shown distributed by age.

NONBATTLE, AND, FOR NONBATTLE DEATHS, BY SELECTED DIAGNOSES, U. S. ARMY, 1953
per 100,000 average strength per year]

Age—Continued

25-29	30-34	35-39	40-44	45-49	50 and over	Line no.
(5)	(6)	(7)	(8)	(9)	(10)	
315.6	220.7	228.7	420.6	439.2	686.7	1
109.0	31.1	9.8	5.7	-	-	2
97.6	27.2	9.8	5.7	-	-	3
11.4	3.9	-	-	-	-	4
-	-	-	-	-	-	5
206.5	189.6	218.9	414.9	439.2	686.7	6
40.1	57.4	105.2	271.8	322.9	572.3	7
166.5	132.2	113.7	143.1	116.3	114.4	8
7.1	3.9	1.4	2.9	12.9	-	9
1.6	1.9	-	-	-	-	10
1.1	1.0	-	-	-	-	11
-	-	-	-	-	-	12
0.5	-	-	-	-	-	13
-	0.9	-	-	-	-	14
-	-	-	-	-	-	15
-	-	-	-	-	-	16
-	-	-	-	-	-	17
-	-	-	-	-	-	18
-	-	-	-	-	-	19
-	-	-	-	-	-	20
-	-	-	-	-	-	21
-	-	-	-	-	-	22
-	-	-	-	-	-	23
-	-	-	-	-	-	24
-	-	-	-	-	-	25
-	-	-	-	-	-	26
-	-	-	-	6.4	-	27
-	-	-	-	-	-	28
-	-	-	-	-	-	29
-	-	-	-	6.4	-	30
-	-	-	-	-	-	31
1.1	1.0	1.4	2.9	6.5	-	32
0.5	1.0	1.4	2.9	-	-	33
0.6	-	-	-	-	-	34
-	-	-	-	-	-	35
-	-	-	-	-	-	36
-	-	-	-	-	-	37
-	-	-	-	-	-	38
-	-	-	-	-	-	39
-	-	-	-	-	-	40
-	-	-	-	6.5	-	41
-	-	-	-	-	-	42
-	-	-	-	-	-	43
-	-	-	-	-	-	44
-	-	-	-	-	-	45

Table 14.—DEATH RATE BY AGE AT ADMISSION, SEPARATELY FOR BATTLE AND NONBATTLE,
 [Rates expressed as number of deaths

Line no.	Cause of death (Continued)	Total	Age	
			Under 20	20-24
	(1) Class I Continued	(2)	(3)	(4)
1	Other infective and parasitic diseases.....	2.6	3.6	2.7
2	Other protozoal diseases.....	-	-	-
3	Ankylostomiasis (hookworm).....	-	-	-
4	Ascariasis.....	-	-	-
5	Other worm infestation.....	0.1	-	0.2
6	Dermatophytosis.....	-	-	-
7	Other fungus infections.....	0.4	-	0.4
8	Scabies.....	-	-	-
9	Pediculosis.....	-	-	-
10	Other infective and parasitic diseases.....	2.1	3.6	2.1
	Class II			
11	Neoplastic diseases.....	11.9	4.5	6.7
12	Malignant neoplasms.....	7.6	1.8	2.7
13	Neoplastic conditions of lymphatic and hematopoietic tissues.....	3.6	1.8	3.5
14	Benign neoplasm, except pilonidal cyst.....	0.5	0.9	0.3
15	Pilonidal cyst.....	0.1	-	0.1
16	Neoplasm of unspecified nature.....	0.1	-	0.1
	Class III			
17	Allergic, endocrine system, metabolic and nutritional diseases.....	0.8	-	0.5
18	Allergic disorders.....	0.1	-	-
19	Hay fever.....	-	-	-
20	Asthma.....	0.1	-	-
21	Urticaria.....	-	-	-
22	Other allergic disorders.....	-	-	-
23	Diseases of endocrine glands.....	0.6	-	0.5
24	Diseases of thyroid gland.....	0.1	-	-
25	Diabetes mellitus.....	0.4	-	0.5
26	Other diseases of endocrine glands.....	0.1	-	-
27	Metabolic disorders (including avitamino- nosis).....	0.1	-	-
	Class IV			
28	Diseases of the blood and blood-forming organs.....	0.5	0.9	0.5
	Class V			
29	Mental, psychoneurotic, and personality disorders.....	0.5	-	0.3
30	Psychotic disorders.....	0.3	-	0.2
31	Schizophrenic reactions.....	0.3	-	0.2
32	Other psychotic disorders.....	-	-	-
33	Psychoneurotic disorders.....	-	-	-

AND, FOR NONBATTLE DEATHS, BY SELECTED DIAGNOSES, U. S. ARMY, 1953--Continued
per 100,000 average strength per year]

Age—Continued						Line no.
25-29	30-34	35-39	40-44	45-49	50 and over	
(5)	(6)	(7)	(8)	(9)	(10)	
4.4	1.0	—	—	—	—	1
—	—	—	—	—	—	2
—	—	—	—	—	—	3
—	—	—	—	—	—	4
—	—	—	—	—	—	5
—	—	—	—	—	—	6
1.1	—	—	—	—	—	7
—	—	—	—	—	—	8
—	—	—	—	—	—	9
3.3	1.0	—	—	—	—	10
11.4	15.5	25.3	74.3	90.4	183.2	11
8.2	10.6	18.3	62.9	71.0	183.2	12
2.2	3.9	5.6	11.4	12.9	—	13
0.5	1.0	1.4	—	6.5	—	14
—	—	—	—	—	—	15
0.5	—	—	—	—	—	16
1.1	—	5.6	—	6.5	11.4	17
0.5	—	1.4	—	—	—	18
—	—	—	—	—	—	19
0.5	—	1.4	—	—	—	20
—	—	—	—	—	—	21
—	—	—	—	—	—	22
0.6	—	2.8	—	6.5	11.4	23
—	—	—	—	—	11.4	24
0.6	—	1.4	—	—	—	25
—	—	1.4	—	6.5	—	26
—	—	1.4	—	—	—	27
1.1	—	—	—	—	—	28
1.1	—	2.8	—	—	—	29
0.6	—	1.4	—	—	—	30
0.6	—	1.4	—	—	—	31
—	—	—	—	—	—	32
—	—	—	—	—	—	33

Table 14.—DEATH RATE BY AGE AT ADMISSION, SEPARATELY FOR BATTLE AND NONBATTLE,
[Rates expressed as number of deaths]

Line no.	Cause of death (Continued)	Total	Age	
			Under 20	20-24
	(1)	(2)	(3)	(4)
Class V Continued				
1	Character and behavior disorders.....	0.2	-	0.1
2	Pathological personality.....	-	-	-
3	Immature personality.....	-	-	-
4	Alcoholism.....	0.2	-	0.1
5	Other drug addiction.....	-	-	-
6	Primary childhood behavior disorders.....	-	-	-
7	Disorders of intelligence.....	-	-	-
8	Transient personality disorders.....	-	-	-
Class VI				
9	Diseases of the nervous system.....	3.4	1.8	2.6
10	Vascular lesions affecting central nervous system.	2.8	-	2.0
11	Meningitis, acute (excluding meningococcal meningitis).	0.1	0.9	-
12	Encephalitis, myelitis, and encephalomyelitis (except acute infectious).	0.2	-	0.3
13	Epilepsy.....	0.1	-	-
14	Migraine.....	-	-	-
15	Other diseases of central nervous system.....	0.2	0.9	0.3
16	Diseases of nerves and peripheral ganglia....	-	-	-
Class VII				
17	Diseases of the eye and adnexa.....	-	-	-
Class VIII				
18	Diseases of the ear, nose, and throat.....	0.2	-	0.1
19	Diseases of ear and mastoid process.....	0.1	-	-
20	Otitis externa.....	-	-	-
21	Otitis media.....	-	-	-
22	Deafness and impaired hearing.....	-	-	-
23	Other diseases of ear and mastoid.....	0.1	-	-
24	Diseases of the nose and throat.....	0.1	-	0.1
25	Hypertrophy of tonsils and adenoids.....	-	-	-
26	Peritonsillar abscess (quinsy).....	-	-	-
27	Chronic sinusitis.....	0.1	-	0.1
28	Deflected nasal septum.....	-	-	-
29	Other diseases of the nose and throat.....	0.0	-	-
Class IX				
30	Acute respiratory infections.....	1.2	0.9	1.1
31	Acute upper respiratory infection.....	-	-	-
32	Acute bronchitis.....	-	-	-
33	Influenza.....	-	-	-
34	Pneumonia.....	1.2	0.9	1.1

AND, FOR NONBATTLE DEATHS, BY SELECTED DIAGNOSES, U. S. ARMY, 1953—Continued
per 100,000 average strength per year.]

Age—Continued						Line no.
25-29	30-34	35-39	40-44	45-49	50 and over	
(5)	(6)	(7)	(8)	(9)	(10)	
0.5	-	1.4	-	-	-	1
-	-	-	-	-	-	2
-	-	-	-	-	-	3
0.5	-	1.4	-	-	-	4
-	-	-	-	-	-	5
-	-	-	-	-	-	6
-	-	-	-	-	-	7
-	-	-	-	-	-	8
3.3	3.9	8.4	5.7	19.4	34.3	9
2.8	3.9	7.0	5.7	19.4	34.3	10
-	-	-	-	-	-	11
-	-	-	-	-	-	12
0.5	-	1.4	-	-	-	13
-	-	-	-	-	-	14
-	-	-	-	-	-	15
-	-	-	-	-	-	16
-	-	-	-	-	-	17
0.5	1.0	-	-	-	-	18
0.5	-	-	-	-	-	19
-	-	-	-	-	-	20
-	-	-	-	-	-	21
-	-	-	-	-	-	22
0.5	-	-	-	-	-	23
-	1.0	-	-	-	-	24
-	-	-	-	-	-	25
-	-	-	-	-	-	26
-	-	-	-	-	-	27
-	-	-	-	-	-	28
-	1.0	-	-	-	-	29
1.1	1.0	2.8	2.9	-	-	30
-	-	-	-	-	-	31
-	-	-	-	-	-	32
-	-	-	-	-	-	33
1.1	1.0	2.8	2.9	-	-	34

Table 14.—DEATH RATE BY AGE AT ADMISSION, SEPARATELY FOR BATTLE AND NONBATTLE,
[Rates expressed as number of deaths

Line no	Cause of death (Continued)	Total	Age	
			Under 20	20-24
	(1)	(2)	(3)	(4)
Class X				
1	Other diseases of the respiratory system.....	0.7	-	0.7
2	Bronchitis, chronic and unqualified.....	0.1	-	0.1
3	Pleurisy.....	0.1	-	0.1
4	Spontaneous pneumothorax.....	-	-	-
5	Chronic interstitial pneumonia, n. e. c.....	-	-	-
6	Bronchiectasis.....	0.1	-	-
7	Other diseases of the respiratory system....	0.4	-	0.5
Class XI				
8	Diseases of the circulatory system.....	14.2	6.3	3.8
9	Rheumatic fever.....	0.2	1.8	-
10	Chronic rheumatic heart disease.....	0.5	0.9	0.3
11	Other heart disease.....	11.5	2.7	2.2
12	Arteriosclerotic heart disease, including coronary disease.	10.1	-	1.3
13	Other chronic and degenerative heart disease.	0.4	0.9	0.2
14	Acute carditis.....	0.2	-	0.3
15	Other and unspecified diseases of heart...	0.8	1.8	0.4
16	Other diseases of the circulatory system....	2.0	0.9	1.3
17	Hypertensive disease.....	0.7	-	0.2
18	Varicose veins of leg or unspecified site.	-	-	-
19	Hemorrhoids.....	-	-	-
20	Varicose.....	-	-	-
21	Phlebitis and thrombophlebitis.....	-	-	-
22	Other diseases of the circulatory system..	1.3	0.9	1.1
Class XII				
23	Dental diseases and conditions.....	-	-	-
Class XIII				
24	Diseases of the digestive system and hernia...	3.0	-	1.3
25	Diseases of buccal cavity.....	-	-	-
26	Diseases of esophagus.....	-	-	-
27	Ulcer of stomach and duodenum.....	0.5	-	0.1
28	Gastritis and duodenitis.....	0.1	-	0.1
29	Other diseases of stomach and duodenum	-	-	-
30	Appendicitis, acute and unqualified.....	0.2	-	0.2
31	Inguinal hernia.....	-	-	-
32	All other hernia.....	0.1	-	0.1
33	Gastroenteritis, acute.....	-	-	-
34	Enteritis and colitis, acute.....	-	-	-
35	Anal fissure and fistula.....	-	-	-
36	Abscess of anal and rectal regions.....	0.1	-	-
37	Other diseases of intestine and peritoneum..	0.5	-	0.6
38	Diseases of liver.....	0.9	-	0.1
39	Diseases of gallbladder and biliary tract...	0.1	-	0.1
40	Diseases of pancreas.....	0.5	-	-

AND, FOR NONBATTLE DEATHS, BY SELECTED DIAGNOSES, U. S. ARMY, 1953—Continued
per 100,000 average strength per year]

Age—Continued

25-29	30-34	35-39	40-44	45-49	50 and over	Line no.
(5)	(6)	(7)	(8)	(9)	(10)	
1.1	-	2.8	-	-	-	1
-	-	-	-	-	-	2
0.5	-	-	-	-	-	3
-	-	-	-	-	-	4
-	-	-	-	-	-	5
0.6	-	1.4	-	-	-	6
		1.4	-	-	-	7
7.0	17.4	44.9	160.1	154.9	332.0	8
-	-	1.4	-	-	-	9
0.5	-	-	5.7	6.5	-	10
4.9	15.5	39.3	140.1	129.1	320.5	11
4.4	13.6	35.1	131.5	122.6	320.5	12
-	-	2.8	-	6.5	-	13
-	1.9	1.4	2.9	-	-	14
0.5	1.9	1.4	5.7	-	-	15
1.6	1.9	4.2	14.3	19.3	11.5	16
-	1.0	4.2	5.7	6.5	11.5	17
-	-	-	-	-	-	18
-	-	-	-	-	-	19
-	-	-	-	-	-	20
-	-	-	-	-	-	21
1.6	0.9	-	8.6	12.8	-	22
-	-	-	-	-	-	23
2.2	11.7	8.4	17.2	25.8	11.4	24
-	-	-	-	-	-	25
-	-	-	-	-	-	26
0.5	1.0	2.8	2.9	6.5	11.4	27
-	-	-	-	-	-	28
-	-	-	-	-	-	29
-	-	-	2.9	-	-	30
-	-	-	-	-	-	31
0.6	-	-	-	-	-	32
-	-	-	-	-	-	33
-	-	-	-	-	-	34
-	-	-	-	-	-	35
-	-	-	2.9	-	-	36
-	1.0	-	-	-	-	37
0.6	3.9	5.6	5.6	12.8	-	38
-	-	-	-	-	-	39
0.5	5.8	-	2.9	6.5	-	40

Table 14.—DEATH RATE BY AGE AT ADMISSION, SEPARATELY FOR BATTLE AND NONBATTLE,
 [Rates expressed as number of deaths

Line no.	Cause of death (Continued)	Total	Age	
			Under 20	20-24
(1)	(2)	(3)	(4)	
Class XIV				
1	Diseases of the urinary system and male genital system.	1.6	3.6	1.5
2	Nephritis and nephrosis.....	1.4	3.6	1.2
3	Infections of kidney.....	0.1	-	0.2
4	Calculi of kidney and ureter.....	-	-	-
5	Cystitis.....	-	-	-
6	Urethritis, nonvenereal or nongonococcal.....	-	-	-
7	Other diseases of urinary system.....	-	-	-
8	Prostatitis.....	-	-	-
9	Orchitis and epididymitis.....	-	-	-
10	Redundant prepuce and phimosis.....	0.1	-	0.1
11	Other diseases of male genital organs.....	-	-	-
Class XV				
12	Diseases of the breast and female genital organs	-	-	-
Class XVI				
13	Deliveries and complications of pregnancy, childbirth, and puerperium.	-	-	-
Class XVII				
14	Diseases of skin and cellular tissue.....	-	-	-
Class XVIII				
15	Diseases of the bones and organs of movement....	0.1	-	-
16	Arthritis and rheumatism, except rheumatic fever.	-	-	-
17	Osteomyelitis and other diseases of bone and joint.	0.1	-	-
18	Malunion and nonunion of fracture.....	-	-	-
19	Osteomyelitis and other diseases of bone.....	0.1	-	-
20	Derangement, internal, of knee.....	-	-	-
21	Herniation of nucleus pulposus.....	-	-	-
22	Affection of sacroiliac joint, n. e. c.	-	-	-
23	Other diseases of joint.....	-	-	-
24	Other diseases of musculoskeletal system.....	-	-	-
Class XIX				
25	Congenital malformations.....	0.3	0.9	0.1
Class XXI				
26	Symptoms and ill-defined conditions.....	0.4	-	0.3
27	Diarrhea, cause undetermined.....	-	-	-
28	Fever of unknown origin.....	-	-	-
29	Other symptoms and ill-defined conditions....	0.4	-	0.3

AND, FOR NONBATTLE DEATHS, BY SELECTED DIAGNOSES, U. S. ARMY, 1953—Continued
per 100,000 average strength per year]

Age--Continued						Line no.
25-29	30-34	35-39	40-44	45-49	50 and over	
(5)	(6)	(7)	(8)	(9)	(10)	
0.5	1.0	1.4	2.9	6.5	-	1
0.5	1.0	1.4	2.9	6.5	-	2
-	-	-	-	-	-	3
-	-	-	-	-	-	4
-	-	-	-	-	-	5
-	-	-	-	-	-	6
-	-	-	-	-	-	7
-	-	-	-	-	-	8
-	-	-	-	-	-	9
-	-	-	-	-	-	10
-	-	-	-	-	-	11
-	-	-	-	-	-	12
-	-	-	-	-	-	13
-	-	-	-	-	-	14
0.5	-	-	-	-	-	15
-	-	-	-	-	-	16
0.5	-	-	-	-	-	17
-	-	-	-	-	-	18
0.5	-	-	-	-	-	19
-	-	-	-	-	-	20
-	-	-	-	-	-	21
-	-	-	-	-	-	22
-	-	-	-	-	-	23
-	-	-	-	-	-	24
0.5	1.0	-	2.9	-	-	25
0.5	-	-	2.9	6.5	-	26
-	-	-	-	-	-	27
-	-	-	-	-	-	28
0.5	-	-	2.9	6.5	-	29

Table 14.—DEATH RATE BY AGE AT ADMISSION, SEPARATELY FOR BATTLE AND NONBATTLE,
 [Rates expressed as number of deaths

Line no.	Cause of death (Continued)	Total	Age	
			Under 20	20-24
	(1)	(2)	(3)	(4)
Class XXII				
1	Special admissions.....	0.6	-	0.5
2	Observation for disease.....	-	-	-
3	Simple drunkenness.....	0.2	-	0.1
4	Other ill-defined and unknown conditions.....	0.4	-	0.4
Class XXIII				
5	Accidents, violence, and poisonings (Nonbattle).....	132.9	149.2	126.4
6	Fracture, compound, comminuted.....	3.1	3.6	2.7
7	Fracture, compound, other.....	10.9	8.9	11.2
8	Fracture, simple.....	11.0	12.5	9.8
9	Fracture, unqualified.....	16.6	19.7	15.5
10	Wound, lacerated.....	4.3	5.4	3.3
11	Wound, incised.....	0.6	0.9	0.6
12	Wound, punctured.....	0.5	-	0.6
13	Wound, penetrating.....	5.6	8.0	6.0
14	Wound, perforating.....	7.0	8.0	7.2
15	Wound, n. e. c.....	6.8	8.9	6.3
16	Abrasions and blister.....	-	-	-
17	Contusion.....	1.2	2.7	1.2
18	Traumatic amputation.....	1.2	0.9	0.9
19	Sprains, strains, dislocations.....	0.2	-	0.2
20	Burns.....	4.1	8.0	3.6
21	Effects of heat, n. e. c.....	0.7	3.6	0.6
22	Effects of cold.....	-	-	-
23	Concussion.....	2.7	2.7	2.7
24	Crushing.....	3.1	1.8	3.7
25	Multiple injuries, extreme.....	16.6	21.4	15.1
26	Asphyxiation.....	2.0	1.8	2.0
27	Drowning.....	11.7	14.3	11.7
28	Hemothorax, traumatic.....	3.0	0.9	2.8
29	Pneumothorax, traumatic.....	0.4	0.9	0.4
30	Poisoning.....	5.9	2.7	3.8
31	Prophylactic reactions and therapeutic mis-adventures.....	-	-	-
32	All other specified traumatisms.....	12.8	10.7	13.5
33	Unknown or unspecified.....	0.9	0.9	1.0
Class XXIV				
34	Other admissions without disease.....	-	-	-
35	Homicides ^{b/}	7.2	4.5	6.8
36	Suicides ^{b/}	11.5	10.7	7.2

^{b/} Memorandum item. Included in distribution of Class XXIII by cause of death.

AND, FOR NONBATTLE DEATHS, BY SELECTED DIAGNOSES, U. S. ARMY, 1953—Continued
per 100,000 strength per year]

Age—Continued

25-29	30-34	35-39	40-44	45-49	50 and over	Line no.
(5)	(6)	(7)	(8)	(9)	(10)	
1.1	1.0	1.4	-	-	-	1
-	-	-	-	-	-	2
-	1.0	1.4	-	-	-	3
1.1	-	-	-	-	-	4
166.5	132.2	113.7	143.1	116.3	114.4	5
5.4	2.9	1.4	-	6.5	11.4	6
10.8	13.6	5.6	11.4	12.9	11.4	7
14.6	11.7	11.3	25.7	-	11.4	8
19.0	20.4	15.5	14.3	6.5	23.0	9
5.4	9.7	5.6	2.9	6.5	11.4	10
1.1	-	-	-	-	-	11
-	1.0	-	-	-	-	12
5.4	1.0	1.4	2.9	19.3	11.4	13
7.0	6.8	4.2	5.7	-	23.0	14
9.8	2.9	9.8	8.6	-	-	15
-	-	-	-	-	-	16
1.6	1.0	-	-	-	-	17
2.2	1.9	-	2.9	6.5	-	18
0.5	-	-	-	-	-	19
5.4	3.9	4.2	2.9	-	-	20
-	-	-	-	-	-	21
-	-	-	-	-	-	22
3.3	4.9	-	2.9	-	-	23
2.7	1.9	1.4	-	6.5	-	24
22.9	20.4	11.2	20.0	12.8	-	25
1.1	-	7.0	-	6.5	-	26
15.7	7.8	8.4	5.7	-	-	27
6.0	1.0	1.4	5.7	6.5	11.4	28
-	-	-	2.9	-	-	29
10.3	10.7	14.1	20.0	19.3	-	30
-	-	-	-	-	-	31
15.2	8.7	9.8	8.6	6.5	-	32
1.1	-	1.4	-	-	-	33
-	-	-	-	-	-	34
16.3	3.9	2.8	2.9	-	-	35
15.7	15.6	32.3	28.6	64.6	45.8	36