

Table 1.--GENERAL SUMMARY TABLE: ADMISSIONS, INCIDENCE, EPTS PROPORTIONS, CASES TREATED

Line number	Diagnosis and, for traumatisms, battle, nonbattle classification	Admissions		Incidence
		Rate	Number	Rate
		(Admis-sions per 1,000)		(Cases per 1,000)
(1)	(2)	(3)	(4)	(5)
1	All causes--total.....	482.26	739,262	...
2	All nonbattle causes--total.....	475.63	729,090	...
3	All disease.....	420.64	644,800	...
4	All nonbattle injury.....	54.99	84,290	...
5	All battle injury and wound.....	6.63	10,172	...
	NONBATTLE CAUSES			
	DISEASE			
	Class I			
6	Infective and parasitic diseases (except certain acute respiratory infections and rheumatic fever).	91.31	139,980	96.38
7	(A) Tuberculosis.....	0.97	1,485	1.15
8	Tuberculosis, respiratory, with pneumoconiosis.	-	-	-
9	Tuberculosis, pulmonary, active.....	0.64	960	0.66
10	Tuberculosis, pulmonary, arrested.....	0.13	205	0.19
11	Tuberculosis, pleural.....	0.09	140	0.13
12	Tuberculosis, tracheobronchial, glandular.....	0.01	10	0.01
13	Infiltration, pulmonary, cause undetermined.....	0.04	60	0.05
14	Tuberculosis, respiratory, n. e. c.....	-	-	0.01
15	Tuberculosis, unspecified site.....	-	-	-
16	Tuberculous meningitis.....	0.00	5	0.00
17	Tuberculosis of intestines, peritoneum, and mesenteric glands.	-	-	0.00
18	Tuberculosis of bones and joints.....	0.01	20	0.02
19	Tuberculosis, late effects of, bones and joints.	-	-	0.00
20	Tuberculosis of skin and subcutaneous tissue.	-	-	-
21	Tuberculosis of lymph nodes, n. e. c.....	0.03	50	0.04
22	Tuberculosis of genital organs.....	0.01	15	0.01
23	Tuberculosis of urinary tract.....	-	-	0.02
24	Tuberculosis of adrenal glands.....	0.00	5	0.00
25	Tuberculosis of organs, n. e. c.....	0.00	5	0.00
26	Tuberculosis, disseminated.....	0.01	10	0.01
27	(B) Venereal disease.....	64.59	8/99,020	66.23
28	Syphilis, congenital.....	0.08	130	0.11
29	Syphilis, early.....	0.96	1,475	1.00
30	Aneurism of aorta.....	-	-	-
31	Syphilis, cardiovascular, n. e. c.....	-	-	-
32	Tabes dorsalis.....	-	-	0.00
33	Dementia paralytica.....	-	-	-
34	Syphilis, central nervous system, n. e. c.....	0.05	80	0.06
35	Syphilis, late, n. e. c.....	0.01	20	0.02
36	Syphilis, latent.....	0.76	1,160	0.96
37	Syphilis, unqualified.....	0.02	25	0.02
38	Gonorrhea, acute or unspecified.....	51.11	78,365	51.78
39	Gonococcal infection, genitourinary, chronic.	0.05	80	0.06
40	Gonococcal arthritis.....	0.01	15	0.02
41	Gonococcal conjunctivitis.....	0.00	5	0.00
42	Gonococcal infection, n. e. c.....	0.02	25	0.02
43	Late effects of gonorrhea.....	0.03	40	0.03
44	Chancroid.....	11.13	17,060	11.74
45	Lymphogranuloma, venereal.....	0.18	275	0.20
46	Granuloma inguinale.....	0.02	25	0.02
47	Venereal disease, n. e. c.....	0.16	240	0.19

For footnotes, see end of table.

PATIENT CENSUS, LOSS OF TIME, SEPARATIONS, AND DEATHS, BY DIAGNOSIS, U. S. ARMY, 1953

Incidence--Continued Number		EPTS cases included in incidence counts	Total number of cases treated during year a/ b/	Patient census as of 31 Dec.		Loss of time		Separations due to diagnosis shown	Number of deaths due to diagnosis shown	Line number
				a/ 1952	b/ 1953	Noneffective rate	Average days per case c/			
Battle causes	Non-battle causes									
(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	
...	781,492	34,200	20,647	19.80	---	20,215	2,975 ^d	1
...	767,395	30,275	19,615	17.97	14	...	2,745	2
...	675,575	23,975	15,375	14.39	13	...	708	3
...	91,820	6,300	4,240	3.58	25	...	2,037 ^d	4
...	14,097	3,925	1,032	1.83	---	...	230 ^d	5
285	147,445	2,812	154,554	5,947	3,854	2.26	10	1,499	105	6
6	1,765	271	3,919	2,038	1,204	0.83	299	1,333	12	7
-	-	-	-	-	-	-	-	1	-	8
5	990	110	2,130	1,070	800	0.62	343	723	4	9
1	280	91	638	342	125	0.03	101	279	-	10
-	195	5	518	323	122	0.11	355	210	-	11
-	15	-	40	20	5	0.00	---	13	-	12
-	75	10	110	30	15	0.01	69	3	-	13
-	20	-	90	70	35	0.00	---	-	-	14
-	-	-	5	5	-	-	-	-	-	15
-	5	-	25	20	10	0.01	783	7	6	16
-	5	-	10	5	5	-	-	9	-	17
-	35	10	55	20	20	0.01	340	13	-	18
-	5	5	10	5	-	-	-	7	-	19
-	-	-	10	10	-	0.00	---	1	-	20
-	65	15	126	51	21	0.02	243	31	-	21
-	20	5	40	15	20	0.01	---	8	-	22
-	35	10	71	31	26	0.01	---	16	-	23
-	5	5	5	-	-	0.00	---	-	-	24
-	5	-	26	21	-	0.00	---	10	-	25
-	10	5	10	-	-	0.00	---	2	2	26
84	101,420	1,535	102,707	646	288	0.14	1	31	1	27
-	175	135	231	30	5	0.01	30	19	-	28
1	1,535	55	1,574	18	10	0.01	4	-	-	29
-	-	-	-	-	-	-	-	1	-	30
-	-	-	5	5	-	0.00	---	-	-	31
-	5	-	5	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	2	-	33
-	85	25	130	20	-	0.00	21	4	-	34
-	25	5	25	-	5	0.00	---	-	-	35
17	1,460	340	1,829	177	103	0.04	14	-	-	36
-	30	5	30	-	-	0.00	5	-	-	37
47	79,310	910	79,661	209	84	0.03	0	-	1	38
-	95	5	110	5	5	0.00	9	-	-	39
-	25	-	30	5	10	0.00	---	-	-	40
-	5	-	5	-	-	0.00	---	-	-	41
-	30	-	35	5	-	0.00	2	-	-	42
-	40	25	60	10	-	0.00	25	1	-	43
18	17,985	20	18,295	121	56	0.03	1	-	-	44
-	305	5	340	25	5	0.01	15	3	-	45
-	25	-	25	-	-	0.00	5	-	-	46
1	285	5	317	16	5	0.00	12	1	-	47

Table 1.--GENERAL SUMMARY TABLE: ADMISSIONS, INCIDENCE, EPTS PROPORTIONS, CASES TREATED

Line number	Diagnosis and, for traumatisms, battle, nonbattle classification (Continued)	Admissions		Incidence
		Rate	Number	Rate
		(Admissions per 1,000)		(Cases per 1,000)
(1)	(2)	(3)	(4)	
	Class I--Continued			
	Infective and parasitic diseases (except certain acute respiratory infections and rheumatic fever)--Continued			
1	(C) Infections commonly arising in digestive tract.	1.31	2,005	1.46
2	Typhoid.....	0.01	10	0.01
3	Paratyphoid.....	-	-	-
4	Salmonella infections, n. e. c.....	0.04	55	0.04
5	Cholera.....	-	-	-
6	Brucellosis.....	0.00	5	0.01
7	Dysentery, bacillary.....	0.17	265	0.18
8	Amebiasis.....	0.26	405	0.35
9	Dysentery, protozoal, n. e. c.....	0.11	175	0.16
10	Dysentery, unspecified.....	0.12	185	0.13
11	Food poisoning or infection, n. e. c.....	0.60	905	0.58
12	(D) Other bacterial diseases.....	3.11	4,770	3.26
13	Scarlet fever.....	0.36	550	0.37
14	Streptococcal sore throat.....	2.53	3,895	2.64
15	Meningitis, meningococcal.....	0.12	180	0.13
16	Meningococcal infections, n. e. c.....	0.03	45	0.04
17	Bacterial diseases, n. e. c.....	0.07	100	0.08
18	(E) Spirochetal diseases (except syphilis).....	0.30	460	0.37
19	Vincent's infection.....	0.30	460	0.37
20	Relapsing fever.....	-	-	-
21	Spirochetal jaundice (Weil's disease).....	-	-	0.00
22	Yaws.....	-	-	-
23	Spirochetal and leptospirochetal disease, n. e. c.	-	-	-
24	(F) Diseases attributable to viruses.....	14.51	22,240	14.93
25	Poliomyelitis, anterior, acute, bulbar.....	0.02	25	0.02
26	Poliomyelitis, anterior, acute, spinal.....	0.02	25	0.02
27	Poliomyelitis, anterior, acute, nonparalytic.	0.03	40	0.03
28	Poliomyelitis, acute, late effects of.....	0.05	70	0.12
29	Encephalitis, infectious, acute.....	0.04	65	0.05
30	Encephalitis, infectious, acute, late effects of.	-	-	-
31	Smallpox.....	0.00	5	0.00
32	Measles.....	0.87	1,335	0.89
33	Rubella (German measles).....	6.22	9,535	6.28
34	Chickenpox.....	0.86	1,320	0.88
35	Herpes zoster.....	0.25	390	0.27
36	Mumps.....	1.96	3,000	1.98
37	Dengue.....	-	-	-
38	Yellow fever.....	-	-	-
39	Hepatitis, infectious.....	2.40	3,675	2.49
40	Infectious mononucleosis.....	1.20	1,840	1.25
41	Rabies.....	-	-	-
42	Trachoma.....	0.01	15	0.01
43	Viral diseases, n. e. c.....	0.58	900	0.64
44	(G) Rickettsial diseases.....	0.00	5	0.00
45	Typhus, louse-borne (epidemic).....	-	-	-
46	Typhus, flea-borne (murine).....	-	-	-
47	Brill's disease, unqualified.....	-	-	-
48	Tabardillo, unqualified (Mexican typhus).....	-	-	-
49	Typhus, tick-borne.....	0.00	5	0.00

PATIENT CENSUS, LOSS OF TIME, SEPARATIONS, AND DEATHS, BY DIAGNOSIS, U. S. ARMY, 1953

Incidence--Continued Number		EPTS cases included in incidence counts	Total number of cases treated during year	Patient census as of 31 Dec.		Loss of time		Separations due to diagnosis shown	Number of deaths due to diagnosis shown	Line number
				1952	1953	Noneffective rate	Average days per case			
Battle causes	Non-battle causes									
(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	
10	2,225	35	2,375	135	106	0.05	14	6	1	1
-	10	-	10	-	5	0.00	---	-	-	2
-	-	-	5	5	-	0.00	---	-	-	3
-	60	-	60	-	-	0.00	4	-	-	4
-	-	-	-	-	-	-	-	-	-	5
-	10	-	10	-	-	0.00	---	2	-	6
-	270	-	280	10	-	0.01	14	1	-	7
6	530	15	629	88	66	0.03	39	2	-	8
4	235	20	266	27	30	0.01	18	1	-	9
-	205	-	210	5	5	0.00	8	-	1	10
-	905	-	905	-	-	0.00	2	-	-	11
23	4,975	10	5,178	170	163	0.09	11	4	20	12
-	570	-	575	5	20	0.01	12	-	-	13
2	4,040	5	4,148	96	105	0.05	8	-	-	14
1	195	-	216	20	15	0.02	67	-	12	15
-	65	-	65	-	10	0.00	24	-	6	16
20	105	5	174	49	13	0.01	51	4	2	17
2	565	-	577	10	15	0.01	---	-	-	18
1	565	-	576	10	15	0.01	7	-	-	19
-	-	-	-	-	-	-	-	-	-	20
1	-	-	1	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	23
10	22,875	191	24,544	1,569	1,099	0.75	19	32	30	24
-	25	-	35	10	5	0.01	122	-	15	25
-	25	-	60	35	15	0.01	182	-	1	26
-	40	-	45	5	-	0.00	49	1	-	27
1	190	161	236	25	5	0.00	36	-	-	28
-	75	-	85	10	15	0.01	59	-	7	29
-	-	-	5	5	-	-	-	7	-	30
-	5	-	5	-	-	0.00	---	-	1	31
-	1,365	-	1,390	25	10	0.02	7	-	-	32
-	9,615	-	9,745	130	15	0.08	5	-	-	33
1	1,355	-	1,407	51	35	0.02	11	-	-	34
1	415	-	443	22	15	0.01	9	-	-	35
1	3,040	-	3,163	112	95	0.06	12	-	-	36
-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	38
3	3,810	15	4,813	950	753	0.43	64	22	5	39
2	1,920	-	2,075	148	111	0.08	26	-	1	40
-	-	-	-	-	-	-	-	-	-	41
-	15	-	15	-	-	0.00	---	1	-	42
1	980	15	1,022	41	25	0.02	11	1	-	43
-	5	5	5	-	-	0.00	---	-	-	44
-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	48
-	5	5	5	-	-	0.00	---	-	-	49

Table 1.--GENERAL SUMMARY TABLE: ADMISSIONS, INCIDENCE, EPTS PROPORTIONS, CASES TREATED

Line number	Diagnosis and, for traumatisms, battle, nonbattle classification (Continued)	Admissions		Incidence
		Rate	Number	Rate
		(Admis-sions per 1,000)		(Cases per 1,000)
	(1)	(2)	(3)	(4)
	Class I--Continued			
	Infective and parasitic diseases (except certain acute respiratory infections and rheumatic fever)--Continued			
	(G) Rickettsial diseases--Continued			
1	Typhus, mite-borne (tsutsugamushi fever).....	-	-	-
2	Wolynian fever (trench fever).....	-	-	-
3	Typhus, unspecified.....	-	-	-
4	Rickettsial infection, n. e. c.....	-	-	-
5	(H) Malaria.....	1.14	1,755	1.44
6	Malaria, plasmodium vivax.....	0.93	1,430	1.17
7	Malaria, plasmodium malariae.....	0.01	20	0.02
8	Malaria, plasmodium falciparum.....	0.01	15	0.01
9	Malaria, plasmodium ovale.....	-	-	-
10	Malaria, mixed.....	-	-	0.01
11	Blackwater fever.....	-	-	-
12	Malaria, unspecified.....	0.19	290	0.23
13	Malaria, recurrent induced.....	-	-	-
14	(I) Other infective and parasitic diseases.....	5.38	8,240	7.54
15	Leishmaniasis.....	-	-	-
16	Trypanosomiasis.....	-	-	-
17	Protozoal diseases, n. e. c.....	0.01	10	0.01
18	Schistosomiasis.....	0.13	205	0.16
19	Trematode infection, n. e. c.....	-	-	-
20	Echinococcosis (hydatid disease).....	-	-	-
21	Cestode infection, n. e. c.....	0.03	45	0.05
22	Filariasis.....	0.00	5	0.00
23	Trichinosis.....	0.01	10	0.01
24	Ankylostomiasis (hookworm).....	0.62	950	1.06
25	Ascariasis.....	0.18	275	0.66
26	Worm infection, n. e. c.....	0.21	325	0.70
27	Dermatophytosis.....	2.93	4,485	3.50
28	Actinomycosis.....	0.00	5	0.00
29	Coccidioidomycosis.....	0.07	110	0.07
30	Fungus infection, n. e. c.....	0.12	180	0.16
31	Scabies.....	0.49	755	0.54
32	Pediculosis.....	0.09	140	0.13
33	Arthropod infestation, n. e. c.....	0.02	25	0.02
34	Infective and parasitic diseases, n. e. c.....	0.47	715	0.47
	Class II			
35	Neoplastic diseases.....	5.63	8,630	6.79
36	(A) Malignant neoplasms.....	0.30	465	0.32
37	Adenocarcinoma.....	0.04	60	0.04
38	Carcinoma, other.....	0.12	190	0.14
39	Sarcoma.....	0.03	45	0.03
40	Malignant tumors of nerve tissues and associated structures.	0.02	35	0.02
41	Dysgerminoma and teratoma.....	0.02	30	0.02
42	Melanoma.....	0.02	35	0.02
43	Malignant neoplasms, other.....	0.05	70	0.05
44	(B) Neoplastic conditions of lymphatic and hematopoietic tissues.	0.08	125	0.09
45	Lymphosarcoma and reticulosarcoma.....	0.01	15	0.01
46	Hodgkin's disease.....	0.04	65	0.05

PATIENT CENSUS, LOSS OF TIME, SEPARATIONS, AND DEATHS, BY DIAGNOSIS, U. S. ARMY, 1953

Incidence--Continued Number		EPTS cases included in inci- dence counts	Total number of cases treated during year	Patient census as of 31 Dec.		Loss of time		Separ- ations due to diag- nosis shown	Number of deaths due to diag- nosis shown	Line number
Among admis- sions for	Battle causes			1952	1953	Nonef- fective rate	Average days per case			
(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	
-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	4
10	2,190	20	2,354	154	35	0.03	11	-	-	5
9	1,780	15	1,915	126	24	0.03	11	-	-	6
-	25	-	25	-	-	0.00	---	-	-	7
-	15	-	20	5	-	0.00	---	-	-	8
-	-	-	-	-	-	-	-	-	-	9
-	10	-	10	-	-	0.00	-	-	-	10
1	360	5	384	23	11	0.00	8	-	-	11
-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	13
140	11,425	745	12,895	1,225	944	0.36	24	93	41	14
-	-	-	-	-	-	-	-	-	-	15
-	20	-	20	-	10	0.00	-	-	-	16
5	240	91	312	67	41	0.03	72	2	2	18
-	-	-	-	-	-	-	-	-	-	19
-	-	-	5	5	-	0.00	---	-	-	20
4	65	10	69	-	1	0.00	7	-	-	21
-	5	-	15	10	-	0.00	---	-	-	22
-	15	-	15	-	-	0.00	---	-	-	23
56	1,565	253	1,843	217	162	0.03	21	-	-	24
21	995	16	1,117	91	85	0.02	34	-	-	25
28	1,040	130	1,266	193	146	0.02	34	-	-	26
19	5,365	170	5,739	305	187	0.12	13	12	-	27
-	5	-	5	-	5	0.00	-	-	-	28
2	110	10	162	40	31	0.02	106	6	5	29
2	240	15	287	45	41	0.02	65	2	1	30
2	825	5	884	47	15	0.01	10	-	-	31
1	195	-	229	33	10	0.00	7	-	-	32
-	25	-	30	-	-	0.00	20	-	-	33
-	715	45	897	172	210	0.09	74	71	33	34
89	10,325	6,219	11,988	1,319	770	0.48	33	361	183	35
1	485	55	757	221	135	0.09	110	109	117	36
-	60	5	130	50	30	0.02	173	24	30	37
1	200	15	291	70	35	0.02	89	27	43	38
-	45	5	70	15	25	0.01	81	14	12	39
-	35	-	60	25	15	0.01	199	11	7	40
-	35	10	50	15	15	0.01	118	9	5	41
-	35	5	61	26	5	0.01	133	10	8	42
-	75	15	95	20	10	0.01	63	14	12	43
-	135	5	220	75	40	0.03	157	60	55	44
-	15	-	25	10	5	0.00	---	9	12	45
-	65	5	115	40	30	0.02	180	37	10	46

Table 1.--GENERAL SUMMARY TABLE: ADMISSIONS, INCIDENCE, EPTS PROPORTIONS, CASES TREATED,

Line number	Diagnosis and, for traumatisms, battle, nonbattle classification (Continued)	Admissions		Incidence
		Rate	Number	Rate
		(Admis-sions per 1,000)		(Cases per 1,000)
	(1)	(2)	(3)	(4)
Class II--Continued				
Neoplastic diseases--Continued				
(B) Neoplastic conditions of lymphatic and hematopoietic tissues--Continued.				
1	Leukemia and aleukemia.....	0.03	40	0.03
2	Other neoplastic conditions of lymphatic and hematopoietic tissues.....	0.00	5	0.00
3	(C) Neoplasms, benign.....	5.17	7,920	6.29
4	Cyst (including cystadenoma).....	0.35	540	0.44
5	Exostosis.....	0.15	225	0.21
6	Fibroma.....	0.08	125	0.13
7	Hemangioma.....	0.12	190	0.19
8	Lipoma.....	0.26	405	0.43
9	Neuroma.....	0.10	160	0.20
10	Nevus, pigmented.....	0.10	155	0.17
11	Osteochondroma and osteoma.....	0.14	220	0.20
12	Pilonidal cyst or sinus.....	3.24	4,955	3.41
13	Other benign neoplasms.....	0.63	945	0.91
14	(D) Neoplasm of unspecified nature.....	0.08	120	0.09
Class III				
15	Allergic, endocrine system, metabolic, and nutritional diseases.	6.19	9,485	8.45
16	(A) Allergic disorders.....	5.20	7,970	6.26
17	Hay fever.....	0.23	350	0.51
18	Asthma.....	1.95	2,990	2.30
19	Angioneurotic edema.....	0.39	600	0.44
20	Urticaria.....	1.94	2,975	2.19
21	Allergic eczema.....	0.14	210	0.18
22	Allergic disorders, n. e. c.....	0.55	845	0.64
23	(B) Diseases of endocrine glands.....	0.59	905	0.83
24	Simple goiter.....	0.01	10	0.09
25	Nontoxic nodular goiter.....	0.04	60	0.06
26	Thyrotoxicosis with or without goiter.....	0.04	80	0.06
27	Hypothyroidism.....	0.04	60	0.06
28	Diseases of thyroid gland, n. e. c.....	0.04	55	0.04
29	Diabetes mellitus.....	0.34	535	0.43
30	Diseases of pancreatic internal secretion, n. e. c.	0.02	25	0.02
31	Diseases of parathyroid gland.....	0.01	10	0.01
32	Diseases of pituitary gland.....	0.01	20	0.01
33	Diseases of thymus gland.....	0.01	10	0.01
34	Diseases of adrenal glands.....	0.01	10	0.01
35	Ovarian dysfunction.....	0.01	15	0.01
36	Testicular dysfunction.....	-	-	0.01
37	Diseases of endocrine glands, n. e. c.....	0.01	15	0.01
38	(C) Metabolic disorders (including avitaminosis).	0.40	610	1.36
39	Beriberi.....	-	-	0.00
40	Pellagra.....	-	-	0.00
41	Scurvy.....	-	-	-
42	Active rickets.....	-	-	-
43	Late effect of rickets.....	0.00	5	-
44	Osteomalacia.....	-	-	0.00

PATIENT CENSUS, LOSS OF TIME, SEPARATIONS, AND DEATHS, BY DIAGNOSIS, U. S. ARMY, 1953

Incidence--Continued		EPTS cases included in incidence counts	Total number of cases treated during year	Patient census as of 31 Dec.		Loss of time		Separations due to diagnosis shown	Number of deaths due to diagnosis shown	Line number					
Number				1952	1953	Noneffective rate	Average days per case								
Among admissions for															
Battle causes	Non-battle causes														
(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)						
-	50	-	65	15	15	5	0.01	106	10	32					
-	5	-	15	10	-	0.00	---	4	1	12					
88	9,565	6,134	10,856	1,008	590	0.35	25	178	9	3					
5	665	70	745	70	26	0.01	17	4	1	4					
2	320	65	358	36	21	0.01	21	3	-	5					
-	205	40	221	16	5	0.00	15	2	-	6					
2	295	121	335	33	20	0.01	31	19	2	7					
2	660	60	710	48	45	0.01	14	3	-	8					
53	250	30	449	136	85	0.02	56	5	-	9					
5	255	127	282	22	-	0.00	12	-	1	10					
1	300	150	346	30	20	0.01	30	19	-	11					
6	5,230	5,231	5,779	393	232	0.22	25	97	1	12					
12	1,385	240	1,631	224	136	0.06	35	26	4	13					
-	140	25	155	15	5	0.01	49	14	2	14					
37	12,910	2,151	14,487	1,145	738	0.36	23	1,110	13	15					
31	9,560	1,696	10,480	594	379	0.21	16	747	2	16					
3	780	365	851	63	57	0.01	16	11	-	17					
4	3,510	1,186	4,049	310	200	0.12	25	685	2	18					
5	670	-	707	27	10	0.01	8	6	-	19					
18	3,340	50	3,513	115	67	0.05	9	14	-	20					
-	280	65	326	46	25	0.01	28	21	-	21					
1	980	30	1,034	33	20	0.01	7	10	-	22					
-	1,275	185	1,721	381	165	0.12	79	337	10	23					
-	135	5	175	30	5	0.00	55	-	-	24					
-	95	15	125	30	15	0.00	30	-	1	25					
-	95	15	161	61	10	0.03	128	6	-	26					
-	85	30	115	30	-	0.00	42	4	-	27					
-	60	5	60	-	-	0.00	15	-	-	28					
-	675	85	910	185	130	0.08	90	301	7	29					
-	35	-	35	-	-	0.00	10	-	-	30					
-	10	-	20	10	-	0.00	---	-	-	31					
-	20	15	45	25	-	0.00	127	17	1	32					
-	10	-	10	-	-	0.00	---	1	-	33					
-	10	-	10	-	-	0.00	---	3	1	34					
-	15	-	15	-	-	0.00	---	-	-	35					
-	15	10	20	5	-	-	-	2	-	36					
-	15	5	20	5	5	0.00	---	3	-	37					
6	2,075	270	2,286	170	194	0.03	24	26	1	38					
-	5	-	10	5	-	-	-	-	1	39					
-	5	-	5	-	-	-	-	-	-	40					
-	-	-	-	-	-	-	-	-	-	41					
-	-	-	-	-	-	-	-	-	-	42					
-	5	5	5	-	-	-	---	-	-	43					
-	-	-	-	-	-	0.00	-	-	-	44					

Table 1.--GENERAL SUMMARY TABLE: ADMISSIONS, INCIDENCE, EPTS PROPORTIONS, CASES TREATED,

Line number	Diagnosis and, for traumatisms, battle, nonbattle classification (Continued)	Admissions		Incidence
		Rate	Number	Rate
		(Admis-sions per 1,000)		(Cases per 1,000)
	(1)	(2)	(3)	(4)
	Class III--Continued			
	Allergic, endocrine system, metabolic and nutritional diseases--Continued			
	(C) Metabolic disorders (including avitaminosis)--Continued			
1	Vitamin deficiency, n. e. c.....	0.06	90	0.50
2	Obesity, not specified as of endocrine origin.....	0.15	215	0.62
3	Gout.....	0.10	160	0.11
4	Metabolic diseases, n. e. c.....	0.09	140	0.13
	Class IV			
5	Diseases of the blood and blood-forming organs.	0.21	315	0.43
6	Pernicious and other hyperchromic anemias.....	0.00	5	0.00
7	Hypochromic anemias.....	0.02	35	0.07
8	Anemia, sickle cell.....	0.02	35	0.04
9	Anemias of specified type, n. e. c.....	0.03	45	0.05
10	Anemia, unspecified type.....	0.02	30	0.07
11	Polycythemia.....	-	-	0.00
12	Hemophilia.....	0.01	10	0.01
13	Purpura, and other hemorrhagic conditions, n. e. c.	0.06	80	0.08
14	Agranulocytosis.....	0.01	10	0.01
15	Diseases of spleen.....	0.01	15	0.03
16	Diseases of blood and blood-forming organs, n. e. c.	0.03	50	0.07
	Class V			
17	Mental, psychoneurotic, and personality disorders.	14.62	22,410	17.79
18	(A) and (B) Psychotic disorders.....	2.02	3,095	2.21
19	Schizophrenic reactions.....	1.78	2,745	1.93
20	Manic depressive reaction.....	0.07	100	0.08
21	Involutional melancholia.....	0.02	25	0.02
22	Paranoia and paranoid states.....	0.02	30	0.02
23	Alcoholic psychosis.....	0.10	150	0.12
24	Other and unspecified psychoses.....	0.03	45	0.04
25	(C) Psychoneurotic disorders.....	5.50	8,435	6.80
26	Anxiety reaction without mention of somatic symptoms.	2.09	3,215	2.66
27	Hysterical reaction without mention of anxiety reaction.	0.97	1,485	1.16
28	Phobic reaction.....	0.01	20	0.02
29	Obsessive-compulsive reaction.....	0.07	105	0.09
30	Neurotic-depressive reaction.....	0.45	695	0.56
31	Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system.	0.19	295	0.25
32	Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system.	1.01	1,545	1.18
33	Psychoneurosis with somatic symptoms (somatization reaction) affecting other systems.	0.63	960	0.76
34	Psychoneurotic disorders, other, mixed and unspecified types.	0.08	115	0.12

PATIENT CENSUS, LOSS OF TIME, SEPARATIONS, AND DEATHS, BY DIAGNOSIS, U. S. ARMY, 1953

Incidence--Continued Number		EPTS cases included in inci- dence counts	Total number of cases treated during year	Patient census as of 31 Dec.		Loss of time		Separ- ations due to diag- nosis shown	Number of deaths due to diag- nosis shown	Line number
Among admis- sions for	Battle causes			1952	1953	Nonef- fective rate	Average days per case			
(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	
5	755	10	782	22	68	0.01	42	2	-	1
1	930	220	1,074	118	91	0.01	23	2	-	2
-	170	-	175	-	15	0.00	11	8	-	3
-	205	35	230	25	20	0.01	32	14	-	4
1	665	120	841	160	105	0.03	51	79	8	5
-	5	-	15	10	5	0.00	-	2	-	6
-	110	5	142	32	10	0.00	22	3	-	7
-	60	30	105	40	10	0.01	90	32	-	8
1	75	65	87	11	10	0.01	81	11	4	9
-	120	-	150	30	30	0.00	45	6	1	10
-	5	-	5	-	-	-	-	3	-	11
-	10	5	10	-	5	0.00	---	7	-	12
-	115	-	140	20	25	0.01	34	7	3	13
-	20	-	31	11	5	0.00	---	2	-	14
-	40	15	50	5	-	0.00	---	3	-	15
-	105	-	106	1	5	0.00	33	3	-	16
53	27,210	14,383	31,892	3,949	2,792	1.77	47	4,136	7	17
3	3,385	1,830	4,894	1,391	1,074	0.76	141	2,786	4	18
3	2,945	1,780	4,319	1,276	954	0.72	149	2,666	4	19
-	125	20	210	70	65	0.02	127	70	-	20
-	30	-	40	10	5	0.01	161	7	-	21
-	30	5	40	10	10	0.00	121	16	-	22
-	190	15	210	15	20	0.00	15	2	-	23
-	65	10	75	10	20	0.01	64	25	-	24
28	10,390	2,787	11,897	1,244	695	0.49	34	1,283	-	25
17	4,060	815	4,639	482	297	0.18	35	511	-	26
7	1,765	616	2,059	222	110	0.10	40	265	-	27
-	25	25	35	5	-	0.00	80	9	-	28
-	135	85	145	10	20	0.01	57	41	-	29
1	865	195	1,055	174	116	0.06	47	177	-	30
-	380	135	420	40	20	0.01	18	27	-	31
1	1,810	400	2,004	153	76	0.06	23	102	-	32
2	1,170	446	1,335	133	46	0.05	30	119	-	33
-	180	70	205	25	10	0.02	54	32	-	34

Table 1.--GENERAL SUMMARY TABLE: ADMISSIONS, INCIDENCE, EPTS PROPORTIONS, CASES TREATED

Line number	Diagnosis, and, for traumatisms, battle nonbattle classification (Continued)	Admissions		Incidence
		Rate	Number	Rate
		(Admis-sions per 1,000)		(Cases per 1,000)
(1)	(2)	(3)	(4)	
Class V--Continued				
Mental, psychoneurotic, and personality disorders--Continued				
1 (D) Character and behavior disorders.....	6.37	9,765	7.87	
2 Pathological personality.....	2.12	3,260	2.58	
3 Emotional instability.....	1.42	2,175	1.71	
4 Passive dependency.....	0.62	955	0.86	
5 Aggressiveness.....	1.20	1,835	1.45	
6 Immature personality, n. e. c.....	0.23	345	0.32	
7 Alcoholism.....	0.66	1,010	0.82	
8 Drug addiction, n. e. c.....	0.12	185	0.13	
9 Primary childhood behavior disorders.....	-	-	-	-
10 (E) Disorders of intelligence.....	0.21	315	0.29	
11 Mental deficiency.....	0.21	315	0.29	
12 Specific learning defects.....	-	-	0.00	
13 (F) Transient personality disorders.....	0.52	800	0.62	
14 Combat exhaustion.....	0.09	145	0.10	
15 Acute situational maladjustment.....	0.41	630	0.49	
16 Other transient personality disorders.....	0.02	25	0.03	
Class VI				
17 Diseases of the nervous system.....	2.95	4,515	4.64	
18 (A) Vascular lesions affecting central nervous system.	0.08	130	0.19	
19 Subarachnoid hemorrhage.....	0.03	60	0.04	
20 Cerebral hemorrhage.....	0.01	15	0.03	
21 Cerebral embolism and thrombosis.....	0.03	40	0.08	
22 Vascular lesions affecting central nervous system, n. e. c.	0.01	15	0.04	
23 (B) Inflammatory diseases of central nervous system.	0.34	515	0.53	
24 Meningitis, acute (excluding meningococcal meningitis).	0.08	115	0.11	
25 Meningitis, other (excluding meningococcal meningitis).	0.01	10	0.01	
26 Phlebitis and thromphlebitis of intracranial venous sinuses.	-	-	-	-
27 Intracranial and intraspinal abscess.....	0.01	10	0.01	
28 Post-traumatic encephalopathy.....	0.14	220	0.25	
29 Encephalitis, myelitis, encephalomylitis (except acute infectious), n. e. c.	0.07	105	0.11	
30 Late effects of intracranial abscess or pyogenic infection.	0.00	5	0.01	
31 Multiple sclerosis.....	0.03	50	0.03	
32 (C) Other diseases of the central nervous system.	1.32	2,010	1.60	
33 Paralysis agitans.....	0.00	5	0.01	
34 Cerebral spastic infantile paralysis.....	0.01	20	0.01	
35 Cerebral paralysis, n. e. c.....	0.02	35	0.02	
36 Epilepsy, petit mal.....	0.03	50	0.05	
37 Epilepsy, grand mal.....	0.57	870	0.66	
38 Epilepsy, n. e. c.....	0.18	275	0.23	
39 Migraine.....	0.38	575	0.40	
40 Diseases of the brain, n. e. c.....	0.05	70	0.07	
41 Motor neurone disease and muscular atrophy.....	0.04	55	0.05	
42 Diseases of the spinal cord, n. e. c.....	0.04	55	0.10	

PATIENT CENSUS, LOSS OF TIME, SEPARATIONS, AND DEATHS, BY DIAGNOSIS, U. S. ARMY, 1953

Incidence--Continued Number		EPTS cases included in inci- dence counts	Total number of cases treated during year	Patient census as of 31 Dec.		Loss of time Noneffective rate	Average days per case	Separa- tions due to diag- nosis shown	Number of deaths due to diag- nosis shown	Line number
Among admis- sions for	Battle causes			1952	1953					
(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	
13	12,060	9,261	13,497	1,129	943	0.47	27	49	3	1
3	3,965	3,593	4,438	380	301	0.18	30	21	-	2
5	2,610	2,203	2,972	282	191	0.09	27	12	-	3
1	1,315	1,121	1,550	184	145	0.06	35	4	-	4
4	2,225	1,774	2,472	218	196	0.10	29	7	-	5
-	495	385	515	15	15	0.01	17	5	-	6
-	1,250	125	1,340	50	85	0.03	13	-	3	7
-	200	60	210	-	10	0.00	14	-	-	8
-	-	-	-	-	-	-	---	-	-	9
1	440	425	536	75	25	0.01	28	5	-	10
1	435	420	531	75	25	0.01	28	5	-	11
-	5	5	5	-	-	-	-	-	-	12
8	935	80	1,068	110	55	0.04	29	13	-	13
7	150	-	157	-	-	0.00	5	-	-	14
-	740	60	827	72	45	0.03	28	-	-	15
1	45	20	84	38	10	0.01	122	13	-	16
715	6,400	1,482	10,005	2,625	1,440	0.36	48	1,507	52	17
35	255	20	389	99	88	0.02	109	52	42	18
-	60	10	96	36	15	0.01	141	15	27	19
-	50	5	55	5	25	0.00	---	2	14	20
35	85	5	173	53	38	0.01	94	21	-	21
-	60	-	65	5	10	0.00	---	14	1	22
60	755	120	1,265	420	170	0.07	74	281	5	23
4	160	-	188	24	22	0.01	35	2	1	24
-	10	-	31	21	-	0.01	233	3	-	25
-	-	-	-	-	-	-	-	-	-	26
-	10	-	27	17	10	0.00	---	-	1	27
52	350	110	729	297	103	0.03	83	221	-	28
4	160	5	194	30	15	0.01	36	8	3	29
-	15	5	36	21	10	0.00	---	6	-	30
-	50	-	60	10	10	0.01	118	41	-	31
35	2,410	1,042	2,955	385	258	0.11	30	460	5	32
-	10	5	20	10	-	0.00	---	10	-	33
-	20	20	30	5	5	0.00	---	15	-	34
2	35	10	50	13	15	0.00	---	12	-	35
-	70	40	75	5	5	0.00	28	10	-	36
2	1,005	586	1,189	117	136	0.05	35	211	2	37
3	345	126	440	62	23	0.02	36	83	-	38
1	610	100	647	21	10	0.01	7	18	-	39
3	105	60	138	30	15	0.01	79	30	2	40
1	75	55	122	36	5	0.01	58	33	-	41
23	135	40	244	86	44	0.01	57	38	1	42

Table 1.--GENERAL SUMMARY TABLE: ADMISSIONS, INCIDENCE, EPTS PROPORTIONS, CASES TREATED

Line number	Diagnosis and, for traumatisms, battle, nonbattle classification (Continued)	Admissions		Incidence
		Rate	Number	Rate
		(Admis- sions per 1,000)		(Cases per 1,000)
	(1)	(2)	(3)	(4)
	Class VI--Continued			
	Diseases of the nervous system--Continued			
1	(D) Diseases of nerves and peripheral ganglia	1.21	1,860	2.32
2	Facial paralysis.....	0.18	275	0.25
3	Trigeminal neuralgia.....	0.04	60	0.04
4	Brachial neuritis.....	0.06	90	0.09
5	Sciatica.....	0.19	290	0.24
6	Polyneuritis and polyradiculitis.....	0.08	115	0.12
7	Erythredema polyneuritica.....	-	-	-
8	Neuritis and neuropathy, n. e. c.....	0.65	1,015	1.57
9	Diseases of peripheral autonomic nervous system.	0.01	15	0.01
	Class VII			
10	Diseases of the eye and adnexa.....	5.82	8,915	9.47
11	(A) Inflammatory diseases of the eye.....	3.01	4,600	4.03
12	Conjunctivitis and ophthalmia.....	1.84	2,805	2.21
13	Blepharitis.....	0.06	95	0.12
14	Hordeolum (sty).....	0.28	415	0.32
15	Iritis.....	0.17	265	0.30
16	Keratitis.....	0.21	325	0.33
17	Choroiditis.....	0.03	45	0.05
18	Inflammation of uveal tract, n. e. c.....	0.26	405	0.45
19	Inflammation of optic nerve and retina.....	0.04	65	0.07
20	Inflammation of lacrymal glands and ducts.....	0.07	100	0.10
21	Inflammatory disease of eye, n. e. c.....	0.05	80	0.08
22	(B) Other diseases and conditions of the eye.....	2.81	4,315	5.44
23	Refractive errors.....	0.88	1,370	1.69
24	Corneal ulcer.....	0.16	240	0.24
25	Corneal opacity.....	0.05	80	0.20
26	Pterygium.....	0.39	595	0.49
27	Strabismus.....	0.40	610	0.83
28	Cataract.....	0.08	125	0.22
29	Detachment of retina.....	0.06	95	0.09
30	Glaucoma.....	0.04	55	0.08
31	Chalazion.....	0.27	420	0.34
32	Amblyopia.....	0.11	165	0.49
33	Diseases of eye, n. e. c.....	0.34	515	0.68
34	Blindness, bilateral.....	0.01	15	0.02
35	Blindness, unilateral.....	0.02	30	0.07
	Class VIII			
36	Diseases of the ear, nose, and throat.....	11.26	17,255	15.20
37	(A) Diseases of ear and mastoid process.....	4.72	7,235	6.97
38	Otitis externa.....	0.83	1,270	1.11
39	Otitis media, acute.....	1.75	2,665	2.27
40	Otitis media, chronic.....	0.99	1,525	1.29
41	Otitis media, unspecified.....	0.25	390	0.52
42	Mastoiditis.....	0.04	60	0.05
43	Inflammatory diseases of ear, n. e. c.....	0.15	230	0.21
44	Meniere's disease.....	0.04	65	0.06
45	Diseases of ear and mastoid process, n. e. c.....	0.08	115	0.21
46	Deafness, due to degeneration of acoustic nerve, bilateral.	0.03	40	0.07
47	Deafness, due to degeneration of acoustic nerve, unilateral.	0.01	20	0.03

PATIENT CENSUS, LOSS OF TIME, SEPARATIONS, AND DEATHS, BY DIAGNOSIS, U. S. ARMY, 1953

Incidence--Continued Number		EPTS cases included in inci- dence counts	Total number of cases treated during year	Patient census as of 31 Dec.		Loss of time		Separations due to diag- nosis shown	Number of deaths due to diag- nosis shown	Line number
				1952	1953	Nonef- fective rate	Average days per case			
Among admis- sions for	Battle causes	Non- battle causes								
(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	
585	2,980	300	5,396	1,721	924	0.16	55	714	-	1
30	350	15	499	94	22	0.01	31	18	-	2
2	65	-	77	10	2	0.00	12	3	-	3
2	130	15	163	31	20	0.00	24	3	-	4
3	360	10	417	49	31	0.01	27	12	-	5
-	190	5	215	25	40	0.01	72	11	-	6
-	-	-	-	-	-	-	-	-	-	7
547	1,865	250	4,003	1,511	804	0.13	74	665	-	8
1	20	5	22	1	5	0.00	---	2	-	9
351	14,170	4,583	16,382	1,561	832	0.26	17	931	-	10
102	6,080	351	6,745	488	249	0.12	15	74	-	11
26	3,375	45	3,531	120	55	0.04	6	8	-	12
5	180	10	202	17	6	0.00	7	1	-	13
-	485	5	516	31	10	0.00	4	-	-	14
3	450	30	517	59	40	0.02	36	5	-	15
2	510	45	541	9	17	0.01	20	10	-	16
-	70	20	85	10	-	0.00	59	2	-	17
55	640	120	943	223	86	0.05	55	34	-	18
4	105	25	119	5	11	0.00	43	9	-	19
6	140	41	154	8	18	0.00	20	4	-	20
1	125	10	137	6	6	0.00	8	1	-	21
249	8,090	4,232	9,637	1,073	583	0.14	19	857	-	22
35	2,575	1,656	2,910	275	139	0.02	7	72	-	23
8	355	15	394	21	5	0.01	21	5	-	24
49	250	108	391	67	28	0.01	47	5	-	25
4	740	105	835	61	52	0.02	21	2	-	26
20	1,270	1,035	1,467	142	73	0.02	19	34	-	27
53	285	143	503	145	40	0.01	41	15	-	28
2	130	75	157	25	40	0.01	63	10	-	29
2	120	45	168	31	15	0.00	38	15	-	30
3	525	20	561	33	16	0.00	5	-	-	31
10	735	589	808	53	52	0.01	20	20	-	32
63	980	371	1,302	204	107	0.03	33	91	-	33
-	25	5	26	1	1	0.00	---	70	-	34
-	100	65	115	15	15	0.00	57	518	-	35
170	23,125	4,093	25,545	1,884	1,058	0.45	15	574	3	36
118	10,565	1,868	11,899	1,005	670	0.24	18	521	1	37
15	1,690	25	1,786	61	52	0.03	11	1	-	38
19	3,440	40	3,564	105	73	0.03	7	1	-	39
32	1,945	834	2,344	272	138	0.09	29	133	-	40
9	790	222	906	76	43	0.01	11	5	-	41
-	75	10	100	20	15	0.00	40	4	1	42
3	325	15	350	17	11	0.00	11	2	-	43
-	95	20	105	-	15	0.00	14	5	-	44
7	320	65	351	24	43	0.01	22	5	-	45
2	110	30	117	-	15	0.00	26	6	-	46
2	45	21	77	30	1	0.00	30	1	-	47

Table 1.--GENERAL SUMMARY TABLE: ADMISSIONS, INCIDENCE, EPTS PROPORTIONS, CASES TREATED

Line number	Diagnosis and, for traumas, battle, nonbattle classification (Continued)	Admissions		Incidence
		Rate	(Admis-sions per 1,000)	Rate
		Number		
	(1)	(2)	(3)	(4)
Class VIII--Continued				
Diseases of the ear, nose, and throat--Continued				
(A) Diseases of ear and mastoid process--Continued				
1	Deafness, bilateral.....	0.11	175	0.14
2	Deafness, unilateral.....	0.12	190	0.23
3	Impaired hearing, and deafness, unspecified.....	0.32	490	0.78
4	(B) Diseases of the nose and throat.....	6.54	10,020	8.23
5	Hypertrophy of the tonsils and adenoids.....	3.60	5,530	4.08
6	Peritonsillar abscess (quinsy).....	0.56	855	0.59
7	Chronic pharyngitis and nasopharyngitis.....	0.15	230	0.25
8	Chronic sinusitis.....	0.68	1,035	1.17
9	Deflected nasal septum.....	0.98	1,495	1.34
10	Nasal polyp.....	0.10	155	0.19
11	Chronic laryngitis.....	0.13	205	0.18
12	Diseases of upper respiratory tract, n. e. c.....	0.34	515	0.43
Class IX				
13	Acute respiratory infections.....	130.22	199,625	136.35
14	Common cold.....	42.69	65,435	44.02
15	Acute rhinitis.....	0.29	450	0.33
16	Acute sinusitis.....	2.18	3,345	2.41
17	Acute pharyngitis.....	24.16	37,055	25.28
18	Acute tonsillitis.....	21.43	32,845	22.00
19	Acute laryngitis and tracheitis.....	1.83	2,800	2.00
20	Acute upper respiratory infection, n. e. c.....	3.98	6,105	4.15
21	Acute bronchitis.....	9.93	15,215	11.22
22	Influenza.....	11.83	18,130	12.02
23	Lobar pneumonia.....	2.99	4,590	3.24
24	Bronchopneumonia.....	2.90	4,445	3.25
25	Primary atypical pneumonia.....	4.85	7,435	5.19
26	Pneumonia, n. e. c.....	1.16	1,775	1.24
Class X				
27	Other diseases of the respiratory system.....	2.62	4,010	4.07
28	Bronchitis, unqualified.....	0.19	290	0.23
29	Chronic bronchitis.....	0.79	1,205	1.27
30	Empyema.....	0.03	25	0.05
31	Pleurisy.....	0.80	1,230	1.10
32	Spontaneous pneumothorax.....	0.28	430	0.32
33	Abscess of lung.....	-	-	0.00
34	Pulmonary congestion and hypostasis.....	0.00	5	0.06
35	Pneumoconiosis.....	0.00	5	0.00
36	Chronic interstitial pneumonia (includes pulmonary infiltration), n. e. c.....	0.15	225	0.25
37	Bronchiectasis.....	0.27	420	0.39
38	Diseases of lung and pleural cavity, n. e. c.....	0.11	175	0.40
Class XI				
39	Diseases of the circulatory system.....	10.32	15,825	13.67
40	(A) Rheumatic fever.....	0.48	735	0.49
41	Rheumatic fever, active, without mention of heart involvement.	0.23	345	0.23
42	Rheumatic fever, active, with heart involvement.	0.25	390	0.26
43	Chorea, (Sydenham's).....	-	-	-

PATIENT CENSUS, LOSS OF TIME, SEPARATIONS, AND DEATHS, BY DIAGNOSIS, U. S. ARMY, 1953

Incidence--Continued		EPTS cases included in incidence counts	Total number of cases treated during year	Patient census as of 31 Dec.		Loss of time		Separations due to diagnosis shown	Number of deaths due to diagnosis shown	Line number	
Number	Among admissions for			1952	1953	Noneffective rate	Average days per case				
Battle causes	Non-battle causes	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
-	215	125	312	77	20	0.02	59	117	-	1	
5	345	116	440	85	56	0.02	44	92	-	2	
24	1,170	345	1,447	238	188	0.03	40	149	-	3	
52	12,560	2,225	13,646	879	388	0.21	12	53	2	4	
13	6,240	772	6,609	296	106	0.10	10	-	-	5	
1	900	5	947	41	25	0.01	10	-	-	6	
2	380	61	429	47	12	0.00	11	8	-	7	
8	1,780	342	1,995	172	73	0.04	21	28	1	8	
12	2,045	959	2,234	132	100	0.04	13	2	-	9	
2	295	75	337	40	31	0.00	16	-	-	10	
-	280	-	350	50	15	0.01	21	1	-	11	
14	640	11	745	101	26	0.01	15	14	1	12	
65	208,930	90	215,876	6,756	2,365	2.00	6	-	18	13	
6	67,475	-	69,166	1,680	380	0.38	3	-	-	14	
-	505	5	521	16	20	0.00	3	-	-	15	
2	3,685	30	3,830	138	40	0.03	5	-	-	16	
4	38,745	5	39,998	1,239	270	0.28	4	-	-	17	
7	33,720	15	34,264	492	311	0.23	4	-	-	18	
1	3,060	5	3,172	106	40	0.03	6	-	-	19	
-	6,365	5	6,565	195	50	0.05	5	-	-	20	
3	17,190	-	18,128	910	235	0.16	6	-	-	21	
1	18,425	-	18,884	458	75	0.16	5	-	-	22	
8	4,955	10	5,356	378	281	0.19	23	-	8	23	
10	4,970	5	5,345	355	182	0.16	20	-	7	24	
18	7,935	10	8,570	617	391	0.27	20	-	-	25	
5	1,900	-	2,077	172	90	0.06	19	-	3	26	
52	6,185	785	7,209	837	501	0.24	35	406	11	27	
-	350	5	365	15	5	0.00	3	-	1	28	
3	1,955	280	2,214	236	151	0.08	36	103	-	29	
18	65	5	158	70	33	0.00	---	3	-	30	
10	1,670	45	1,834	134	53	0.02	10	15	2	31	
-	485	15	550	40	20	0.03	36	8	-	32	
1	-	-	18	17	-	0.00	---	1	-	33	
1	95	-	106	10	10	-	---	-	6	34	
-	5	-	5	-	-	0.00	---	1	-	35	
3	375	45	415	32	51	0.02	46	10	-	36	
-	595	295	785	140	100	0.07	101	237	1	37	
16	590	95	759	143	78	0.02	59	28	1	38	
149	20,810	2,444	23,614	2,165	1,546	0.83	30	1,557	217	39	
-	745	95	880	115	90	0.15	104	44	3	40	
-	350	25	395	35	20	0.05	79	25	-	41	
-	395	70	485	80	70	0.10	127	18	3	42	
-	-	-	-	-	-	-	-	1	-	43	

Table 1.--GENERAL SUMMARY TABLE: ADMISSIONS, INCIDENCE, EPTS PROPORTIONS, CASES TREATED

Line number	Diagnosis and, for traumas, battle, nonbattle classification (Continued)	Admissions		Incidence
		Rate		Rate
		(Admis- sions per 1,000)	Number	(Cases per 1,000)
(1)	(2)	(3)	(4)	
Class XI--Continued				
Diseases of the circulatory system--				
Continued				
1 (B) Chronic rheumatic heart disease.....	0.46	700	0.88	
2 Diseases of mitral valve.....	0.28	425	0.47	
3 Diseases of aortic valve, rheumatic.....	0.12	190	0.32	
4 Heart disease, rheumatic, n. e. c.....	0.06	85	0.09	
5 (C) Other heart disease.....	0.99	1,510	1.34	
6 Arteriosclerotic heart disease, including coronary disease.	0.45	690	0.58	
7 Chronic endocarditis not specified as rheumatic.	0.02	30	0.02	
8 Other myocardial degeneration.....	0.03	40	0.03	
9 Acute and subacute endocarditis.....	0.01	10	0.01	
10 Acute myocarditis not specified as rheumatic.	0.00	5	0.01	
11 Acute pericarditis, nonrheumatic.....	0.09	135	0.11	
12 Functional disease of heart.....	0.36	555	0.51	
13 Other and unspecified diseases of heart.....	0.03	45	0.07	
14 (D) Other diseases of the circulatory system..	8.39	12,880	10.96	
15 Hypertensive heart disease.....	0.19	290	0.26	
16 Hypertensive disease without mention of heart	0.51	775	0.78	
17 General arteriosclerosis.....	0.05	80	0.12	
18 Aortic aneurysm specified as nonsyphilitic and dissecting aneurysm.	0.00	5	0.00	
19 Aneurysm, n. e. c., except of heart and aorta	0.04	55	0.08	
20 Peripheral vascular disease.....	0.15	230	0.25	
21 Arterial embolism and thrombosis.....	0.01	10	0.02	
22 Gangrene of unspecified cause.....	0.01	15	0.09	
23 Diseases of arteries, n. e. c.....	0.02	35	0.03	
24 Varicose veins of leg or unspecified site....	1.03	1,585	1.28	
25 Hemorrhoids.....	5.00	7,685	5.80	
26 Varicocele.....	0.43	655	0.73	
27 Varicose veins of specified sites, n. e. c....	0.01	10	0.02	
28 Phlebitis and thrombophlebitis of lower extremities.	0.47	715	0.62	
29 Phlebitis and thrombophlebitis of other sites.	0.05	80	0.07	
30 Pulmonary embolism and infarction.....	0.01	20	0.06	
31 Venous embolism and thrombosis, n. e. c.....	0.04	60	0.07	
32 Diseases of circulatory system, n. e. c.....	0.10	155	0.16	
33 Certain diseases of lymph nodes and lymph channels.	0.27	420	0.52	
Class XII				
34 Dental diseases and conditions.....	5.76	8,835	11.71	
35 Dental caries.....	3.32	5,085	5.97	
36 Abscesses of supporting structures of teeth..	0.30	460	0.41	
37 Inflammatory diseases of supporting structures of teeth, n. e. c.	0.48	740	1.14	
38 Disorders of occlusion, eruption, and tooth development.	1.22	1,870	2.65	
39 Toothache from unspecified cause.....	0.02	30	0.02	
40 Diseases of teeth and supporting structure, n. e. c.	0.42	650	1.52	

PATIENT CENSUS, LOSS OF TIME, SEPARATIONS, AND DEATHS, BY DIAGNOSIS, U. S. ARMY, 1953

Incidence--Continued		EPTS cases included in incidence counts	Total number of cases treated during year	Patient census as of 31 Dec.		Loss of time		Separations due to diagnosis shown	Number of deaths due to diagnosis shown	Line number		
Number				1952	1953	Noneffective rate	Average days per case					
Among admissions for												
Battle causes	Non-battle causes											
(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)			
1	1,345	715	1,617	221	160	0.06	54	769	8	1		
-	705	385	879	139	90	0.04	54	514	7	2		
1	495	280	577	66	45	0.02	60	188	-	3		
-	145	50	161	16	25	0.00	34	67	1	4		
15	2,045	192	2,626	456	261	0.16	64	373	175	5		
2	890	5	1,235	263	161	0.12	99	323	153	6		
-	35	20	55	15	10	0.00	49	10	1	7		
1	50	-	77	26	5	0.01	74	3	5	8		
-	15	-	35	20	-	0.00	---	2	2	9		
-	10	-	20	10	-	0.00	---	-	2	10		
4	170	-	220	41	10	0.01	61	5	-	11		
6	770	157	851	55	70	0.02	14	23	2	12		
2	105	10	133	26	5	0.00	34	7	10	13		
133	16,675	1,442	18,491	1,373	1,035	0.46	20	371	31	14		
-	405	35	525	85	55	0.03	65	77	8	15		
2	1,195	100	1,398	116	126	0.04	27	60	2	16		
-	180	5	230	40	20	0.01	81	27	1	17		
-	5	-	5	-	-	0.00	---	-	4	18		
36	90	25	180	54	18	0.00	44	5	1	19		
6	370	41	488	92	97	0.02	45	46	-	20		
12	25	5	50	13	14	0.00	---	3	-	21		
31	110	-	296	155	61	0.00	---	-	-	22		
-	45	-	78	33	11	0.01	92	12	6	23		
4	1,955	366	2,132	138	81	0.07	23	44	-	24		
14	8,875	430	9,263	324	267	0.19	13	2	-	25		
2	1,115	330	1,158	41	20	0.02	14	5	-	26		
1	30	-	41	10	20	0.00	---	1	-	27		
16	930	60	1,153	142	107	0.06	46	56	-	28		
-	105	-	130	25	25	0.00	12	3	-	29		
2	95	-	129	32	31	0.00	---	1	7	30		
2	105	5	134	22	21	0.00	53	5	1	31		
3	240	20	252	4	26	0.00	7	12	1	32		
2	800	20	849	47	35	0.01	15	12	-	33		
86	17,860	6,496	18,882	911	822	0.11	7	25	-	34		
58	9,080	3,456	9,620	477	465	0.07	7	-	-	35		
1	630	-	642	11	5	0.00	5	-	-	36		
5	1,750	225	1,828	68	61	0.01	8	1	-	37		
14	4,035	1,710	4,325	266	189	0.02	7	24	-	38		
1	35	-	36	-	-	0.00	1	-	-	39		
7	2,330	1,105	2,431	89	102	0.01	5	-	-	40		

Table 1.--GENERAL SUMMARY TABLE: ADMISSIONS, INCIDENCE, EPTS PROPORTIONS, CASES TREATED

Line number	Diagnosis and, for traumatisms, battle, nonbattle classification (Continued)	Admissions		Incidence
		Rate	Number	Rate
		(Admis-sions per 1,000)		(Cases per 1,000)
(1)	(2)	(3)	(4)	
Class XIII				
1	Diseases of the digestive system and hernia...	32.02	49,100	35.99
2	Stomatitis.....	0.13	205	0.19
3	Diseases of salivary glands.....	0.19	285	0.25
4	Diseases of buccal cavity, n. e. c.....	0.64	980	1.09
5	Diseases of esophagus.....	0.05	80	0.08
6	Ulcer of stomach, n. e. c.....	0.18	275	0.21
7	Ulcer of stomach, perforated.....	0.03	45	0.03
8	Ulcer of duodenum, n. e. c.....	2.75	4,210	3.07
9	Ulcer of duodenum, perforated.....	0.11	170	0.12
10	Gastrojejunal ulcer.....	-	-	-
11	Gastritis and duodenitis.....	3.33	5,120	3.64
12	Disorders of stomach, functional.....	0.20	310	0.24
13	Diseases of stomach and duodenum, n. e. c.....	0.05	80	0.10
14	Appendicitis, acute or unqualified.....	3.65	5,615	3.82
15	Appendicitis, n. e. c.....	0.10	150	0.11
16	Diseases of appendix, n. e. c.....	0.03	50	0.05
17	Hernia, inguinal, without obstruction.....	4.87	7,475	5.38
18	Hernia, femoral, without obstruction.....	0.05	70	0.06
19	Hernia, without obstruction, n. e. c.....	0.45	685	0.59
20	Hernia, inguinal, with obstruction.....	0.08	125	0.08
21	Hernia, femoral, with obstruction.....	0.00	5	0.00
22	Hernia, with obstruction, n. e. c.....	0.03	45	0.04
23	Obstruction, intestinal, n. e. c.....	0.13	195	0.27
24	Gastroenteritis, acute.....	10.59	16,245	10.92
25	Enteritis and colitis, acute.....	0.99	1,525	1.05
26	Chronic enteritis and ulcerative colitis.....	0.26	405	0.38
27	Disorders of intestines, functional.....	0.46	700	0.57
28	Anal fissure and fistula.....	0.81	1,235	1.11
29	Abscess of anal and rectal regions.....	0.78	1,195	0.85
30	Peritonitis, except chronic.....	0.03	40	0.10
31	Peritoneal adhesions.....	0.05	70	0.10
32	Cryptitis.....	0.06	85	0.10
33	Proctitis.....	0.05	80	0.09
34	Other diseases of intestines and peritoneum.....	0.24	365	0.35
35	Atrophy, liver, yellow, acute.....	-	-	-
36	Hepatitis, acute.....	0.04	55	0.08
37	Cirrhosis, liver.....	0.16	245	0.28
38	Diseases of liver, n. e. c.....	0.01	20	0.05
39	Calculus, biliary.....	0.21	320	0.23
40	Cholecystitis.....	0.12	185	0.15
41	Diseases of gallbladder and biliary ducts, n. e. c.	0.04	55	0.05
42	Diseases of pancreas.....	0.07	100	0.11
Class XIV				
43	Diseases of the urinary system and male genital system.	23.59	36,155	28.60
44	(A) Nephritis and nephrosis.....	0.27	415	0.32
45	Nephritis, acute.....	0.09	145	0.10
46	Nephritis with edema, including nephrosis.....	0.00	5	0.01
47	Nephritis, chronic.....	0.14	210	0.16
48	Nephritis, n. e. c.....	0.03	45	0.04
49	Sclerosis, renal, n. e. c.....	0.01	10	0.01
50	(B) Other diseases of urinary system.....	12.47	19,115	14.05
51	Infections of kidney.....	0.92	1,410	1.14
52	Hydronephrosis.....	0.08	115	0.20

PATIENT CENSUS, LOSS OF TIME, SEPARATIONS, AND DEATHS, BY DIAGNOSIS, U. S. ARMY, 1953

Incidence--Continued		EPTS cases included in incidence counts	Total number of cases treated during year	Patient census as of 31 Dec.		Loss of time		Separations due to diagnosis shown	Number of deaths due to diagnosis shown	Line number		
Number				1952	1953	Noneffective rate	Average days per case					
Among admissions for												
Battle causes	Non-battle causes											
(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)			
121	55,055	3,848	59,293	3,427	2,375	1.57	18	1,074	46	1		
-	290	5	305	5	5	0.00	11	1	-	2		
5	375	35	408	28	2	0.01	20	3	-	3		
-	1,670	80	1,727	37	41	0.01	8	5	-	4		
3	115	12	159	31	20	0.01	65	16	-	5		
-	325	20	390	40	45	0.02	44	15	2	6		
-	50	5	65	15	10	0.00	53	4	2	7		
2	4,710	610	5,857	825	631	0.41	53	793	3	8		
-	180	20	225	45	20	0.02	57	23	1	9		
-	-	-	-	-	-	-	-	-	-	10		
1	5,580	80	5,786	180	115	0.06	7	16	1	11		
2	360	-	378	6	10	0.01	8	2	-	12		
-	150	5	195	30	10	0.00	31	5	-	13		
5	5,850	5	6,245	390	253	0.23	22	-	3	14		
-	165	-	175	10	-	0.01	22	-	-	15		
2	75	-	78	1	8	0.00	27	-	-	16		
7	8,240	2,265	8,901	579	415	0.39	29	19	-	17		
-	85	30	95	10	5	0.00	32	-	-	18		
10	890	266	1,100	165	70	0.04	30	13	1	19		
2	125	10	152	20	10	0.01	26	-	-	20		
-	5	-	5	-	-	0.00	---	-	-	21		
-	55	10	58	3	6	0.00	37	-	1	22		
20	395	15	552	122	55	0.01	40	6	1	23		
4	16,740	5	16,907	148	90	0.10	3	-	-	24		
-	1,615	5	1,630	15	5	0.01	4	3	-	25		
2	580	55	638	46	65	0.03	46	57	4	26		
-	875	40	915	30	45	0.02	11	1	-	27		
3	1,705	130	1,849	106	85	0.05	21	2	-	28		
1	1,300	10	1,375	64	36	0.03	14	-	1	29		
20	135	-	194	39	23	0.00	32	-	-	30		
6	140	20	181	35	7	0.00	34	7	-	31		
-	160	10	181	21	5	0.00	19	-	-	32		
1	135	5	162	26	11	0.00	18	-	-	33		
17	520	35	648	106	44	0.02	22	31	2	34		
-	-	-	1	1	-	-	-	-	1	35		
1	125	-	160	29	26	0.00	31	-	2	36		
-	430	45	541	101	115	0.03	68	38	10	37		
4	80	10	101	17	17	0.00	24	1	1	38		
-	360	5	425	50	50	0.03	49	1	-	39		
2	230	-	273	41	-	0.01	35	2	1	40		
-	70	-	85	5	10	0.00	19	-	-	41		
1	165	-	171	5	10	0.00	24	10	9	42		
134	43,710	8,474	46,190	1,971	1,178	0.55	9	257	24	43		
8	490	95	623	115	84	0.06	77	134	21	44		
-	155	10	170	15	20	0.02	91	6	3	45		
8	10	-	30	12	8	0.00	---	2	-	46		
-	250	80	336	76	50	0.04	81	120	18	47		
-	65	5	77	12	6	0.00	40	6	-	48		
-	10	-	10	-	-	0.00	---	-	-	49		
67	21,475	505	22,523	811	409	0.16	5	97	2	50		
8	1,745	30	1,941	158	87	0.03	14	11	2	51		
-	300	145	357	42	45	0.02	56	30	-	52		

Table 1.--GENERAL SUMMARY TABLE: ADMISSIONS, INCIDENCE, EPTS PROPORTIONS, CASES TREATED

Line number	Diagnosis and, for traumatisms, battle, nonbattle classification (Continued)	Admissions		Incidence
		Rate	Number	Rate
		(Admis-sions per 1,000)		(Cases per 1,000)
(1)	(2)	(3)	(4)	
Class XIV--Continued				
Diseases of the urinary system and male genital system--Continued				
(B) Other diseases of urinary system--Continued				
1	Calculi of kidney and ureter.....	0.97	1,490	1.06
2	Diseases of kidney and ureter, n. e. c.....	0.13	200	0.22
3	Calculus, urinary, n. e. c.....	0.01	10	0.01
4	Cystitis.....	0.59	905	0.82
5	Diseases of bladder, n. e. c.....	0.02	30	0.04
6	Urethritis, acute, nonvenereal.....	4.02	6,165	4.31
7	Urethritis, chronic, nonvenereal.....	0.55	840	0.71
8	Urethritis, acute, nongonococcal, n. e. c.....	4.87	7,460	5.10
9	Urethritis, chronic, nongonococcal, n. e. c.....	0.13	205	0.13
10	Stricture of urethra, n. e. c.....	0.14	220	0.23
11	Diseases of urethra, n. e. c.....	0.04	65	0.08
12	(C) Diseases of male genital organs.....	10.85	16,625	14.23
13	Hyperplasia, prostate.....	0.08	125	0.17
14	Prostatitis.....	0.97	1,480	1.63
15	Diseases of prostate, n. e. c.....	0.02	25	0.04
16	Hydrocele.....	0.32	485	0.54
17	Orchitis and epididymitis.....	2.90	4,440	3.62
18	Redundant prepuce and phimosis.....	4.69	7,200	5.61
19	Sterility, male.....	0.01	15	0.01
20	Diseases of male genital organs, n. e. c.....	1.86	2,855	2.61
Class XV				
21	Diseases of the breast and female genital organs.	0.97	1,485	1.26
22	(A) Diseases of breast, ovary, fallopian tube, and parametrium.	0.49	750	0.61
23	Chronic cystic diseases of breast.....	0.04	60	0.05
24	Gynecomastia and mastitis, male.....	0.27	425	0.34
25	Diseases of breast, n.e.c.....	0.03	45	0.03
26	Salpingitis and oophoritis, acute.....	0.04	55	0.04
27	Salpingitis and oophoritis, n. e. c.....	0.06	95	0.07
28	Diseases of ovary and fallopian tube, n. e. c.	0.03	40	0.05
29	Diseases of parametrium and abscess of pelvis, female.	0.02	30	0.03
30	(B) Diseases of uterus and other female genital organs.	0.48	735	0.65
31	Infective disease of uterus, vagina, and vulva.	0.08	130	0.15
32	Diseases of uterus, n. e. c.....	0.02	25	0.05
33	Disorders of menstruation.....	0.36	545	0.41
34	Diseases of female genital organs, n. e. c.....	0.02	35	0.04
Class XVI				
35	Deliveries and complications of pregnancy, childbirth, and puerperium.	0.16	245	0.18
36	Complications of pregnancy.....	0.09	125	0.11
37	Abortion.....	0.07	110	0.07

PATIENT CENSUS, LOSS OF TIME, SEPARATIONS, AND DEATHS, BY DIAGNOSIS, U. S. ARMY, 1953

Incidence--Continued		EPTS cases included in incidence counts	Total number of cases treated during year	Patient census as of 31 Dec.		Loss of time		Separations due to diagnosis shown	Number of deaths due to diagnosis shown	Line number		
Number				1952	1953	Noneffective rate	Average days per case					
Among admissions for												
Battle causes	Non-battle causes											
(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)			
8	1,615	50	1,810	137	102	0.05	22	21	-	1		
6	335	80	372	21	42	0.01	29	6	-	2		
6	15	-	56	30	3	0.00	---	-	-	3		
12	1,250	50	1,408	141	44	0.02	12	6	-	4		
3	65	25	119	46	12	0.00	58	8	-	5		
12	6,580	10	6,679	67	31	0.01	1	-	-	6		
3	1,085	30	1,175	72	27	0.01	5	-	-	7		
-	7,805	-	7,815	5	-	0.00	-	-	-	8		
-	205	-	205	-	-	0.00	-	-	-	9		
4	350	85	431	67	10	0.01	21	14	-	10		
5	125	-	155	25	6	0.00	8	1	-	11		
59	21,745	7,874	23,044	1,045	685	0.33	11	26	1	12		
-	265	-	341	71	35	0.01	43	4	-	13		
7	2,490	180	2,798	276	151	0.04	16	3	-	14		
-	60	10	75	10	15	0.00	---	-	-	15		
2	825	191	878	41	45	0.02	22	3	-	16		
6	5,535	95	5,840	224	157	0.09	12	-	-	17		
25	8,565	7,155	8,851	236	141	0.12	9	-	1	18		
1	20	10	21	-	1	0.00	---	-	-	19		
18	3,985	233	4,240	187	140	0.05	10	16	-	20		
3	1,935	126	2,029	71	41	0.03	11	1	-	21		
3	930	121	999	56	26	0.02	14	1	-	22		
-	75	5	80	-	-	0.00	17	-	-	23		
3	515	111	544	26	16	0.02	15	-	-	24		
-	50	5	55	-	5	0.00	10	-	-	25		
-	65	-	70	5	-	0.00	10	-	-	26		
-	110	-	115	5	-	0.00	8	1	-	27		
-	75	-	90	15	5	0.00	19	-	-	28		
-	40	-	45	5	-	0.00	19	-	-	29		
-	1,005	5	1,050	15	15	0.01	7	-	-	30		
-	235	5	245	10	15	0.00	10	-	-	31		
-	80	-	85	5	-	0.00	33	-	-	32		
-	635	-	645	-	-	0.01	5	-	-	33		
-	55	-	55	-	-	0.00	7	-	-	34		
-	280	-	300	15	5	0.01	14	-	-	35		
-	155	-	165	5	-	0.01	14	-	-	36		
-	110	-	110	-	5	0.00	9	-	-	37		

Table 1.--GENERAL SUMMARY TABLE: ADMISSIONS, INCIDENCE, EPTS PROPORTIONS, CASES TREATED

Line number	Diagnosis and, for traumatisms, battle, nonbattle classification (Continued)	Admissions		Incidence
		Rate	Number	Rate
		(Admis- sions per 1,000)		(Cases per 1,000)
	(1)	(2)	(3)	(4)
Class XVI--Continued				
Deliveries and complications of pregnancy, childbirth, and puerperium--Continued				
1	Pregnancy, uterine, delivered, uncomplicated.	0.00	5	0.00
2	Delivery with complication.....	0.00	5	0.00
3	Complications of puerperium.....	-	-	0.00
Class XVII				
4	Diseases of skin and cellular tissue.....	25.50	39,085	33.62
5	Boil and carbuncle.....	3.32	5,090	3.69
6	Cellulitis of finger and toe.....	1.68	2,570	2.00
7	Cellulitis and abscess without mention of lymphangitis, n. e. c.	5.24	8,035	6.71
8	Cellulitis and abscess with lymphangitis, n. e. c.	2.38	3,650	3.46
9	Lymphadenitis, acute.....	0.67	1,020	1.18
10	Impetigo (contagiosa).....	0.15	235	0.20
11	Infectious warts.....	1.03	1,585	1.64
12	Molluscum contagiosum.....	0.01	10	0.02
13	Local infections of skin and subcutaneous tissue, n. e. c.	0.65	995	1.23
14	Dermatitis, seborrhcea.....	0.17	255	0.30
15	Eczema.....	0.13	200	0.18
16	Dermatitis, occupational.....	0.09	140	0.09
17	Dermatitis, n. e. c.....	3.38	5,175	3.84
18	Pemphigus.....	0.05	80	0.05
19	Erythematous conditions.....	0.34	525	0.44
20	Psoriasis and similar disorders.....	0.39	605	0.54
21	Lichen planus.....	0.05	70	0.05
22	Pruritus and related conditions.....	0.59	905	0.74
23	Corns and callosities.....	0.30	455	0.40
24	Hypertrophic and atrophic conditions of skin, n. e. c.	0.23	345	0.34
25	Dermatoses, n. e. c.....	0.02	30	0.05
26	Diseases of nail.....	1.80	2,760	1.95
27	Diseases of hair and hair follicles.....	0.34	525	0.59
28	Diseases of sweat glands.....	0.61	930	0.84
29	Acne.....	0.19	290	0.50
30	Diseases of sebaceous glands, n. e. c.....	0.76	1,170	1.06
31	Ulcer of skin, chronic.....	0.33	510	0.53
32	Diseases of skin, n. e. c.....	0.60	925	1.00
Class XVIII				
33	Diseases of the bones and organs of movement.....	13.67	20,955	18.66
34	(A) Arthritis and rheumatism, except rheumatic fever.	2.46	3,775	3.61
35	Arthritis due to infection, acute, pyogenic..	0.06	85	0.07
36	Arthritis, acute, nonpyogenic (except gonococcic and tuberculous).	-	-	-
37	Rheumatoid arthritis and allied conditions...	0.58	885	0.74
38	Osteoarthritis (arthrosis) and allied conditions.	0.29	450	0.71
39	Arthritis, specified forms, n. e. c.....	0.50	765	0.89
40	Arthritis, n. e. c.....	0.58	895	0.69
41	Muscular rheumatism.....	0.45	695	0.51
42	Rheumatism, unspecified.....	-	-	-

PATIENT CENSUS, LOSS OF TIME, SEPARATIONS, AND DEATHS, BY DIAGNOSIS, U. S. ARMY, 1953

Table 1.--GENERAL SUMMARY TABLE: ADMISSIONS, INCIDENCE, EPTS PROPORTIONS, CASES TREATED

Line number	Diagnosis and, for traumas, battle, nonbattle classification (Continued)	Admissions		Incidence
		Rate	Number	Rate
		(Admis- sions per 1,000)		(Cases per 1,000)
(1)	(2)	(3)	(4)	
	Class XVIII--Continued			
	Diseases of the bones and organs of movement--Continued			
1	(B) Osteomyelitis and other diseases of bone and joint.	6.05	9,270	7.62
2	Osteomyelitis, acute.....	0.06	95	0.12
3	Other osteomyelitis and periostitis.....	0.34	515	0.54
4	Osteitis deformans.....	0.01	15	0.01
5	Osteochondrosis.....	0.36	555	0.48
6	Malunion and nonunion of fracture.....	0.54	835	0.78
7	Diseases and conditions of bone, n. e. c. (except calcification of cartilage).	0.28	425	0.41
8	Derangement, internal, of knee.....	1.60	2,460	1.72
9	Herniation of nucleus pulposus.....	0.60	920	0.66
10	Affection of sacroiliac joint, n. e. c.....	0.81	1,235	0.95
11	Ankylosis.....	0.16	240	0.28
12	Dislocation, joint, recurrent.....	0.54	825	0.59
13	Diseases of joint, n. e. c.....	0.75	1,150	1.08
14	(C) Other diseases of musculoskeletal system..	5.16	7,910	7.43
15	Bunion.....	0.01	10	0.02
16	Synovitis, bursitis, and tenosynovitis without mention of occupational origin.	2.25	3,450	3.00
17	Synovitis, bursitis, and tenosynovitis of occupational origin.	0.01	20	0.01
18	Infective myositis and other inflammatory diseases of tendon and fascia.	0.96	1,470	1.06
19	Diseases of muscle, tendon, and fascia, n. e. c.	0.81	1,245	1.35
20	Curvature of spine.....	0.18	275	0.36
21	Flat foot.....	0.33	505	0.62
22	Hallux valgus and varus.....	0.08	115	0.13
23	Talipes.....	0.14	220	0.26
24	Other musculoskeletal diseases and conditions	0.39	600	0.62
	Class XIX			
25	Congenital malformations.....	1.49	2,280	2.30
26	Congenital malformations of nervous system and sense organs.	0.11	170	0.23
27	Congenital malformations of circulatory system.	0.09	145	0.16
28	Congenital malformations of digestive system.	0.09	140	0.14
29	Congenital malformations of genitourinary system.	0.49	740	0.81
30	Congenital malformations of bone and joint...	0.43	655	0.56
31	Congenital malformations, n. e. c.....	0.28	430	0.40
	Class XXI			
32	Symptoms and ill-defined conditions.....	12.32	18,890	15.05
33	Symptoms related to nervous system and special senses.	0.34	515	0.51
34	Symptoms related to cardiovascular and lymphatic system.	0.61	930	0.84
35	Symptoms related to respiratory system.....	0.92	1,405	1.23
36	Diarrhea, cause undetermined.....	2.73	4,185	2.92
37	Other symptoms related to gastrointestinal system.	2.20	3,380	2.65
38	Symptoms related to genitourinary system.....	0.17	265	0.22

PATIENT CENSUS, LOSS OF TIME, SEPARATIONS, AND DEATHS, BY DIAGNOSIS, U. S. ARMY, 1953

Incidence--Continued		EPTS cases included in incidence counts	Total number of cases treated during year	Patient census as of 31 Dec.		Loss of time		Separations due to diagnosis shown	Number of deaths due to diagnosis shown	Line number					
Number				1952	1953	Noneffective rate	Average days per case								
Among admissions for															
Battle causes	Non-battle causes														
(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)						
181	11,505	3,981	15,327	2,715	1,574	0.75	47	2,199	1	1					
6	180	15	245	59	32	0.01	31	7	1	2					
131	690	185	1,655	789	311	0.06	72	246	-	3					
-	20	-	20	-	5	0.00	---	2	-	4					
3	735	451	930	132	80	0.04	51	200	-	5					
5	1,195	366	1,627	352	244	0.10	75	402	-	6					
10	620	268	723	53	73	0.02	23	67	-	7					
3	2,640	1,185	3,167	288	242	0.16	36	368	-	8					
-	1,010	245	1,406	291	150	0.13	87	226	-	9					
2	1,455	375	1,715	123	51	0.05	21	56	-	10					
2	420	86	639	167	87	0.04	86	397	-	11					
4	905	390	1,163	159	98	0.07	45	129	-	12					
15	1,635	415	2,037	302	201	0.07	33	99	-	13					
98	11,285	2,439	12,773	1,149	630	0.25	18	2,301	-	14					
1	25	10	26	-	-	0.00	---	-	-	15					
10	4,585	245	5,008	338	170	0.09	15	28	-	16					
-	20	5	20	-	-	0.00	---	2	-	17					
7	1,615	10	1,649	7	18	0.01	6	1	-	18					
65	2,005	386	2,574	428	194	0.06	28	319	-	19					
2	555	401	647	75	31	0.02	30	89	-	20					
4	940	468	1,008	59	62	0.01	9	73	-	21					
-	205	85	252	42	40	0.01	32	15	-	22					
2	390	296	449	32	26	0.01	21	105	-	23					
7	945	533	1,140	168	89	0.04	40	1,669 1/2	-	24					
24	3,505	3,529	4,078	384	294	0.14	36	683	5	25					
4	355	359	409	35	26	0.01	26	71	1	26					
-	245	245	289	29	60	0.01	54	93	3	27					
3	215	218	251	13	20	0.01	34	18	-	28					
8	1,225	1,233	1,442	169	57	0.04	33	152	1	29					
7	855	862	992	90	56	0.04	41	242	-	30					
2	610	612	695	48	75	0.03	34	107	-	31					
31	23,040	465	23,843	667	414	0.25	8	54	6	32					
9	770	60	878	79	49	0.02	26	31	-	33					
2	1,280	65	1,359	57	50	0.02	10	5	3	34					
2	1,885	30	1,943	56	65	0.01	6	1	3	35					
1	4,490	10	4,522	26	20	0.02	3	-	-	36					
4	4,060	40	4,194	130	65	0.06	8	3	-	37					
-	330	25	341	11	15	0.00	8	-	-	38					

Table 1.--GENERAL SUMMARY TABLE: ADMISSIONS, INCIDENCE, EPTS PROPORTIONS, CASES TREATED

Line number	Diagnosis and, for traumatisms, battle, nonbattle classification (Continued)	Admissions		Incidence
		Rate	Number	Rate
		(Admis-sions per 1,000)		(Cases per 1,000)
	(1)	(2)	(3)	(4)
	Class XXI--Continued			
	Symptoms and ill-defined conditions--Continued			
1	Symptoms related to limbs and back.....	1.83	2,810	2.23
2	Fever of unknown origin.....	2.20	3,375	2.47
3	General symptoms, n. e. c.....	0.19	295	0.38
4	Abnormal urinary constituents.....	0.46	710	0.60
5	Nervousness, debility, and headache.....	0.67	1,020	1.00
6	Uremia, unqualified.....	-	-	-
	Class XXII b/			
7	Special admissions.....	17.81	27,300	19.37
8	Observation, psychiatric.....	1.05	1,615	1.25
9	Observation, for aptitude.....	-	-	0.00
10	Observation, medical or surgical.....	14.95	22,910	15.77
11	Simple drunkenness.....	1.08	1,660	1.57
12	Senility.....	-	-	-
13	Other ill-defined and unknown causes.....	0.73	1,115	0.78
	Class XXIII			
14	Accidents, violence, and poisonings.....	54.99	84,290	73.28
	(NONBATTLE CASES ONLY)			
15	(A) Injuries.....	51.42	78,825	65.12
16	Fractures, total.....	12.13	18,605	14.41
	By type:			
17	Fracture, depressed, skull.....	0.25	385	0.31
18	Compound.....	0.15	230	0.17
19	Simple.....	0.10	155	0.14
20	Fracture, compound, comminuted.....	1.09	1,665	1.39
21	Fracture, compound, n. e. c.....	0.65	995	0.81
22	Compression fracture, vertebra.....	0.36	555	0.41
23	without spinal cord lesion.....	0.31	475	0.35
24	with spinal cord lesion.....	0.05	80	0.06
25	Simple fracture, other.....	9.42	14,450	10.97
26	Fracture, unqualified.....	0.36	555	0.52
27	By nerve or artery involvement:.....	12.13	18,605	14.41
28	With no nerve or artery involvement.....	11.38	17,455	13.47
29	With nerve involvement only.....	0.61	930	0.74
30	With artery involvement only.....	0.04	65	0.06
31	With nerve and artery involvement.....	0.10	155	0.14
32	Wounds, total.....	8.06	12,355	11.84
	By type:			
33	Wound, incised and lacerated.....	6.00	9,195	9.00
34	Wound, punctured.....	0.43	665	0.53
35	Wound, penetrating.....	0.73	1,115	1.13
36	Wound, perforating.....	0.45	690	0.57
37	Wound, n. e. c.....	0.45	690	0.61
38	By nerve or artery involvement:.....	8.06	12,355	11.84
39	With no nerve or artery involvement.....	7.56	11,585	11.07
40	With nerve involvement only.....	0.29	445	0.51
41	With artery involvement only.....	0.13	200	0.16
42	With nerve and artery involvement.....	0.08	125	0.10
43	Abrasions and blisters.....	2.00	3,070	3.89
44	Contusion.....	6.09	9,335	8.72
45	Traumatic amputation.....	0.38	585	0.41
46	Avulsion.....	0.27	415	0.34

PATIENT CENSUS, LOSS OF TIME, SEPARATIONS, AND DEATHS, BY DIAGNOSIS, U. S. ARMY, 1953

Incidence--Continued		EPTS cases included in incidence counts	Total number of cases treated during year	Patient census as of 31 Dec.		Loss of time		Separations due to diagnosis shown	Number of deaths due to diagnosis shown	Line number					
Number				1952	1953	Noneffective rate	Average days per case								
Among admissions for															
Battle causes	Non-battle causes														
(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)						
5	3,410	105	3,541	86	20	0.05	9	2	-	1					
3	3,785	-	3,894	101	45	0.04	5	-	-	2					
-	580	5	615	35	15	0.00	12	-	-	3					
-	925	85	1,005	65	55	0.02	17	12	-	4					
5	1,525	40	1,551	21	15	0.01	8	-	-	5					
-	-	-	-	-	-	-	-	-	-	6					
19	29,675	165	30,511	802	454	0.38	8	108	9	7					
2	1,910	55	1,997	85	50	0.03	11	-	-	8					
-	5	-	5	-	-	-	-	-	-	9					
16	24,155	85	24,818	637	318	0.31	8	-	-	10					
-	2,405	-	2,455	45	61	0.02	7	-	3	11					
-	-	-	-	-	-	-	-	-	-	12					
1	1,200	25	1,236	35	25	0.02	7	108	6	13					
229	112,105	246	124,908	11,372	8,116	3.58	25	1/-	2,037	14					
71	99,765	216	111,222	10,234	7,516	3.50	26	-	1,712	15					
13	22,085	25	27,715	5,146	3,770	1.99	63	-	637	16					
-	470	5	605	130	60	0.05	70	-	155	17					
-	255	5	345	90	40	0.04	88	-	110	18					
-	215	-	260	40	20	0.01	42	-	45	19					
3	2,135	-	3,332	1,169	843	0.47	167	-	47	20					
1	1,240	5	1,487	236	186	0.10	60	-	57	21					
-	630	-	947	302	166	0.11	107	-	19	22					
-	540	-	792	237	146	0.09	94	-	2	23					
-	90	-	155	65	20	0.02	165	-	17	24					
9	16,820	15	20,404	3,199	2,350	1.24	49	-	105	25					
-	790	-	940	110	165	0.02	20	-	254	26					
13	22,085	25	27,715	5,146	3,770	1.99	63	-	637	27					
12	20,655	25	25,563	4,430	3,289	1.71	57	-	274	28					
1	1,135	-	1,662	521	380	0.21	135	-	304	29					
-	85	-	175	90	40	0.03	284	-	6	30					
-	210	-	315	105	61	0.04	137	-	53	31					
19	18,145	10	20,126	1,731	1,491	0.40	19	-	380	32					
9	13,800	10	15,168	1,244	837	0.24	16	-	75	33					
1	805	-	846	35	20	0.01	8	-	7	34					
7	1,730	-	2,034	242	299	0.06	29	-	86	35					
2	875	-	1,037	150	100	0.06	52	-	108	36					
-	935	-	1,041	60	235	0.03	26	-	104	37					
19	18,145	10	20,126	1,731	1,491	0.40	19	-	380	38					
17	16,970	10	18,744	1,531	1,269	0.30	15	-	283	39					
2	780	-	917	140	162	0.07	94	-	47	40					
-	240	-	250	10	25	0.01	28	-	35	41					
-	155	-	215	50	35	0.02	124	-	15	42					
-	5,960	-	6,236	251	260	0.03	6	-	-	43					
3	13,365	-	13,859	436	297	0.15	8	-	19	44					
-	630	-	790	155	115	0.07	72	-	18	45					
-	520	-	580	55	40	0.03	33	-	17	46					

Table 1.--GENERAL SUMMARY TABLE: ADMISSIONS, INCIDENCE, EPTS PROPORTIONS, CASES TREATED

Line number	Diagnosis and, for traumatisms, battle, nonbattle classification (Continued)	Admissions		Incidence
		Rate	Number	Rate
		(Admis-sions per 1,000)		(Cases per 1,000)
(1)	(2)	(3)	(4)	
	Class XXIII--Continued			
	Accidents, violence, and poisonings--			
	Continued			
(A) Injuries--Continued				
1 Bite, animal, nonvenomous.....	0.09	145	0.09	
2 Dislocation of joint.....	0.89	1,365	0.98	
3 Sprain.....	10.15	15,565	10.40	
4 Strain.....	3.35	5,140	3.47	
5 Burn, chemical.....	0.27	420	0.40	
6 Burn, electrical.....	0.06	85	0.09	
7 Burn, n. e. c.....	2.25	3,445	3.44	
8 Heat cramps and heat prostration.....	0.62	950	0.62	
9 Sunstroke.....	0.04	60	0.04	
10 Sunburn.....	0.21	315	0.27	
11 Frostbite.....	0.38	575	0.39	
12 Trenchfoot.....	0.03	40	0.03	
13 Immersion foot.....	0.01	10	0.01	
14 Conditions due to exposure to cold, n.e.c..	0.07	100	0.07	
15 Barotrauma.....	0.01	20	0.03	
16 Effects of compression and decompression.....	0.00	5	0.00	
17 Air embolism.....	-	-	-	
18 Concussion.....	1.74	2,670	1.92	
19 Crushing.....	0.06	85	0.08	
20 Multiple injuries, extreme.....	-	-	-	
21 Bite or sting, insect, nonvenomous.....	0.15	235	0.16	
22 Electric shock.....	0.02	30	0.02	
23 Emphysema, traumatic.....	-	-	0.03	
24 Retained foreign body.....	0.91	1,395	1.04	
25 Hematoma, traumatic.....	0.48	730	0.77	
26 Hemorrhage, postoperative.....	0.05	80	0.11	
27 Hemorrhage, traumatic, n. e. c.....	0.23	350	0.54	
28 Hemothorax, traumatic.....	0.17	265	0.19	
29 Injury, intracranial, n. e. c.....	0.03	40	0.03	
30 Pneumothorax, traumatic.....	0.07	100	0.08	
31 Rupture, traumatic.....	0.13	205	0.19	
32 Submersion, nonfatal.....	0.02	35	0.02	
(B) Poisonings.....	0.48	740	0.50	
34 Poisoning, venom.....	0.05	75	0.05	
35 Poisoning, by gas.....	0.17	260	0.17	
36 Poisoning, other.....	0.26	405	0.28	
(C) Prophylactic reactions and therapeutic misadventures.	1.67	2,555	5.94	
38 Anaphylactic reactions, generalized.....	0.08	125	0.11	
39 Herxheimer's reaction.....	0.01	10	0.01	
40 Serum hepatitis.....	0.02	35	0.07	
41 Serum sickness.....	0.07	110	0.08	
42 Prophylactic inoculation, reaction to, n. e. c.	0.97	1,485	1.31	
43 Anesthetic accident.....	0.01	10	0.05	
44 Complications of surgical treatment.....	0.24	370	1.64	
45 Therapeutic misadventures, n. e. c.....	0.27	410	2.67	
(D) Other traumatisms.....	1.42	2,170	1.72	
47 Other specified traumatisms.....	0.67	1,030	0.92	
48 Traumatism, nature unknown or n. e. c.....	0.75	1,140	0.80	

PATIENT CENSUS, LOSS OF TIME, SEPARATIONS, AND DEATHS, BY DIAGNOSIS, U. S. ARMY, 1953

Incidence--Continued		EPTS cases included in incidence counts	Total number of cases treated during year	Patient census as of 31 Dec.		Loss of time		Separations due to diagnosis shown	Number of deaths due to diagnosis shown	Line number					
Number				1952	1953	Noneffective rate	Average days per case								
Among admissions for															
Battle causes	Non-battle causes														
(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)						
-	145	-	150	5	-	0.00	9	-	1	1					
1	1,505	-	1,706	195	155	0.07	30	-	3	2					
3	15,935	5	16,589	506	361	0.31	11	-	-	3					
-	5,320	5	5,516	141	76	0.08	9	-	-	4					
1	605	-	666	50	-	0.01	13	-	8	5					
-	140	-	160	20	45	0.00	21	-	1	6					
-	5,275	-	6,026	721	275	0.12	19	-	54	7					
1	955	-	961	-	-	0.01	4	-	1	8					
-	60	-	60	-	5	0.00	18	-	9	9					
-	415	-	415	-	-	0.00	5	-	-	10					
10	595	-	696	91	61	0.02	23	-	-	11					
1	45	-	46	-	5	0.00	10	-	-	12					
-	10	-	15	5	-	0.00	---	-	-	13					
1	100	-	101	-	-	0.00	3	-	-	14					
-	40	-	45	5	-	0.00	---	-	-	15					
-	5	-	10	5	-	0.00	---	-	2	16					
-	-	-	-	-	-	-	-	-	-	17					
1	2,935	-	3,239	293	212	0.10	24	-	42	18					
-	120	-	125	5	-	0.00	16	-	48	19					
-	-	-	-	-	-	-	-	-	256	20					
-	245	-	250	-	5	0.00	3	-	-	21					
-	30	-	30	-	-	0.00	13	-	17	22					
-	40	-	45	5	15	-	-	-	1	23					
5	1,590	161	1,758	83	105	0.04	16	-	7	24					
8	1,165	10	1,288	105	57	0.02	15	-	4	25					
1	165	-	199	28	11	0.00	9	-	-	26					
-	835	-	875	40	35	0.01	12	-	42	27					
1	290	-	346	55	30	0.02	46	-	46	28					
-	45	-	50	5	5	0.00	34	-	39	29					
2	120	-	164	42	35	0.01	45	-	6	30					
-	295	-	350	55	50	0.01	36	-	53	31					
-	35	-	35	-	-	0.00	8	-	1	32					
-	770	-	825	55	30	0.01	14	-	91	33					
-	75	-	75	-	-	0.00	6	-	-	34					
-	260	-	275	15	10	0.00	9	-	46	35					
-	435	-	475	40	20	0.01	18	-	45	36					
157	8,935	30	10,050	948	414	0.04	9	-	-	37					
1	160	5	171	5	5	0.00	7	-	-	38					
-	10	-	10	-	-	0.00	---	-	-	39					
14	95	-	199	90	38	0.01	83	-	-	40					
-	125	-	135	10	5	0.00	5	-	-	41					
-	2,015	-	2,055	40	20	0.02	5	-	-	42					
3	75	-	84	6	6	0.00	---	-	-	43					
106	2,410	20	3,072	556	212	0.01	16	-	-	44					
33	4,045	5	4,324	241	128	0.00	6	-	-	45					
1	2,635	-	2,811	135	156	0.03	10	-	234	46					
1	1,410	-	1,531	100	71	0.01	14	-	220	47					
-	1,225	-	1,280	35	85	0.02	8	-	14	48					

Table 1.--GENERAL SUMMARY TABLE: ADMISSIONS, INCIDENCE, EPTS PROPORTIONS, CASES TREATED

Line number	Diagnosis and, for traumatisms, battle, nonbattle classification (Continued)	Admissions		Incidence
		Rate	Number	Rate
		(Admis- sions per 1,000)		(Cases per 1,000)
	(1)	(2)	(3)	(4)
	Class XXIV b/			
1	Other admissions without disease.....	6.20	9,505	6.55
2	Medical or special examination.....	2.85	4,375	2.87
3	Pregnancy, uterine, not delivered.....	0.15	225	0.16
4	Follow-up examination.....	2.23	3,425	2.24
5	Medical and surgical after care.....	0.43	655	0.43
6	Fitting of prostheses.....	0.06	85	0.07
7	Admissions without disease, n. e. c.....	0.48	740	0.78
	(BATTLE INJURY AND WOUND CASES)			
	Class XXIII			
8	Accidents, violence, and poisonings.....	6.63	1/10,172	13.05
9	(A) Injuries.....	6.59	10,109	12.94
10	Fractures, total.....	1.12	1,704	1.75
	By type:			
11	Fracture, depressed, skull.....	0.09	143	0.12
12	Compound.....	0.09	143	0.12
13	Simple.....	-	-	0.00
14	Fracture, compound, comminuted.....	0.83	1,251	1.28
15	Fracture, compound, n. e. c.....	0.07	109	0.12
16	Compression fracture, vertebra.....	0.01	21	0.02
17	without spinal cord lesion.....	0.00	4	0.00
18	with spinal cord lesion.....	0.01	17	0.02
19	Simple fracture, other.....	0.10	157	0.17
20	Fracture, unqualified.....	0.02	23	0.04
21	By nerve or artery involvement:	1.12	1,704	1.75
22	With no nerve or artery involvement.....	0.77	1,174	1.28
23	With nerve involvement only.....	0.27	407	0.36
24	With artery involvement only.....	0.03	51	0.05
25	With nerve and artery involvement.....	0.05	72	0.06
26	Wounds, total.....	4.66	7,154	9.69
	By type:			
27	Wound, incised and lacerated.....	0.64	974	0.94
28	Wound, punctured.....	0.02	37	0.04
29	Wound, penetrating.....	2.83	4,346	6.66
30	Wound, perforating.....	0.46	709	0.80
31	Wound, n. e. c.....	0.71	1,088	1.25
32	By nerve or artery involvement:	4.66	7,154	9.69
33	With no nerve or artery involvement.....	4.36	6,689	9.22
34	With nerve involvement only.....	0.20	312	0.33
35	With artery involvement only.....	0.05	84	0.08
36	With nerve and artery involvement.....	0.05	69	0.06
37	Abrasions and blisters.....	0.18	277	0.35
38	Contusion.....	0.12	188	0.23
39	Traumatic amputation.....	0.12	181	0.16
40	Avulsion.....	0.02	31	0.05
41	Bite, animal, nonvenomous.....	-	-	-
42	Dislocation of joint.....	0.01	9	0.01
43	Sprain.....	0.06	88	0.08
44	Strain.....	0.01	21	0.02
45	Burn, chemical.....	0.05	84	0.11
46	Burn, electrical.....	-	-	-
47	Burn, n. e. c.....	0.04	55	0.10
48	Barotrauma.....	-	-	0.00
49	Effects of compression and decompression.....	-	-	-
50	Air embolism.....	-	-	0.00

PATIENT CENSUS, LOSS OF TIME, SEPARATIONS, AND DEATHS, BY DIAGNOSIS, U. S. ARMY, 1953

Incidence--Continued		EPTS cases included in incidence counts	Total number of cases treated during year	Patient census as of 31 Dec.		Noneffective rate	Loss of time	Separations due to diagnosis shown	Number of deaths due to diagnosis shown	Line number
Number				1952	1953					
Among admissions for										
Battle causes	Non-Battle causes									
(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	
42	10,000	175	10,413	276	125	0.27	16	-	-	1
-	4,410	5	4,415	5	5	0.02	2	-	-	2
-	240	-	245	5	-	0.01	18	-	-	3
-	3,430	-	3,445	10	15	0.15	25	-	-	4
-	655	-	680	25	5	0.01	11	-	-	5
1	110	-	116	5	-	0.00	22	-	-	6
41	1,155	170	1,512	226	100	0.08	59	-	-	7
20,003	-	-	28,381	8,267	2,682	1.83	1/---	1/---	230	8
19,829 2,687	-	-	28,135 6,177	8,202 3,475	2,664 1,125	1.83 0.96	---	---	230 49	9 10
182	-	-	378	196	44	0.07	---	-	28	11
181	-	-	376	195	43	0.07	---	-	28	12
1	-	-	2	1	1	-	---	-	-	13
1,980	-	-	4,838	2,853	963	0.81	---	-	13	14
179	-	-	311	132	36	0.03	---	-	3	15
27	-	-	60	33	5	0.01	---	-	2	16
5	-	-	12	7	-	0.00	---	-	-	17
22	-	-	48	26	5	0.01	---	-	2	18
261	-	-	499	238	69	0.04	---	-	1	19
58	-	-	91	23	8	0.00	---	-	2	20
2,687	-	-	6,177	3,475	1,125	0.96	---	-	49	21
1,967	-	-	4,147	2,165	725	0.52	---	-	9	22
558	-	-	1,477	919	296	0.31	---	-	33	23
70	-	-	215	145	40	0.05	---	-	3	24
92	-	-	338	246	64	0.08	---	-	4	25
14,832	-	-	18,696	3,827	1,328	0.66	---	-	135	26
1,444	-	-	1,678	224	66	0.03	---	-	11	27
55	-	-	61	6	1	0.00	---	-	1	28
10,193	-	-	12,953	2,759	1,058	0.48	---	-	73	29
1,229	-	-	1,947	713	165	0.14	---	-	30	30
1,911	-	-	2,057	125	38	0.01	---	-	20	31
14,832	-	-	18,696	3,827	1,328	0.66	---	-	135	32
14,113	-	-	17,260	3,116	1,056	0.45	---	-	87	33
497	-	-	996	494	195	0.14	---	-	22	34
124	-	-	209	84	22	0.03	---	-	12	35
98	-	-	231	133	55	0.04	---	-	14	36
532	-	-	553	21	3	0.00	---	-	-	37
352	-	-	404	52	10	0.01	---	-	-	38
241	-	-	571	330	103	0.12	---	-	13	39
71	-	-	138	67	22	0.01	---	-	6	40
-	-	-	-	-	-	-	---	-	-	41
11	-	-	22	6	1	0.00	---	-	-	42
122	-	-	129	6	1	0.00	---	-	-	43
33	-	-	34	1	-	0.00	---	-	-	44
173	-	-	211	38	10	0.01	---	-	3	45
-	-	-	-	-	-	-	---	-	-	46
155	-	-	206	51	3	0.01	---	-	5	47
1	-	-	1	-	-	-	---	-	-	48
-	-	-	-	-	-	-	---	-	-	49
2	-	-	3	1	-	-	---	-	-	50

Table 1.--GENERAL SUMMARY TABLE: ADMISSIONS, INCIDENCE, EPTS PROPORTIONS, CASES TREATED

Line number	Diagnosis and, for traumatisms, battle, nonbattle classification (Continued)	Admissions		Incidence
		Rate	Number	Rate
		(Admis-sions per 1,000)		(Cases per 1,000)
	(1)	(2)	(3)	(4)
Class XXIII--Continued				
Accidents, violence, and poisonings--Continued				
(A) Injuries--Continued				
1	Concussion.....	0.10	148	0.10
2	Crushing.....	0.00	1	0.00
3	Multiple injuries, extreme.....	-	-	-
4	Bite or sting, insect, nonvenomous.....	-	-	-
5	Electric shock.....	-	-	-
6	Emphysema, traumatic.....	0.00	1	0.00
7	Retained foreign body.....	0.01	20	0.11
8	Hematoma, traumatic.....	-	-	0.03
9	Hemorrhage, postoperative.....	-	-	-
10	Hemorrhage, traumatic, n. e. c.....	0.00	2	0.04
11	Hemothorax, traumatic.....	0.06	95	0.07
12	Injury, intracranial, n. e. c.....	0.00	2	0.00
13	Pneumothorax, traumatic.....	0.02	33	0.02
14	Rupture, traumatic.....	0.01	15	0.02
15	Submersion, nonfatal.....	-	-	-
16	(B) Poisonings.....	0.00	2	0.00
17	Poisoning, venom.....	-	-	-
18	Poisoning, by gas.....	0.00	2	0.00
19	Poisoning, other.....	-	-	-
20	(C) Prophylactic reactions and therapeutic misadventures.	-	-	0.00
21	Anaphylactic reaction, generalized.....	-	-	-
22	Hermesheimer's reaction.....	-	-	-
23	Serum hepatitis.....	-	-	-
24	Serum sickness.....	-	-	-
25	Prophylactic inoculation, reaction to, n. e. c.	-	-	-
26	Anesthetic accident.....	-	-	0.00
27	Complications of surgical treatment.....	-	-	-
28	Therapeutic misadventure, n. e. c.....	-	-	0.00
29	(D) Other traumatisms.....	0.04	61	0.11
30	Other specified traumatisms.....	0.03	44	0.09
31	Traumatism, nature unknown or n. e. c.....	0.01	17	0.02

a/ Totals (lines 1-5) show patients; these totals are limited to cause of admission. Itemization by condition (lines 7, etc.) represents total patients having the specified condition. Since some patients are treated for more than one condition, the total of patients with a disease or diseases, for example, is less than the sum of the specific disease conditions itemized.

b/ Includes patients remaining at the beginning of 1953, those admitted during the year, and those readmitted.

c/ The "not applicable" symbol (---), as used in the itemization of column 12, indicates that there were too few cases of that specific disease or injury to yield a reliable average duration. All duration data shown are based on the cases disposed of during 1953 having the indicated condition as cause of admission. No average durations have been shown for battle casualty cases since 1953 dispositions are not representative with regard to duration.

d/ Excludes 1,764 personnel killed in action. Excludes also deaths in enemy prisons and personnel officially declared dead.

PATIENT CENSUS, LOSS OF TIME, SEPARATIONS, AND DEATHS, BY DIAGNOSIS, U. S. ARMY, 1953

Incidence--Continued Number	EPTS cases included in incidence counts	Total number of cases treated during year	Patient census as of 31 Dec.		Loss of time		Separations due to diagnosis shown	Number of deaths due to diagnosis shown	Line number			
			1952	1953	Noneffective rate	Average days per case						
(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)			
160	-	-	170	10	2	0.00	---	-	-			
1	-	-	1	-	-	0.00	---	-	2			
-	-	-	-	-	-	-	---	-	3			
-	-	-	-	-	-	-	---	-	4			
-	-	-	-	-	-	-	---	-	5			
3	-	-	4	1	-	0.00	---	-	6			
167	-	-	225	17	9	0.00	---	-	7			
41	-	-	94	48	6	-	---	-	8			
-	-	-	-	-	-	-	---	-	9			
65	-	-	98	33	5	0.00	---	-	10			
112	-	-	288	176	25	0.04	---	-	11			
2	-	-	2	-	-	0.00	---	-	12			
37	-	-	64	27	4	0.01	---	-	13			
29	-	-	44	15	7	0.00	---	-	14			
-	-	-	-	-	-	-	---	-	15			
3	-	-	3	-	-	0.00	---	-	16			
-	-	-	-	-	-	-	---	-	17			
3	-	-	3	-	-	0.00	---	-	18			
-	-	-	-	-	-	-	---	-	19			
3	-	-	3	-	-	-	---	-	20			
-	-	-	-	-	-	-	---	-	21			
-	-	-	-	-	-	-	---	-	22			
-	-	-	-	-	-	-	---	-	23			
-	-	-	-	-	-	-	---	-	24			
-	-	-	-	-	-	-	---	-	25			
1	-	-	1	-	-	-	---	-	26			
-	-	-	-	-	-	-	---	-	27			
2	-	-	2	-	-	-	---	-	28			
168	-	-	240	65	18	0.00	---	-	29			
142	-	-	212	65	16	0.00	---	-	30			
26	-	-	28	-	2	0.00	---	-	31			

e/ Includes 94,215 cases carded for record only.

f/ Includes readmissions.

g/ Includes cases separated because of such residual conditions as loss of extremities, paralysis of extremities, etc.

h/ Included in total disease, line 3.

i/ No separations are made for the diagnoses shown in this section of the stub, since each disability separation is attributed to the disease diagnosis based on the residual condition.

j/ Includes 2,398 cases carded for record only.

k/ See footnote g/.