

**Table 1.-- GENERAL SUMMARY TABLE: ADMISSIONS, INCIDENCE, EPTS
SEPARATIONS, AND DEATHS, BY**

Line number	Diagnosis and, for traumatism, battle, nonbattle classification	Admissions ^{a/}		Incidence ^{b/}
		Rate (admis- sions per 1,000)	Number	Rate (cases per 1,000)
	(1)	(2)	(3)	(4)
1	All causes--total.....	324.71	460,920	...
2	All nonbattle causes--total.....	324.71	460,920	...
3	All disease.....	275.58	391,180	...
4	All nonbattle injury.....	49.13	69,740	...
5	All battle injury and wound.....	...	...	...
NONBATTLE CAUSES				
DISEASE				
Class I				
6	Infective and parasitic diseases (except certain acute respiratory infections and rheumatic fever).	23.03	32,690	25.51
7	(A) Tuberculosis.....	1.08	1,530	1.24
8	Tuberculosis, respiratory, with pneumo- coniosis.	-	-	-
9	Tuberculosis, pulmonary, active.....	0.67	950	0.71
10	Tuberculosis, pulmonary, arrested.....	0.10	140	0.13
11	Tuberculosis, pleural.....	0.14	195	0.18
12	Tuberculosis, tracheobronchial, glandular..	0.01	15	0.01
13	Infiltration, pulmonary, cause undetermined	0.06	80	0.06
14	Tuberculosis, respiratory, n. e. c.....	0.00	5	0.01
15	Tuberculosis, unspecified site.....	0.00	5	0.00
16	Tuberculous meningitis.....	0.01	15	0.01
17	Tuberculosis of intestines, peritoneum, and mesenteric glands.	0.00	5	0.01
18	Tuberculosis of bones and joints.....	0.02	25	0.02
19	Tuberculosis, late effects of, bones and joints.	-	-	0.00
20	Tuberculosis of skin and subcutaneous tissue.	-	-	-
21	Tuberculosis of lymph nodes, n. e. c.....	0.04	60	0.05
22	Tuberculosis of genital organs.....	0.01	10	0.01
23	Tuberculosis of urinary tract.....	0.01	10	0.02
24	Tuberculosis of adrenal glands.....	-	-	-
25	Tuberculosis of organs, n. e. c.....	0.01	10	0.02
26	Tuberculosis, disseminated.....	0.00	5	0.00
27	(B) Venereal disease.....	2.02	2,870	2.53
28	Syphilis, congenital.....	0.04	55	0.04
29	Syphilis, early.....	0.20	290	0.23
30	Aneurysm of aorta.....	0.00	5	0.00
31	Syphilis, cardiovascular, n. e. c.....	-	-	0.00
32	Tabes dorsalis.....	-	-	-
33	Dementia paralytica.....	0.00	5	0.00
34	Syphilis, central nervous system, n. e. c..	0.04	55	0.05
35	Syphilis, late, n. e. c.....	0.01	10	0.01
36	Syphilis, latent.....	0.20	285	0.28
37	Syphilis, unqualified.....	-	-	-
38	Gonorrhea, acute or unspecified.....	0.70	990	0.99
39	Gonococcal infection, genitourinary, chronic.	0.02	25	0.02

For footnotes, see end of table.

PROPORTIONS, CASES TREATED, PATIENT CENSUS, LOSS OF TIME,
DIAGNOSIS, U. S. ARMY, 1954

Incidence-- Con. b/ Number	EPTS cases included in inci- dence counts	Total number of cases treated during year c/ (7)	Patient census as of 31 Dec.		Loss of time		Separa- tions due to diag- nosis shown e/ (12)	Number of deaths due to diag- nosis shown (13)	Line number
			1953	1954	Nonef- fective rate	Average days per case d/ (11)			
(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	
...	...	486,902	20,647	15,027	14.17	---	13,607	f/ 2,103	1
...	...	485,870	19,615	14,975	13.91	16	12,769	2,103	2
...	...	410,890	15,375	11,620	11.12	15	10,721	560	3
...	...	74,980	4,240	3,355	2.79	22	2,048	1,543	4
...	...	1,032	1,032	52	0.26	---	838	f/ -	5
36,205	1,260	41,068	3,854	2,783	1.94	33	1,353	65	6
1,765	220	3,308	1,204	1,085	0.78	280	1,225	6	7
-	-	-	-	-	-	-	-	-	8
990	100	1,862	800	680	0.57	329	685	3	9
190	65	486	125	70	0.02	84	210	-	10
255	15	423	122	165	0.10	259	207	-	11
20	-	25	5	-	0.00	99	12	-	12
80	5	90	15	15	0.01	62	4	-	13
10	-	30	35	5	0.00	-	4	-	14
5	-	10	-	-	0.00	55	-	-	15
15	-	25	10	10	0.01	379	6	1	16
15	5	25	5	5	0.00	-	4	-	17
35	5	60	20	25	0.02	253	15	-	18
5	-	5	-	-	-	-	8	-	19
-	-	-	-	-	-	-	1	-	20
65	10	106	21	45	0.03	261	39	-	21
20	5	45	20	20	0.01	270	10	-	22
30	-	66	26	20	0.01	556	8	2	23
-	-	5	-	-	-	-	-	-	24
25	5	35	-	20	0.00	239	6	-	25
5	5	10	-	5	0.00	-	6	-	26
3,585	300	4,216	288	216	0.08	16	17	3	27
60	60	80	5	-	0.00	25	13	-	28
325	15	350	10	10	0.01	12	-	-	29
5	-	5	-	-	0.00	57	-	-	30
5	-	5	-	5	-	-	-	1	31
-	-	-	-	-	-	-	2	-	32
5	-	5	-	-	0.00	125	-	-	33
70	15	100	-	30	0.01	74	1	-	34
10	10	25	5	-	0.00	104	-	-	35
395	140	644	103	45	0.01	30	-	-	36
-	-	5	-	-	0.00	-	-	-	37
1,390	-	1,500	84	86	0.01	8	-	1	38
30	-	45	5	-	0.00	15	-	-	39

**Table 1.--GENERAL SUMMARY TABLE: ADMISSIONS, INCIDENCE, EPTS
SEPARATIONS, AND DEATHS, BY**

Line number	Diagnosis and, for traumatism, battle, nonbattle classification	Admissions ^{a/}		Incidence ^{b/}
		Rate (admis- sions per 1,000)	Number	Rate (cases per 1,000)
	(1)	(2)	(3)	(4)
	Class I--Continued			
	(B) Venereal disease--Continued			
1	Gonococcic arthritis.....	0.02	25	0.02
2	Gonococcic conjunctivitis.....	0.01	15	0.01
3	Gonococcal infection, n. e. c.....	0.01	10	0.01
4	Late effects of gonorrhea.....	0.04	60	0.04
5	Chancroid.....	0.50	715	0.60
6	Lymphogranuloma, venereal.....	0.09	130	0.09
7	Granuloma inguinale.....	0.01	15	0.01
8	Venereal disease, n. e. c.....	0.13	180	0.13
9	(C) Infections commonly arising in diges- tive tract.	1.16	1,650	1.26
10	Typhoid.....	-	-	-
11	Paratyphoid.....	0.01	15	0.01
12	Salmonella infections, n. e. c.....	0.09	125	0.09
13	Cholera.....	-	-	-
14	Brucellosis.....	-	-	-
15	Dysentery, bacillary.....	0.16	230	0.16
16	Amebiasis.....	0.29	410	0.35
17	Dysentery, protozoal, n. e. c.....	0.05	70	0.08
18	Dysentery, unspecified.....	0.09	135	0.10
19	Food poisoning or infection, n. e. c.....	0.47	665	0.47
20	(D) Other bacterial diseases.....	3.00	4,260	3.11
21	Scarlet fever.....	0.27	390	0.28
22	Streptococcal sore throat.....	2.53	3,590	2.62
23	Meningitis, meningococcal.....	0.10	145	0.11
24	Meningococcal infections, n.e.c.....	0.01	20	0.01
25	Bacterial diseases, n. e. c.....	0.09	115	0.09
26	(E) Spirochetal diseases (except syphilis).	0.30	420	0.31
27	Vincent's infections.....	0.30	420	0.31
28	Relapsing fever.....	-	-	-
29	Spirochetal jaundice (Weil's disease)....	-	-	-
30	Yaws.....	-	-	-
31	Spirochetal and leptospirochetal disease, n. e. c.	-	-	-
32	(F) Diseases attributable to viruses.....	10.57	15,005	10.80
33	Poliomyelitis, anterior, acute, bulbar....	0.02	35	0.02
34	Poliomyelitis, anterior, acute, spinal....	0.07	105	0.07
35	Poliomyelitis, anterior, acute nonpara- lytic.	0.04	50	0.04
36	Poliomyelitis, acute, late effects of.....	0.03	40	0.04
37	Encephalitis, infectious, acute.....	0.05	75	0.05
38	Encephalitis, infectious, acute, late effects of.	0.00	5	0.01
39	Smallpox.....	-	-	-
40	Measles.....	0.40	570	0.41
41	Rubella (German measles).....	3.02	4,275	3.06
42	Chickenpox.....	0.72	1,020	0.73

PROPORTIONS, CASES TREATED, PATIENT CENSUS, LOSS OF TIME,
DIAGNOSIS, U. S. ARMY, 1954--Continued

Inci- dence-- Con. b/ Number	EPTS cases included in inci- dence counts	Total number of cases treated during year c/ e/	Patient census as of 31 Dec.		Loss of time		Separa- tions due to diag- nosis shown e/ d/	Number of deaths due to diag- nosis shown	Line number
			1953	1954	Nonef- fective rate	Average days per case d/ a/			
(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	
30	-	40	10	5	0.00	50	-	-	1
15	-	15	-	-	0.00	8	-	-	2
10	-	10	-	5	0.00	3	-	-	3
60	10	65	-	5	0.00	18	1	1	4
845	5	972	56	20	0.02	14	-	-	5
130	20	140	5	-	0.01	23	-	-	6
15	-	15	-	-	0.00	13	-	-	7
185	25	195	5	5	0.00	7	-	-	8
1,790	15	1,902	106	60	0.04	14	3	-	9
-	-	5	5	-	0.00	72	-	-	10
15	-	15	-	-	0.00	44	-	-	11
125	-	125	-	-	0.00	6	-	-	12
-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	14
230	-	230	-	5	0.00	9	-	-	15
505	5	576	66	35	0.03	33	3	-	16
115	10	150	30	20	0.01	36	-	-	17
135	-	135	5	-	0.00	4	-	-	18
665	-	666	-	-	0.00	2	-	-	19
4,420	5	4,605	163	66	0.08	10	2	12	20
400	-	420	20	-	0.00	9	-	-	21
3,715	-	3,830	105	40	0.07	8	-	-	22
155	-	175	15	10	0.01	58	-	4	23
20	-	30	10	-	0.00	31	-	5	24
130	5	150	13	16	0.00	11	2	3	25
445	5	460	15	5	0.00	6	-	-	26
445	5	460	15	5	0.00	6	-	-	27
-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	31
15,320	65	16,521	1,099	880	0.67	23	15	26	32
35	-	40	5	5	0.01	99	-	16	33
105	-	120	15	75	0.02	129	-	-	34
55	-	55	-	15	0.00	23	-	-	35
60	45	65	5	5	0.00	43	-	-	36
75	-	90	15	-	0.00	34	-	4	37
10	-	10	-	-	0.00	30	2	-	38
-	-	-	-	-	-	-	-	-	39
580	-	590	10	-	0.01	8	-	-	40
4,325	-	4,341	15	10	0.04	5	-	1	41
1,040	-	1,085	35	20	0.02	10	-	-	42

**Table 1. --GENERAL SUMMARY TABLE: ADMISSIONS, INCIDENCE, EPTS
SEPARATIONS, AND DEATHS, BY**

Line number	Diagnosis and, for traumatisms, battle, nonbattle classification	Admissions ^{a/}		Incidence ^{b/}
		Rate (admis- sions per 1,000)	Number	
	(1)	(2)	(3)	(4)
	Class I--Continued			
	(F) Diseases attributable to viruses-- Continued			
1	Herpes zoster.....	0.18	260	0.19
2	Mumps.....	1.96	2,785	1.98
3	Dengue.....	-	-	-
4	Yellow fever.....	-	-	-
5	Hepatitis, infectious.....	2.21	3,125	2.24
6	Infectious mononucleosis.....	1.45	2,060	1.48
7	Rabies.....	-	-	-
8	Trachoma.....	-	-	-
9	Viral diseases, n. e. c.....	0.42	600	0.48
10	(G) Rickettsial diseases.....	0.01	10	0.01
11	Typhus, louse-borne (epidemic).....	-	-	-
12	Typhus, flea-borne (murine).....	-	-	-
13	Brill's disease, unqualified.....	-	-	-
14	Tabardillo, unqualified (Mexican typhus)..	-	-	-
15	Typhus, tick-borne.....	0.00	5	0.00
16	Typhus, mite-borne (tsutsugamushi fever)..	-	-	-
17	Wolhynian fever (trench fever).....	-	-	-
18	Typhus, unspecified.....	-	-	-
19	Rickettsial infection, n. e. c.....	0.00	5	0.00
20	(H) Malaria.....	0.75	1,070	^{g/} 0.88
21	Malaria, plasmodium vivax.....	0.69	975	0.78
22	Malaria, plasmodium malariae.....	0.00	5	0.01
23	Malaria, plasmodium falciparum.....	-	-	-
24	Malaria, plasmodium ovale.....	-	-	-
25	Malaria, mixed.....	-	-	-
26	Blackwater fever.....	-	-	-
27	Malaria, unspecified.....	0.06	90	0.09
28	Malaria, recurrent induced.....	-	-	-
29	(I) Other infective and parasitic diseases.	4.14	5,875	5.37
30	Leishmaniasis.....	0.01	10	0.01
31	Trypanosomiasis.....	-	-	-
32	Protozoal diseases, n. e. c.....	0.02	30	0.02
33	Schistosomiasis.....	0.13	185	0.21
34	Trematode infection, n. e. c.....	-	-	-
35	Echinococcosis (hydatid disease).....	0.00	5	0.00
36	Cestode infection, n. e. c.....	0.04	50	0.04
37	Filariasis.....	-	-	0.00
38	Trichinosis.....	0.01	10	0.01
39	Ankylostomiasis (hookworm).....	0.42	600	0.71
40	Ascariasis.....	0.11	160	0.18
41	Worm infection, n. e. c.....	0.19	275	0.52
42	Dermatophytosis.....	2.40	3,405	2.80
43	Actinomycosis.....	-	-	-
44	Coccidioidomycosis.....	0.03	40	0.03
45	Fungus infection, n. e. c.....	0.08	115	0.10
46	Scabies.....	0.25	350	0.26
47	Pediculosis.....	0.06	80	0.08
48	Arthropod infestation, n. e. c.....	0.02	35	0.03
49	Infective and parasitic diseases, n. e. c.	0.37	525	0.37

PROPORTIONS, CASES TREATED, PATIENT CENSUS, LOSS OF TIME,
DIAGNOSIS, U. S. ARMY, 1954-Continued

Incidence-- Con. b/	EPTS cases included in inci- dence counts	Total number of cases treated during year c/	Patient census as of 31 Dec.		Loss of time		Separa- tions due to diag- nosis shown e/	Number of deaths due to diag- nosis shown	Line number
			1953	1954	Nonef- fective rate	Average days per case d/			
(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	
270	-	290	15	5	0.00	11	-	-	1
2,805	-	2,925	95	60	0.07	13	-	-	2
-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	4
3,185	15	3,994	753	575	0.39	63	11	4	5
2,100	-	2,221	111	90	0.09	23	1	1	6
-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	1	-	8
675	5	695	25	20	0.02	10	-	-	9
10	-	10	-	5	0.00	24	-	-	10
-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	14
5	-	5	-	-	0.00	24	-	-	15
-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	18
5	-	5	-	5	0.00	-	-	-	19
g/ 1,255	5	1,300	35	33	0.02	8	-	-	20
1,120	-	1,154	24	23	0.02	8	-	-	21
10	-	10	-	-	0.00	7	-	-	22
-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	26
125	5	136	11	10	0.00	9	-	-	27
-	-	-	-	-	-	-	-	-	28
7,615	645	8,746	944	433	0.27	27	91	18	29
10	-	10	-	-	0.00	33	-	-	30
-	-	5	-	-	-	-	-	-	31
30	10	35	10	5	0.00	50	-	-	32
295	140	341	41	40	0.03	67	9	1	33
-	-	-	-	-	-	-	-	-	34
5	-	5	-	5	0.00	-	-	-	35
60	-	71	1	-	0.00	15	-	-	36
5	-	5	-	-	-	-	-	-	37
20	-	20	-	-	0.00	27	-	-	38
1,010	175	1,205	162	90	0.03	22	1	-	39
240	30	333	85	7	0.01	33	-	-	40
735	175	919	146	36	0.01	24	-	-	41
3,965	85	4,203	187	100	0.07	13	6	-	42
-	-	5	5	-	0.00	90	-	-	43
40	10	72	31	5	0.01	130	8	5	44
135	15	167	41	10	0.01	77	5	1	45
375	-	395	15	10	0.01	12	-	-	46
115	-	130	10	10	0.00	8	-	-	47
45	-	45	-	-	0.00	5	-	-	48
530	5	780	210	115	0.09	191	62	11	49

**Table 1.—GENERAL SUMMARY TABLE: ADMISSIONS, INCIDENCE, EPTS
SEPARATIONS, AND DEATHS, BY**

Line number	Diagnosis and, for traumatism, battle, nonbattle classification	Admissions ^{a/}		Incidence ^{b/}
		Rate (admis- sions per 1,000)	Number	Rate (cases per 1,000)
	(1)	(2)	(3)	(4)
	Class II			
1	Neoplastic diseases.....	5.64	8,005	6.72
2	(A) Malignant neoplasms.....	0.32	450	0.40
3	Adenocarcinoma.....	0.06	85	0.07
4	Carcinoma, other.....	0.14	200	0.19
5	Sarcoma.....	0.02	25	0.02
6	Malignant tumors of nerve tissues and associated structures.	0.02	30	0.02
7	Dysgerminoma and teratoma.....	0.02	25	0.02
8	Melanoma.....	0.01	20	0.02
9	Malignant neoplasms, other.....	0.05	65	0.06
10	(B) Neoplastic conditions of lymphatic and hematopoietic tissues.	0.06	85	0.07
11	Lymphosarcoma and reticulosarcoma.....	0.00	5	0.00
12	Hodgkin's disease.....	0.03	35	0.04
13	Leukemia and aleukemia.....	0.02	30	0.02
14	Other neoplastic conditions of lymphatic and hematopoietic tissues.	0.01	15	0.01
15	(C) Neoplasms, benign.....	5.21	7,400	6.18
16	Cyst (including cystadenoma).....	0.29	415	0.39
17	Exostosis.....	0.17	240	0.21
18	Fibroma.....	0.10	135	0.14
19	Hemangioma.....	0.11	150	0.16
20	Lipoma.....	0.26	375	0.37
21	Neuroma.....	0.07	95	0.12
22	Nevus, pigmented.....	0.11	155	0.21
23	Osteochondroma and osteoma.....	0.16	230	0.21
24	Pilonidal cyst or sinus.....	3.38	4,805	3.51
25	Other benign neoplasms.....	0.56	800	0.86
26	(D) Neoplasm of unspecified nature.....	0.05	70	0.07
	Class III			
27	Allergic, endocrine system, metabolic, and nutritional diseases.	4.68	6,640	6.58
28	(A) Allergic disorders.....	3.68	5,220	4.97
29	Hay fever.....	0.16	225	0.42
30	Asthma.....	1.72	2,445	1.99
31	Angioneurotic edema.....	0.18	255	0.23
32	Urticaria.....	1.09	1,545	1.61
33	Allergic eczema.....	0.16	230	0.20
34	Allergic disorders, n. e. c.....	0.37	520	0.52
35	(B) Diseases of endocrine glands.....	0.61	865	0.81
36	Simple goiter.....	0.01	15	0.04
37	Nontoxic nodular goiter.....	0.05	75	0.07
38	Thyrototoxicosis with or without goiter.....	0.07	100	0.09

PROPORTIONS, CASES TREATED, PATIENT CENSUS, LOSS OF TIME,
DIAGNOSIS, U. S. ARMY, 1954--Continued

Inci- dence-- Con. b/ Number	EPTS cases included in inci- dence counts	Total number of cases treated during year c/ (7)	Patient census as of 31 Dec.		Loss of time		Separa- tions due to diag- nosis shown e/ (12)	Number of deaths due to diag- nosis shown (13)	Line number
			1953 (8)	1954 (9)	Nonef- fective rate (10)	Average days per case d/ (11)			
(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	
9,540	5,760	10,741	770	640	0.44	29	239	116	1
565	55	800	135	165	0.09	105	101	82	2
95	-	150	30	40	0.02	150	22	17	3
265	15	350	35	85	0.03	83	29	28	4
30	10	50	25	10	0.01	168	14	10	5
30	5	50	15	15	0.01	121	18	11	6
25	-	45	15	5	0.01	147	6	4	7
35	10	50	5	-	0.00	74	8	2	8
85	15	105	10	10	0.01	61	4	10	9
105	10	160	40	30	0.02	124	55	30	10
5	5	10	5	5	0.00	104	5	4	11
45	-	90	30	10	0.01	163	36	5	12
35	5	40	5	15	0.01	102	11	19	13
20	-	20	-	-	0.00	10	3	2	14
8,775	5,680	9,680	590	445	0.32	23	79	3	15
550	85	589	26	15	0.01	14	1	2	16
295	65	327	21	15	0.01	25	1	-	17
195	15	200	5	5	0.00	15	2	-	18
225	85	276	20	15	0.01	40	10	1	19
530	45	575	45	35	0.01	11	-	-	20
170	55	269	85	38	0.01	60	5	-	21
295	100	306	-	16	0.00	14	-	-	22
295	105	325	20	10	0.01	33	15	-	23
4,995	4,985	5,413	232	230	0.21	22	31	-	24
1,225	140	1,400	136	66	0.05	27	14	-	25
95	15	101	5	-	0.01	57	4	1	26
9,345	1,360	10,439	738	611	0.27	21	747	9	27
7,070	1,135	7,707	379	356	0.14	13	412	1	28
590	220	674	57	51	0.00	11	6	-	29
2,845	810	3,196	200	195	0.09	18	367	1	30
325	10	340	10	10	0.00	8	2	-	31
2,285	30	2,417	67	55	0.03	9	18	-	32
280	45	315	25	25	0.01	16	12	-	33
745	20	765	20	20	0.01	6	7	-	34
1,145	80	1,380	165	165	0.10	61	317	8	35
50	5	70	5	5	0.00	93	-	-	36
100	10	115	15	5	0.00	35	2	-	37
125	10	145	10	40	0.03	79	4	1	38

**Table 1. --GENERAL SUMMARY TABLE: ADMISSIONS, INCIDENCE, EPTS
SEPARATIONS, AND DEATHS, BY**

Line number	Diagnosis and, for traumatism, battle, nonbattle classification (1)	Admissions ^{a/}		Incidence ^{b/}	
		Rate (admis- sions per 1,000) (2)	Number (3)	Rate (cases per 1,000) (4)	
	Class III -- Continued				
	(B) Diseases of endocrine glands--Con.				
1	Hypothyroidism.....	0.02	25	0.02	
2	Diseases of thyroid gland, n. e. c.....	0.04	55	0.05	
3	Diabetes mellitus.....	0.37	520	0.46	
4	Diseases of pancreatic internal secretion, n. e. c.	0.01	10	0.01	
5	Diseases of parathyroid gland.....	-	-	-	
6	Diseases of pituitary gland.....	0.03	40	0.03	
7	Diseases of thymus gland.....	-	-	-	
8	Diseases of adrenal glands.....	-	-	0.01	
9	Ovarian dysfunction.....	0.00	5	0.00	
10	Testicular dysfunction.....	0.01	20	0.03	
11	Diseases of endocrine glands, n. e. c.....	-	-	0.00	
12	(C) Metabolic disorders (including avita- minosis).	0.39	555	0.80	
13	Beriberi.....	-	-	-	
14	Pellagra.....	-	-	-	
15	Scurvy.....	-	-	-	
16	Active rickets.....	-	-	-	
17	Late effect of rickets.....	-	-	-	
18	Osteomalacia.....	0.00	5	0.00	
19	Vitamin deficiency, n. e. c.....	0.04	60	0.10	
20	Obesity, not specified as of endocrine origin.	0.15	215	0.46	
21	Gout.....	0.13	180	0.15	
22	Metabolic diseases, n. e. c.....	0.07	95	0.09	
	Class IV				
23	Diseases of the blood and blood-forming organs.....	0.21	300	0.43	
24	Pernicious and other hyperchromic anemias.	0.00	5	0.00	
25	Hypochromic anemias.....	0.04	55	0.12	
26	Anemia, sickle cell.....	0.04	50	0.05	
27	Anemias of specified type, n. e. c.....	0.02	30	0.03	
28	Anemia, unspecified type.....	0.01	15	0.04	
29	Polycythemia.....	0.01	15	0.01	
30	Hemophilia.....	0.00	5	0.01	
31	Purpura, and other hemorrhagic conditions, n. e. c.	0.06	75	0.08	
32	Agranulocytosis.....	0.00	5	0.01	
33	Diseases of spleen.....	0.01	15	0.02	
34	Diseases of blood and blood-forming organs, n. e. c.	0.02	30	0.06	

PROPORTIONS, CASES TREATED, PATIENT CENSUS, LOSS OF TIME,
DIAGNOSIS, U. S. ARMY, 1954--Continued

Incidence-- Con. b/ Number	EPTS cases included in inci- dence counts	Total number of cases treated during year c/ (7)	Patient census as of 31 Dec.		Loss of time		Separa- tions due to diag- nosis shown e/ (12)	Number of deaths due to diag- nosis shown (13)	line number
			1953	1954	Nonef- fective rate	Average days per case d/ (11)			
(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	
35	5	40	-	5	0.00	21	3	-	1
65	-	65	-	-	0.00	13	-	-	2
650	10	815	130	75	0.06	68	285	4	3
15	10	15	-	5	0.00	16	-	-	4
-	-	-	-	-	-	-	4	-	5
40	-	40	-	15	0.01	71	11	2	6
-	-	-	-	-	-	-	-	-	7
10	-	15	-	-	0.00	-	4	-	8
5	-	5	-	-	0.00	1	-	-	9
45	30	45	-	15	0.00	12	1	-	10
5	-	10	5	-	0.00	42	3	1	11
1,130	145	1,352	194	90	0.03	33	18	-	12
-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	1	-	17
5	-	5	-	-	0.00	58	-	-	18
140	10	221	68	30	0.00	57	5	-	19
640	80	741	91	40	0.01	26	4	-	20
220	5	240	15	15	0.01	19	5	-	21
125	50	145	20	-	0.01	50	3	-	22
605	90	746	105	90	0.03	52	53	8	23
5	-	10	5	-	0.00	51	3	-	24
165	15	180	10	20	0.00	17	-	-	25
65	40	80	10	10	0.01	48	20	1	26
40	10	51	10	5	0.01	73	9	2	27
55	-	95	30	15	0.00	90	2	-	28
20	-	20	-	-	0.00	13	1	1	29
15	10	20	5	15	0.00	46	6	-	30
115	10	145	25	25	0.01	81	6	3	31
15	5	20	5	-	0.00	2	-	1	32
30	-	35	-	-	0.00	40	6	-	33
80	-	90	5	-	0.00	38	-	-	34

**Table 1.-- GENERAL SUMMARY TABLE: ADMISSIONS, INCIDENCE, EPTS
SEPARATIONS, AND DEATHS, BY**

Line number	Diagnosis and, for traumatisms, battle, nonbattle classification (1)	Admissions ^{a/}		Incidence ^{b/}
		Rate (admis- sions per 1,000)	Number	Rate (cases per 1,000)
		(2)	(3)	(4)
1	Class V Mental, psychoneurotic, and personality disorders.....	10.58	15,025	12.67
2	(A) and (B) Psychotic disorders.....	1.62	2,300	1.75
3	Schizophrenic reactions.....	1.41	1,995	1.48
4	Manic-depressive reaction.....	0.06	100	0.07
5	Involuntional melancholia.....	0.01	15	0.01
6	Paranoia and paranoid states.....	0.05	65	0.05
7	Alcoholic psychosis.....	0.07	95	0.09
8	Other and unspecified psychoses.....	0.02	30	0.05
9	(C) Psychoneurotic disorders.....	3.99	5,665	4.74
10	Anxiety reaction without mention of somatic symptoms.	1.60	2,270	1.85
11	Hysterical reaction without mention of anxiety reaction.	0.61	860	0.70
12	Phobic reaction.....	0.01	10	0.02
13	Obsessive-compulsive reaction.....	0.04	55	0.05
14	Neurotic-depressive reaction.....	0.43	610	0.54
15	Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system.	0.13	180	0.14
16	Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system.	0.71	1,020	0.86
17	Psychoneurosis with somatic symptoms (somatization reaction) affecting other systems.	0.39	550	0.48
18	Psychoneurotic disorders, other, mixed and unspecified types.	0.07	110	0.10
19	(D) Character and behavior disorders.....	4.53	6,440	5.65
20	Pathological personality.....	1.26	1,800	1.60
21	Emotional instability.....	1.33	1,900	1.64
22	Passive dependency.....	0.37	525	0.51
23	Aggressiveness.....	0.80	1,135	1.02
24	Immature personality, n. e. c.....	0.14	195	0.17
25	Alcoholism.....	0.55	775	0.63
26	Drug addiction, n. e. c.....	0.07	95	0.07
27	Primary childhood behavior disorders.....	0.01	15	0.01
28	(E) Disorders of intelligence.....	0.10	135	0.14
29	Mental deficiency.....	0.10	135	0.14
30	Specific learning defects.....	-	-	-
31	(F) Transient personality disorders.....	0.34	485	0.39
32	Combat exhaustion.....	0.00	5	0.01
33	Acute situational maladjustment.....	0.32	455	0.35
34	Other transient personality disorders.....	0.02	25	0.03

**PROPORTIONS, CASES TREATED, PATIENT CENSUS, LOSS OF TIME
DIAGNOSIS, U.S. ARMY, 1954--Continued**

Incidence-- Con. b/ Number	EPTS cases included in inci- dence counts	Total number of cases treated during year c/ (7)	Patient census as of 31 Dec.		Loss of time		Separa- tions due to diag- nosis shown e/ (12)	Number of deaths due to diag- nosis shown (13)	Line number
			1953	1954	Nonef- fective rate	Average days per case d/ (11)			
(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	
17,990	8,960	21,488	2,792	1,660	1.26	45	3,172	8	1
2,480	1,220	3,609	1,074	730	0.56	128	2,267	6	2
2,090	1,150	3,079	954	650	0.51	134	2,173	5	3
105	25	165	65	45	0.02	150	58	-	4
20	-	30	5	-	0.00	85	2	-	5
70	20	75	10	5	0.01	86	11	-	6
125	15	165	20	5	0.01	33	5	1	7
70	10	95	20	25	0.01	98	18	-	8
6,730	1,470	7,600	695	415	0.31	29	870	-	9
2,635	495	3,006	297	170	0.12	32	421	-	10
990	275	1,110	110	50	0.05	29	122	-	11
25	20	25	-	-	0.00	54	11	-	12
65	25	95	20	20	0.01	86	42	-	13
765	135	916	116	75	0.05	40	117	-	14
205	55	230	20	-	0.01	15	9	-	15
1,225	225	1,326	76	55	0.03	17	51	-	16
685	215	746	46	35	0.03	27	83	-	17
135	25	146	10	10	0.01	37	14	-	18
8,025	6,075	9,419	943	500	0.36	30	19	2	19
2,275	2,040	2,711	301	185	0.12	35	11	-	20
2,325	1,975	2,617	191	115	0.11	29	6	-	21
720	605	905	145	50	0.03	37	-	-	22
1,445	1,185	1,741	196	105	0.07	32	-	-	23
240	210	265	15	10	0.01	22	2	-	24
900	35	1,050	85	35	0.02	14	-	2	25
105	15	115	10	-	0.00	17	-	-	26
15	10	15	-	-	0.00	15	-	-	27
200	180	240	25	5	0.01	23	5	-	28
200	180	235	25	5	0.01	23	5	-	29
-	-	5	-	-	-	-	-	-	30
555	15	620	55	10	0.02	20	11	-	31
10	-	10	-	-	0.00	4	-	-	32
500	5	560	45	5	0.02	18	1	-	33
45	10	50	10	5	0.00	71	10	-	34

**Table 1.- GENERAL SUMMARY TABLE: ADMISSIONS, INCIDENCE, EPTS
SEPARATIONS, AND DEATHS, BY**

Line number	Diagnosis and, for traumatisms, battle, nonbattle classification	Admissions ^{a/}		Incidence ^{b/}
		Rate (admis- sions per 1,000)	Number	Rate (cases per 1,000)
	(1)	(2)	(3)	(4)
	Class VI			
1	Diseases of the nervous system.....	2.56	3,630	3.59
2	(A) Vascular lesions affecting central nervous system.	0.08	115	0.12
3	Subarachnoid hemorrhage.....	0.02	35	0.02
4	Cerebral hemorrhage.....	0.01	15	0.02
5	Cerebral embolism and thrombosis.....	0.02	30	0.04
6	Vascular lesions affecting central nervous system, n. e. c.	0.03	35	0.04
7	(B) Inflammatory diseases of central nervous system.	0.24	330	0.36
8	Meningitis, acute (excluding meningococcal meningitis).	0.07	105	0.09
9	Meningitis, other (excluding meningococcal meningitis).	-	-	0.00
10	Phlebitis and thrombophlebitis of intra- cranial venous sinuses.	0.01	10	0.01
11	Intracranial and intraspinal abscess.....	0.01	10	0.01
12	Post-traumatic encephalopathy.....	0.09	130	0.17
13	Encephalitis, myelitis, encephalomyelitis (except acute infectious), n. e. c.	0.02	25	0.04
14	Late effects of intracranial abscess or pyogenic infection.	0.01	10	0.01
15	Multiple sclerosis.....	0.03	40	0.03
16	(C) Other diseases of the central nervous system.	1.30	1,870	1.57
17	Paralysis agitans.....	0.01	10	0.01
18	Cerebral spastic infantile paralysis.....	-	-	-
19	Cerebral paralysis, n. e. c.....	0.00	5	0.00
20	Epilepsy, petit mal.....	0.04	55	0.05
21	Epilepsy, grand mal.....	0.56	795	0.65
22	Epilepsy, n. e. c.....	0.15	215	0.18
23	Migraine.....	0.46	655	0.51
24	Diseases of the brain, n. e. c.....	0.03	60	0.05
25	Motor neurone disease and muscular atrophy	0.02	30	0.02
26	Diseases of the spinal cord, n. e. c.....	0.03	45	0.10
27	(D) Diseases of nerves and peripheral ganglia.	0.94	1,315	1.54
28	Facial paralysis.....	0.16	220	0.20
29	Trigeminal neuralgia.....	0.02	25	0.03
30	Brachial neuritis.....	0.04	50	0.06
31	Sciatica.....	0.15	220	0.18
32	Polyneuritis and polyradiculitis.....	0.07	100	0.10
33	Erythredema polyneuropathica.....	-	-	-
34	Neuritis and neuropathy, n. e. c.....	0.49	680	0.96
35	Diseases of peripheral autonomic nervous system.	0.01	20	0.01

PROPORTIONS, CASES TREATED, PATIENT CENSUS, LOSS OF TIME,
DIAGNOSIS, U. S. ARMY, 1954- Continued

Incidence-- Con. b/ Number (5)	EPTS cases included in inci- dence counts (6)	Total number of cases treated during year c/ (7)	Patient census as of 31 Dec.		Loss of time		Separa- tions due to diag- nosis shown e/ (12)	Number of deaths due to diag- nosis shown (13)	Line number
			1953 (8)	1954 (9)	Nonef- fective rate (10)	Average days per case d/ (11)			
5,100	880	7,012	1,440	637	0.28	42	866	56	1
175	20	268	88	60	0.02	114	45	36	2
35	10	55	15	10	0.01	95	7	20	3
25	-	50	25	15	0.00	118	4	12	4
65	5	108	38	25	0.01	162	23	2	5
50	5	55	10	10	0.00	76	11	2	6
515	45	759	170	95	0.04	72	171	13	7
130	-	157	22	5	0.00	26	1	6	8
5	5	25	-	-	0.00	245	1	-	9
10	-	10	-	-	0.00	7	-	-	10
15	-	25	10	5	0.00	89	1	2	11
235	35	387	103	55	0.02	84	129	-	12
60	-	70	15	10	0.00	41	5	4	13
20	5	35	10	5	0.00	134	5	1	14
40	-	50	10	15	0.02	144	29	-	15
2,230	675	2,623	258	145	0.10	28	338	5	16
15	-	15	-	-	0.00	129	3	-	17
-	-	5	5	-	0.00	179	8	-	18
5	-	30	15	5	0.00	104	4	-	19
65	20	70	5	5	0.00	14	4	-	20
915	440	1,127	136	65	0.05	32	173	3	21
255	115	295	23	20	0.01	23	59	-	22
730	75	755	10	15	0.01	8	13	-	23
70	10	90	15	15	0.01	78	21	2	24
35	10	36	5	5	0.00	62	39	-	25
140	5	200	44	15	0.02	97	14	-	26
2,180	140	3,362	924	337	0.12	48	312	2	27
285	5	327	22	35	0.01	21	10	-	28
40	5	46	2	1	0.00	28	1	-	29
85	-	100	20	-	0.00	25	1	-	30
255	5	286	31	10	0.01	15	4	-	31
135	5	180	40	25	0.01	69	5	2	32
-	-	-	-	-	-	-	-	-	33
1,360	120	2,392	804	266	0.09	64	291	-	34
20	-	31	5	-	0.00	51	-	-	35

**Table 1.— GENERAL SUMMARY TABLE: ADMISSIONS, INCIDENCE, EPTS
SEPARATIONS, AND DEATHS, BY**

Line number	Diagnosis and, for traumatisms, battle, nonbattle classification	Admissions ^{a/}		Incidence ^{b/}
		Rate (admis- sions per 1,000)	Number	Rate (cases per 1,000)
	(1)	(2)	(3)	(4)
	Class VII			
1	Diseases of the eye and adnexa.....	3.88	5,505	6.17
2	(A) Inflammatory diseases of the eye.....	2.38	3,375	3.13
3	Conjunctivitis and ophthalmia.....	1.33	1,880	1.65
4	Blepharitis.....	0.07	100	0.13
5	Hordeolum (sty).....	0.31	460	0.35
6	Iritis.....	0.13	190	0.26
7	Keratitis.....	0.12	170	0.18
8	Choroiditis.....	0.01	10	0.01
9	Inflammation of uveal tract, n. e. c.....	0.29	405	0.37
10	Inflammation of optic nerve and retina.....	0.02	25	0.04
11	Inflammation of lacrimal glands and ducts..	0.05	65	0.07
12	Inflammatory disease of eye, n. e. c.....	0.05	70	0.07
13	(B) Other diseases and conditions of the eye.	1.50	2,130	3.04
14	Refractive errors.....	0.09	130	0.58
15	Corneal ulcer.....	0.10	140	0.18
16	Corneal opacity.....	0.01	20	0.06
17	Pterygium.....	0.36	500	0.42
18	Strabismus.....	0.31	435	0.52
19	Cataract.....	0.07	105	0.17
20	Detachment of retina.....	0.03	45	0.04
21	Glaucoma.....	0.06	85	0.08
22	Chalazion.....	0.22	310	0.29
23	Amblyopia.....	0.04	50	0.21
24	Diseases of eye, n. e. c.....	0.19	275	0.45
25	Blindness, bilateral.....	0.01	10	0.01
26	Blindness, unilateral.....	0.01	25	0.03
	Class VIII			
27	Diseases of the ear, nose, and throat.....	9.00	12,775	11.73
28	(A) Diseases of ear and mastoid process.....	3.00	4,260	4.47
29	Otitis externa.....	0.54	765	0.75
30	Otitis media, acute.....	1.15	1,635	1.46
31	Otitis media, chronic.....	0.56	790	0.76
32	Otitis media, unspecified.....	0.17	245	0.30
33	Mastoiditis.....	0.04	55	0.05
34	Inflammatory diseases of ear, n. e. c.....	0.10	155	0.18
35	Ménière's disease.....	0.06	85	0.08
36	Diseases of ear and mastoid process, n. e. c.	0.07	95	0.11
37	Deafness, due to degeneration of acoustic nerve, bilateral.	0.02	25	0.02
38	Deafness, due to degeneration of acoustic nerve, unilateral.	0.01	10	0.03
39	Deafness, bilateral.....	0.05	75	0.07
40	Deafness, unilateral.....	0.06	85	0.13
41	Impaired hearing, and deafness, unspecified	0.17	240	0.53

**PROPORTIONS, CASES TREATED, PATIENT CENSUS, LOSS OF TIME,
DIAGNOSIS, U. S. ARMY, 1954--Continued**

Incidence-- Con. b/ Number (5)	EPTS cases included in inci- dence counts (6)	Total number of cases treated during year c/ (7)	Patient census as of 31 Dec.		Loss of time		Separa- tions due to diag- nosis shown e/ (12)	Number of deaths due to diag- nosis shown (13)	Line number
			1953 (8)	1954 (9)	Non- effec- tive rate (10)	Average days per case d/ (11)			
8,755	1,885	10,001	832	594	0.19	18	660	-	1
4,435	165	4,788	249	207	0.08	13	43	-	2
2,330	30	2,407	55	55	0.02	6	3	-	3
190	5	206	6	10	0.00	8	-	-	4
500	-	520	10	5	0.00	3	-	-	5
365	-	405	40	20	0.01	22	2	-	6
255	10	278	17	15	0.01	19	10	-	7
20	5	25	-	-	0.00	43	2	-	8
525	95	643	86	77	0.03	45	22	-	9
55	10	71	11	15	0.00	43	2	-	10
100	10	132	18	5	0.01	45	1	-	11
95	-	101	6	5	0.00	14	1	-	12
4,320	1,720	5,213	583	387	0.11	26	617	-	13
830	410	1,055	139	151	0.00	18	105	-	14
260	-	262	5	10	0.00	17	1	-	15
90	40	141	28	10	0.00	60	3	-	16
600	55	682	52	20	0.03	21	-	-	17
735	570	870	73	45	0.01	20	23	-	18
235	90	299	40	31	0.01	46	16	-	19
55	20	121	40	10	0.01	80	8	-	20
115	35	130	15	5	0.01	48	9	-	21
405	-	426	16	10	0.00	5	-	-	22
300	230	385	52	35	0.00	25	25	-	23
635	240	766	107	60	0.04	50	65	-	24
15	5	16	1	-	0.00	50	63	-	25
45	25	60	15	-	0.00	32	299	-	26
16,645	2,835	18,086	1,058	724	0.33	14	286	1	27
6,350	805	7,195	670	493	0.17	22	268	-	28
1,080	35	1,134	52	30	0.01	11	-	-	29
2,080	10	2,162	73	30	0.02	6	-	-	30
1,080	360	1,268	138	130	0.06	33	60	-	31
420	55	474	43	25	0.00	5	2	-	32
70	35	95	15	5	0.00	33	2	-	33
250	20	262	11	15	0.00	10	4	-	34
110	5	135	15	10	0.01	54	5	-	35
150	40	204	43	20	0.01	63	8	-	36
35	15	40	15	-	0.01	109	6	-	37
40	10	47	1	11	0.00	109	1	-	38
105	15	130	20	20	0.01	86	58	-	39
180	60	252	56	46	0.01	86	60	-	40
750	145	992	188	151	0.03	71	62	-	41

**Table 1.--GENERAL SUMMARY TABLE: ADMISSIONS, INCIDENCE, EPTS
SEPARATIONS, AND DEATHS, BY**

Line number	Diagnosis and, for traumatism, battle, nonbattle classification	Admissions ^{a/}		Incidence ^{b/}
		Rate (admissions per 1,000)	Number	Rate (cases per 1,000)
	(1)	(2)	(3)	(4)
	Class VIII--Continued			
1	(B) Diseases of the nose and throat.....	6.00	8,515	7.26
2	Hypertrophy of the tonsils and adenoids...	3.24	4,600	3.61
3	Peritonsillar abscess (quinsy).....	0.51	725	0.52
4	Chronic pharyngitis and nasopharyngitis...	0.14	200	0.19
5	Chronic sinusitis.....	0.38	535	0.70
6	Deflected nasal septum.....	1.21	1,715	1.52
7	Nasal polyp.....	0.14	195	0.22
8	Chronic laryngitis.....	0.16	230	0.19
9	Diseases of upper respiratory tract, n. e. c.	0.22	315	0.31
	Class IX			
10	Acute respiratory infections.....	90.23	128,075	94.53
11	Common cold.....	27.38	38,865	27.91
12	Acute rhinitis.....	0.16	230	0.18
13	Acute sinusitis.....	2.02	2,870	2.17
14	Acute pharyngitis.....	17.98	25,515	18.74
15	Acute tonsillitis.....	18.24	25,895	18.63
16	Acute laryngitis and tracheitis.....	1.32	1,870	1.42
17	Acute upper respiratory infection, n. e. c.	2.44	3,460	2.54
18	Acute bronchitis.....	9.05	12,845	10.44
19	Influenza.....	2.18	3,090	2.19
20	Lobar pneumonia.....	3.24	4,595	3.42
21	Bronchopneumonia.....	1.79	2,545	2.04
22	Primary atypical pneumonia.....	3.48	4,940	3.79
23	Pneumonia, n. e. c.....	0.95	1,355	1.06
	Class X			
24	Other diseases of the respiratory system.....	2.03	2,880	2.95
25	Bronchitis, unqualified.....	0.02	35	0.03
26	Chronic bronchitis.....	0.62	870	0.82
27	Empyema.....	0.00	5	0.04
28	Pleurisy.....	0.59	840	0.88
29	Spontaneous pneumothorax.....	0.37	520	0.40
30	Abscess of lung.....	0.01	20	0.02
31	Pulmonary congestion and hypostasis.....	-	-	0.01
32	Pneumoconiosis.....	0.01	10	0.01
33	Chronic interstitial pneumonia, n. e. c...	0.12	165	0.17
34	Bronchiectasis.....	0.20	290	0.30
35	Diseases of lung and pleural cavity, n. e. c.	0.09	125	0.27

PROPORTIONS, CASES TREATED, PATIENT CENSUS, LOSS OF TIME,
DIAGNOSIS, U. S. ARMY, 1954--Continued

Inci- dence-- Con. b/ Number	EPTS cases included in inci- dence counts	Total number of cases treated during year c/ e/	Patient census as of 31 Dec.		Loss of time		Separa- tions due to diag- nosis shown e/ d/	Number of deaths due to diag- nosis shown	Line number
			1953	1954	Nonef- fective rate	Average days per case d/ e/			
(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	
10,295	2,030	10,891	388	231	0.16	10	18	1	1
5,105	715	5,267	106	90	0.07	8	-	-	2
745	-	770	25	-	0.01	8	-	-	3
270	25	287	12	5	0.00	8	3	-	4
990	105	1,090	73	40	0.02	15	7	1	5
2,155	1,110	2,331	100	60	0.04	12	-	-	6
315	40	352	31	5	0.00	7	-	-	7
270	15	290	15	-	0.01	14	1	-	8
445	20	504	26	31	0.01	16	7	-	9
134,180	25	136,743	2,365	2,060	1.35	5	-	13	10
39,635	5	40,031	380	290	0.22	3	-	-	11
250	-	270	20	-	0.00	3	-	-	12
3,075	10	3,130	40	25	0.02	4	-	1	13
26,600	-	26,875	270	400	0.21	4	-	1	14
26,440	-	26,806	311	205	0.18	4	-	-	15
2,015	-	2,060	40	10	0.01	4	-	-	16
3,610	-	3,660	50	55	0.03	5	-	-	17
14,820	5	15,095	235	160	0.14	6	-	-	18
3,115	-	3,190	75	30	0.02	4	-	-	19
4,855	5	5,153	281	375	0.17	20	-	3	20
2,890	-	3,092	182	180	0.10	19	-	4	21
5,375	-	5,776	391	285	0.21	22	-	2	22
1,500	-	1,605	90	45	0.04	16	-	2	23
4,190	400	4,838	501	383	0.18	33	248	9	24
40	-	45	5	-	0.01	8	-	-	25
1,170	110	1,325	151	80	0.04	30	45	-	26
50	-	137	33	57	0.00	11	2	1	27
1,270	40	1,352	53	51	0.02	13	6	-	28
565	15	591	20	40	0.02	25	4	-	29
25	-	25	-	5	0.00	89	2	-	30
10	-	20	10	-	-	-	-	6	31
15	-	15	-	-	0.00	33	2	-	32
240	35	298	51	15	0.03	77	8	1	33
425	155	545	100	90	0.04	72	156	1	34
380	45	485	78	45	0.02	53	23	-	35

**Table 1 --GENERAL SUMMARY TABLE : ADMISSIONS, INCIDENCE, EPTS
SEPARATIONS, AND DEATHS, BY**

Line number	Diagnosis and, for traumatisms, battle, nonbattle classification	Admissions		Incidence ^{b/} Rate (cases per 1,000)
		Rate (admissions per 1,000)	Number	
	(1)	(2)	(3)	(4)
	Class XI			
1	Diseases of the circulatory system.....	9.25	13,130	11.47
2	(A) Rheumatic fever.....	0.33	470	0.35
3	Rheumatic fever, active, without mention of heart involvement.	0.13	190	0.15
4	Rheumatic fever, active, with heart involvement.	0.20	280	0.20
5	Chorea (Sydenham's).....	-	-	-
6	(B) Chronic rheumatic heart disease.....	0.21	300	0.44
7	Diseases of mitral valve.....	0.14	200	0.25
8	Diseases of aortic valve, rheumatic.....	0.05	70	0.16
9	Heart disease, rheumatic, n. e. c.....	0.02	30	0.03
10	(C) Other heart disease.....	0.80	1,130	1.06
11	Arteriosclerotic heart disease, including coronary disease.	0.39	535	0.49
12	Chronic endocarditis not specified as rheumatic.	0.01	10	0.01
13	Other myocardial degeneration.....	0.02	35	0.03
14	Acute and subacute endocarditis.....	0.02	25	0.02
15	Acute myocarditis not specified as rheumatic.	-	-	0.00
16	Acute pericarditis, nonrheumatic.....	0.05	80	0.07
17	Functional disease of heart.....	0.29	415	0.40
18	Other and unspecified diseases of heart...	0.02	30	0.04
19	(D) Other diseases of the circulatory system.	7.91	11,230	9.62
20	Hypertensive heart disease.....	0.16	230	0.19
21	Hypertensive disease without mention of heart.	0.50	705	0.73
22	General arteriosclerosis.....	0.05	70	0.12
23	Aortic aneurysm specified as nonsyphilitic and dissecting aneurysm.	0.00	5	0.01
24	Aneurysm, n. e. c., except of heart and aorta.	0.01	20	0.02
25	Peripheral vascular disease.....	0.26	375	0.31
26	Arterial embolism and thrombosis.....	0.01	15	0.03
27	Gangrene of unspecified cause.....	0.01	20	0.06
28	Diseases of arteries, n. e. c.....	0.02	25	0.02
29	Varicose veins of leg or unspecified site.	1.08	1,535	1.26
30	Hemorrhoids.....	4.54	6,450	5.02
31	Varicocele.....	0.31	435	0.44
32	Varicose veins of specified sites, n. e. c.	0.02	25	0.03
33	Phlebitis and thrombophlebitis of lower extremities.	0.44	630	0.58

PROPORTIONS, CASES TREATED, PATIENT CENSUS, LOSS OF TIME,
DIAGNOSIS, U. S. ARMY, 1954-Continued

Inci- dence-- Con. b/ Number (5)	EPTS cases included in inci- dence counts (6)	Total number of cases treated during year c/ (7)	Patient census as of 31 Dec.		Loss of time		Separa- tions due to diag- nosis shown e/ (12)	Number of deaths due to diag- nosis shown (13)	Line number
			1953 (8)	1954 (9)	Nonef- fective rate (10)	Average days per case d/ (11)			
16,280	1,370	18,367	1,546	897	0.65	26	1,019	192	1
500	45	605	90	65	0.09	106	10	1	2
210	5	235	20	20	0.02	69	4	-	3
290	40	370	70	45	0.07	128	6	1	4
-	-	-	-	-	-	-	-	-	5
625	315	830	160	75	0.04	68	453	5	6
350	180	455	90	55	0.03	72	309	3	7
230	120	305	45	15	0.01	67	116	2	8
45	15	70	25	5	0.00	49	28	-	9
1,500	90	1,831	261	240	0.14	59	295	165	10
685	5	891	161	150	0.10	92	260	145	11
10	5	20	10	-	0.00	77	7	1	12
45	5	45	5	15	0.01	86	-	5	13
35	-	40	-	15	0.00	90	2	2	14
5	-	10	-	-	-	-	-	-	15
105	-	131	10	10	0.01	56	3	-	16
565	70	636	70	25	0.01	18	19	2	17
50	5	58	5	25	0.01	21	4	10	18
13,655	920	15,101	1,035	517	0.38	18	261	21	19
270	10	375	55	20	0.02	54	55	9	20
1,030	95	1,195	126	60	0.04	29	28	-	21
175	-	200	20	35	0.01	81	22	3	22
10	-	10	-	10	0.00	-	-	1	23
30	-	60	18	-	0.00	87	-	-	24
435	25	581	97	30	0.03	43	38	-	25
45	-	72	14	20	0.00	186	5	1	26
85	-	158	61	32	0.00	28	-	-	27
35	-	52	11	-	0.01	129	14	3	28
1,795	265	1,917	81	60	0.06	20	25	-	29
7,145	270	7,475	267	110	0.15	12	-	-	30
620	170	660	20	10	0.01	14	-	-	31
40	5	65	20	5	0.00	8	-	-	32
820	25	993	107	70	0.03	28	52	-	33

**Table 1.—GENERAL SUMMARY TABLE: ADMISSIONS, INCIDENCE, EPTS
SEPARATIONS, AND DEATHS, BY**

Line number	Diagnosis and, for traumatism, battle, nonbattle classification	Admissions ^{a/}		Incidence ^{b/}
		Rate (admis- sions per 1,000)	Number	Rate (cases per 1,000)
	(1)	(2)	(3)	(4)
	Class XI--Continued			
	(D) Other diseases of the circulatory system--Continued			
1	Phlebitis and thrombophlebitis of other sites.	0.05	65	0.06
2	Pulmonary embolism and infarction.....	-	-	0.04
3	Venous embolism and thrombosis, n. e. c....	0.04	50	0.06
4	Diseases of circulatory system, n. e. c....	0.07	95	0.10
5	Certain diseases of lymph nodes and lymph channels.	0.34	480	0.54
	Class XII			
6	Dental diseases and conditions.....	5.44	7,725	10.68
7	Dental caries.....	2.22	3,155	3.95
8	Abscesses of supporting structures of teeth.	0.29	410	0.38
9	Inflammatory diseases of supporting struc- tures of teeth, n. e. c.	0.44	625	0.77
10	Disorders of occlusion, eruption, and tooth development.	1.96	2,780	3.60
11	Toothache from unspecified cause.....	0.00	5	0.00
12	Diseases of teeth and supporting struc- tures, n. e. c.	0.53	750	1.98
	Class XIII			
13	Diseases of the digestive system and hernia.....	31.81	45,160	35.00
14	Stomatitis.....	0.09	130	0.13
15	Diseases of salivary glands.....	0.20	285	0.26
16	Diseases of buccal cavity, n. e. c.....	0.41	585	0.69
17	Diseases of esophagus.....	0.06	90	0.08
18	Ulcer of stomach, n. e. c.....	0.17	235	0.18
19	Ulcer of stomach, perforated.....	0.01	20	0.01
20	Ulcer of duodenum, n. e. c.....	2.55	3,625	2.82
21	Ulcer of duodenum, perforated.....	0.12	170	0.12
22	Gastrojejunal ulcer.....	0.00	5	0.00
23	Gastritis and duodenitis.....	3.19	4,530	3.42
24	Disorders of stomach, functional.....	0.16	230	0.18
25	Diseases of stomach and duodenum, n. e. c.	0.03	40	0.04
26	Appendicitis, acute or unqualified.....	3.69	5,235	3.77
27	Appendicitis, n. e. c.....	0.11	150	0.12
28	Diseases of appendix, n. e. c.....	0.03	45	0.04
29	Hernia, inguinal, without obstruction.....	4.55	6,450	4.97
30	Hernia, femoral, without obstruction.....	0.02	35	0.02
31	Hernia, without obstruction, n. e. c.....	0.44	620	0.57
32	Hernia, inguinal, with obstruction.....	0.09	125	0.09
33	Hernia, femoral, with obstruction.....	0.01	10	0.01

PROPORTIONS, CASES TREATED, PATIENT CENSUS, LOSS OF TIME,
DIAGNOSIS, U. S. ARMY, 1954--Continued

Inci- dence-- Con. b/ Number	EPTS cases included in inci- dence counts	Total number of cases treated during year c/ e/	Patient census as of 31 Dec.		Loss of time		Separa- tions due to diag- nosis shown e/ (12)	Number of deaths due to diag- nosis shown (13)	Line number
			1953	1954	Nonef- fective rate	Average days per case d/ (11)			
(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	
85	-	115	25	10	0.00	10	2	-	1
60	5	102	31	15	-	-	-	4	2
80	5	96	21	-	0.00	29	3	-	3
135	10	172	26	10	0.00	13	6	-	4
760	35	803	35	20	0.02	15	11	-	5
15,165	7,170	16,086	822	433	0.08	6	21	-	6
5,600	3,160	6,110	465	176	0.04	9	-	-	7
545	5	550	5	-	0.00	3	-	-	8
1,095	225	1,172	61	36	0.01	6	1	-	9
5,115	1,985	5,327	189	146	0.02	3	19	-	10
5	-	5	-	-	0.00	1	-	-	11
2,805	1,795	2,922	102	75	0.01	4	1	-	12
49,685	2,485	52,848	2,375	1,799	1.33	16	650	39	13
180	-	185	5	10	0.00	10	-	-	14
375	5	376	2	5	0.01	11	2	-	15
975	75	1,028	41	36	0.01	10	4	-	16
120	10	150	20	10	0.01	42	9	1	17
260	-	345	45	40	0.02	38	3	1	18
20	-	30	10	-	0.00	23	-	-	19
4,000	425	4,878	631	425	0.31	46	415	6	20
175	15	200	20	15	0.02	50	8	1	21
5	-	5	-	-	0.00	29	-	-	22
4,850	20	4,970	115	55	0.05	6	3	-	23
255	10	270	10	5	0.01	13	3	-	24
60	5	75	10	15	0.00	20	35	-	25
5,355	-	5,655	253	275	0.20	20	-	2	26
165	-	170	-	10	0.01	20	-	-	27
55	-	63	8	6	0.00	30	-	-	28
7,055	1,400	7,550	415	235	0.31	25	6	-	29
35	5	40	5	-	0.00	24	-	-	30
810	165	942	70	51	0.04	32	6	-	31
130	25	145	10	25	0.00	24	-	-	32
10	-	10	-	-	0.00	16	-	-	33

**Table I .--GENERAL SUMMARY TABLE: ADMISSIONS, INCIDENCE, EPTS
SEPARATIONS, AND DEATHS, BY**

Line number	Diagnosis and, for traumatisms, battle, nonbattle classification	a/ Admissions		b/ Incidence
		Rate (admis- sions per 1,000)	Number	Rate (cases per 1,000)
	(1)	(2)	(3)	(4)
	Class XIII--Continued			
1	Hernia, with obstruction, n. e. c.....	0.03	45	0.04
2	Obstruction, intestinal, n. e. c.....	0.15	215	0.33
3	Gastroenteritis, acute.....	11.56	16,395	11.84
4	Enteritis and colitis, acute.....	0.82	1,170	0.87
5	Chronic enteritis and ulcerative colitis..	0.25	360	0.34
6	Disorders of intestines, functional.....	0.43	605	0.53
7	Anal fissure and fistula.....	0.75	1,065	0.99
8	Abscess of anal and rectal regions.....	0.88	1,255	0.97
9	Peritonitis, except chronic.....	0.03	45	0.08
10	Peritoneal adhesions.....	0.04	50	0.06
11	Cryptitis.....	0.05	75	0.10
12	Proctitis.....	0.06	85	0.09
13	Other diseases of intestines and perito- neum.	0.25	355	0.42
14	Atrophy, liver, yellow, acute.....	0.01	10	0.01
15	Hepatitis, acute.....	0.05	65	0.06
16	Cirrhosis, liver.....	0.13	190	0.23
17	Diseases of liver, n. e. c.....	0.01	15	0.02
18	Calculus, biliary.....	0.18	255	0.23
19	Cholecystitis.....	0.10	135	0.10
20	Diseases of gallbladder and biliary ducts, n. e. c.	0.02	35	0.04
21	Diseases of pancreas.....	0.08	120	0.13
	Class XIV			
22	Diseases of the urinary system and male genital system..	12.99	18,445	16.90
23	(A) Nephritis and nephrosis.....	0.23	325	0.30
24	Nephritis, acute.....	0.06	90	0.08
25	Nephritis with edema, including nephrosis.	-	-	0.02
26	Nephritis, chronic.....	0.15	210	0.18
27	Nephritis, n. e. c.....	0.02	25	0.02
28	Sclerosis, renal, n. e. c.....	-	-	-
29	(B) Other diseases of urinary system.....	2.96	4,200	4.02
30	Infections of kidney.....	0.80	1,135	0.98
31	Hydronephrosis.....	0.07	95	0.13
32	Calculi of kidney and ureter.....	0.76	1,085	0.86
33	Diseases of kidney and ureter, n. e. c....	0.06	90	0.13
34	Calculus, urinary, n. e. c.....	0.00	5	0.01
35	Cystitis.....	0.64	910	0.81
36	Diseases of bladder, n. e. c.....	0.03	40	0.07
37	Urethritis, acute, nonvenereal.....	0.25	350	0.43
38	Urethritis, chronic, nonvenereal.....	0.14	200	0.29
39	Urethritis, acute, nongonococcal, n. e. c.	0.01	20	0.03
40	Urethritis, chronic, nongonococcal, n. e. c.	0.01	10	0.01

PROPORTIONS, CASES TREATED, PATIENT CENSUS, LOSS OF TIME,
DIAGNOSIS, U. S. ARMY, 1954--Continued

Incidence-- Con. b/ Number	EPTS cases included in incidence counts	Total number of cases treated during year c/	Patient census as of 31 Dec.		Loss of time		Separa- tions due to diag- nosis shown e/	Number of deaths due to diag- nosis shown	Line number
			1953	1954	Nonef- fective rate	Average days per case d/			
(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	
60	15	66	6	-	0.00	27	2	1	1
470	20	562	55	45	0.01	30	4	3	2
16,790	5	16,905	90	145	0.10	3	-	-	3
1,235	5	1,240	5	10	0.01	5	-	-	4
485	40	575	65	50	0.04	51	72	2	5
750	45	815	45	40	0.01	14	5	-	6
1,405	110	1,526	85	70	0.04	19	2	-	7
1,375	-	1,436	36	30	0.03	11	-	-	8
120	-	160	23	20	0.00	48	1	-	9
80	10	101	7	10	0.00	32	-	-	10
145	-	155	5	5	0.00	15	-	-	11
125	5	141	11	10	0.01	22	2	-	12
590	20	660	44	36	0.02	27	22	4	13
15	-	15	-	5	0.00	3	-	2	14
90	-	116	26	20	0.00	46	-	-	15
330	5	450	115	35	0.03	82	37	10	16
30	-	52	17	-	0.00	56	-	1	17
320	30	370	50	25	0.02	40	2	2	18
145	-	156	-	-	0.01	26	-	-	19
50	-	65	10	10	0.00	36	1	-	20
185	15	195	10	20	0.00	19	6	3	21
23,990	6,825	25,493	1,178	735	0.43	12	179	17	22
430	75	540	84	95	0.06	81	105	16	23
110	-	130	20	40	0.02	82	2	4	24
35	-	48	8	10	-	-	1	2	25
250	70	321	50	45	0.04	88	102	10	26
35	5	41	6	-	0.00	17	-	-	27
-	-	-	-	-	-	-	-	-	28
5,700	285	6,252	409	280	0.12	14	60	1	29
1,385	35	1,501	87	75	0.03	12	11	1	30
185	85	245	45	20	0.01	62	7	-	31
1,225	20	1,362	102	55	0.03	15	12	-	32
180	25	215	42	5	0.01	46	15	-	33
15	5	23	3	-	0.00	5	2	-	34
1,150	20	1,225	44	25	0.02	9	4	-	35
95	20	109	12	5	0.00	29	2	-	36
610	-	652	31	25	0.01	8	-	-	37
410	10	442	27	25	0.00	11	-	-	38
45	-	46	-	-	0.00	3	-	-	39
15	-	15	-	-	0.00	8	-	-	40

**Table 1.--GENERAL SUMMARY TABLE: ADMISSIONS, INCIDENCE, EPTS
SEPARATIONS, AND DEATHS, BY**

Line number	Diagnosis and, for traumatisms, battle, nonbattle classification	Admissions ^{a/}		Incidence ^{b/}
		Rate (admis- sions per 1,000)	Number	Rate (cases per 1,000)
	(1)	(2)	(3)	(4)
	Class XIV--Continued			
	(B) Other diseases of urinary system-- Continued			
1	Stricture of urethra, n. e. c.....	0.15	200	0.20
2	Diseases of urethra, n. e. c.....	0.04	60	0.07
3	(C) Diseases of male genital organs.....	9.80	13,920	12.58
4	Hyperplasia, prostate.....	0.05	75	0.17
5	Prostatitis.....	0.96	1,365	1.45
6	Diseases of prostate, n. e. c.....	0.02	25	0.02
7	Hydrocele.....	0.34	485	0.52
8	Orchitis and epididymitis.....	2.86	4,065	3.64
9	Redundant prepuce and phimosis.....	4.30	6,110	4.84
10	Sterility, male.....	0.00	5	0.01
11	Diseases of male genital organs, n. e. c..	1.27	1,790	1.93
	Class XV			
12	Diseases of breast and female genital organs	0.99	1,410	1.27
13	(A) Diseases of breast, ovary, fallopian tube, and parametrium.	0.54	770	0.66
14	Chronic cystic disease of breast.....	0.05	75	0.06
15	Gynecomastia and mastitis, male.....	0.32	455	0.38
16	Diseases of breast, n. e. c.....	0.04	60	0.05
17	Salpingitis and oophoritis, acute.....	0.04	60	0.04
18	Salpingitis and oophoritis, n. e. c.....	0.06	65	0.06
19	Diseases of ovary and fallopian tube, n. e. c.	0.02	35	0.05
20	Diseases of parametrium and abscess of pelvis, female.	0.01	20	0.02
21	(B) Diseases of uterus and other female genital organs.	0.45	640	0.61
22	Infective disease of uterus, vagina, and vulva.	0.07	95	0.14
23	Diseases of uterus, n. e. c.....	0.02	35	0.06
24	Disorders of menstruation.....	0.34	485	0.37
25	Diseases of female genital organs, n. e. c.	0.02	25	0.04
	Class XVI			
26	Deliveries and complications of pregnancy, childbirth, and puerperium.	0.10	135	0.13
27	Complications of pregnancy.....	0.06	80	0.09
28	Abortion.....	0.04	50	0.04

PROPORTIONS, CASES TREATED, PATIENT CENSUS, LOSS OF TIME,
DIAGNOSIS, U. S. ARMY, 1954--Continued

Incidence-- Con. b/ Number	EPTS cases included in incidence counts	Total number of cases treated during year e/ (7)	Patient census as of 31 Dec.		Loss of time		Separations due to diag- nosis shown e/ (12)	Number of deaths due to diag- nosis shown (13)	Line number
			1953	1954	Nonef- fective rate (10)	Average days per case d/ (11)			
(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	
290	60	315	10	35	0.01	15	7	-	1
95	5	102	6	10	0.00	16	-	-	2
17,860	6,465	18,701	685	360	0.25	10	14	-	3
240	30	290	35	30	0.00	27	2	-	4
2,065	70	2,251	151	85	0.04	14	2	-	5
30	5	46	15	-	0.00	29	2	-	6
740	145	790	45	10	0.02	18	-	-	7
5,160	15	5,388	157	135	0.08	10	-	-	8
6,870	6,040	7,012	141	50	0.08	8	-	-	9
15	5	16	1	-	0.00	9	-	-	10
2,740	155	2,908	140	50	0.03	9	8	-	11
1,805	125	1,854	41	30	0.02	9	1	-	12
935	110	969	26	10	0.01	11	-	-	13
85	-	85	-	-	0.00	10	-	-	14
525	85	549	16	10	0.01	12	-	-	15
70	5	75	5	-	0.00	8	-	-	16
60	-	60	-	-	0.00	8	-	-	17
90	20	90	-	-	0.00	5	-	-	18
75	-	80	5	-	0.00	15	-	-	19
30	-	30	-	-	0.00	4	-	-	20
870	15	885	15	20	0.01	6	1	-	21
195	10	210	15	10	0.01	20	-	-	22
80	-	80	-	-	0.00	15	-	-	23
545	5	545	-	5	0.00	3	-	-	24
50	-	50	-	5	0.00	2	1	-	25
185	-	191	5	15	0.00	10	-	-	26
120	-	120	-	15	0.00	12	-	-	27
60	-	65	5	-	0.00	8	-	-	28

**Table 1... GENERAL SUMMARY TABLE: ADMISSIONS, INCIDENCE, EPTS
SEPARATIONS, AND DEATHS, BY**

Line number	Diagnosis and, for traumatisms, battle, nonbattle classification	Admissions ^{a/}		Incidence ^{b/}
		Rate (admis- sions per 1,000)	Number	Rate (cases per 1,000)
	(1)	(2)	(3)	(4)
	Class XVI--Continued			
1	Pregnancy, uterine, delivered, uncomplicated.	-	-	-
2	Delivery with complication.....	0.00	5	0.00
3	Complications of puerperium.....	-	-	-
	Class XVII			
4	Diseases of skin and cellular tissue.....	22.35	31,730	29.17
5	Boil and carbuncle.....	3.01	4,270	3.24
6	Cellulitis of finger and toe.....	1.51	2,150	1.81
7	Cellulitis and abscess without mention of lymphangitis, n. e. c.....	5.19	7,370	6.52
8	Cellulitis and abscess with lymphangitis, n. e. c.	2.26	3,215	3.19
9	Lymphadenitis, acute.....	0.43	610	0.85
10	Impetigo contagiosa.....	0.11	160	0.18
11	Infectious warts.....	0.91	1,290	1.35
12	Molluscum contagiosum.....	0.01	10	0.02
13	Local infections of skin and subcutaneous tissue, n. e. c.	0.53	750	0.91
14	Dermatitis, seborrheic.....	0.15	220	0.29
15	Eczema.....	0.19	275	0.23
16	Dermatitis, occupational.....	0.10	145	0.10
17	Dermatitis, n. e. c.....	2.74	3,880	3.28
18	Pemphigus.....	0.06	85	0.07
19	Erythematous conditions.....	0.31	440	0.40
20	Psoriasis and similar disorders.....	0.31	440	0.43
21	Lichen planus.....	0.01	10	0.01
22	Pruritus and related conditions.....	0.45	640	0.60
23	Corns and callosities.....	0.16	220	0.27
24	Hypertrophic and atrophic conditions of skin, n. e. c.	0.13	190	0.29
25	Dermatoses, n. e. c.....	0.01	10	0.03
26	Diseases of nail.....	1.52	2,155	1.66
27	Diseases of hair and hair follicles.....	0.21	300	0.33
28	Diseases of sweat glands.....	0.49	695	0.66
29	Acne.....	0.13	190	0.39
30	Diseases of sebaceous glands, n. e. c.....	0.59	830	0.76
31	Ulcer of skin, chronic.....	0.28	400	0.45
32	Diseases of skin, n. e. c.....	0.55	780	0.85
	Class XVIII			
33	Diseases of the bones and organs of movement.....	11.59	16,450	15.33
34	(A) Arthritis and rheumatism, except rheu- matic fever.	2.19	3,115	3.18
35	Arthritis due to infection, acute, pyo- genic.	0.05	70	0.07

PROPORTIONS, CASES TREATED, PATIENT CENSUS, LOSS OF TIME,
DIAGNOSIS, U. S. ARMY, 1954--Continued

Inci- dence-- Con. b/ Number	EPTS cases included in inci- dence counts	Total number of cases treated during year c/ (7)	Patient census as of 31 Dec.		Loss of time		Separa- tions due to diag- nosis shown e/ (12)	Number of deaths due to diag- nosis shown (13)	Line number
			1953	1954	Nonef- fective rate	Average days per case d/ (11)			
(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	
-	-	1	-	-	-	-	-	-	1
5	-	5	-	-	0.00	6	-	-	2
-	-	-	-	-	-	-	-	-	3
41,400	1,435	43,723	1,648	1,236	0.61	10	308	-	4
4,600	15	4,682	60	70	0.05	6	1	-	5
2,565	10	2,618	38	61	0.03	7	-	-	6
9,255	20	9,498	186	166	0.09	6	1	-	7
4,525	5	4,611	65	85	0.04	7	-	-	8
1,200	-	1,250	40	15	0.01	7	-	-	9
250	-	255	5	5	0.00	9	-	-	10
1,915	105	2,053	92	60	0.03	13	3	-	11
25	5	35	-	10	0.00	8	-	-	12
1,295	35	1,443	106	32	0.03	19	2	-	13
410	30	480	55	30	0.01	29	2	-	14
330	35	351	16	25	0.01	28	11	-	15
145	-	150	-	-	0.00	7	-	-	16
4,650	75	4,804	114	100	0.07	10	27	-	17
95	10	105	10	-	0.00	25	5	-	18
565	15	625	30	20	0.02	19	9	-	19
610	50	706	96	30	0.03	34	20	-	20
15	-	20	5	-	0.00	45	-	-	21
855	205	1,002	80	90	0.05	37	95	-	22
390	40	410	20	30	0.01	13	2	-	23
410	120	475	52	31	0.01	26	15	-	24
45	-	45	-	-	0.00	37	1	-	25
2,355	60	2,425	37	25	0.03	8	2	-	26
465	5	516	40	10	0.01	16	3	-	27
930	80	971	25	10	0.01	10	17	-	28
560	215	687	91	116	0.01	16	8	-	29
1,085	20	1,183	65	81	0.01	6	-	-	30
645	30	763	92	20	0.02	21	7	-	31
1,210	250	1,560	228	114	0.03	24	77	-	32
21,760	3,590	26,250	2,882	2,122	1.05	34	3,286	1	33
4,515	385	5,454	678	547	0.25	44	585	-	34
95	-	111	15	20	0.00	34	3	-	35

**Table 1.-- GENERAL SUMMARY TABLE: ADMISSIONS, INCIDENCE, EPTS
SEPARATIONS, AND DEATHS, BY**

Line number	Diagnosis and, for traumatisms, battle, nonbattle classification (1)	Admissions ^{a/}		Incidence ^{b/}	
		Rate (admis- sions per 1,000)	Number	Rate (cases per 1,000)	
		(2)	(3)	(4)	
	Class XVIII--Continued				
	(A) Arthritis and rheumatism, except rheu- matic fever--Continued				
1	Arthritis, acute, nonpyogenic (except gonococcic and tuberculous).	-	-	-	
2	Rheumatoid arthritis and allied conditions	0.60	845	0.72	
3	Osteoarthritis (arthrosis) and allied conditions.	0.25	350	0.66	
4	Arthritis, specified forms, n. e. c.....	0.43	615	0.70	
5	Arthritis, n. e. c.....	0.46	665	0.55	
6	Muscular rheumatism.....	0.40	570	0.48	
7	Rheumatism, unspecified.....	-	-	-	
8	(B) Osteomyelitis and other diseases of bone and joint.	4.83	6,855	6.06	
9	Osteomyelitis, acute.....	0.05	70	0.07	
10	Other osteomyelitis and periostitis.....	0.12	165	0.22	
11	Osteitis deformans.....	-	-	-	
12	Osteochondrosis.....	0.32	460	0.45	
13	Malunion and nonunion of fracture.....	0.39	555	0.50	
14	Diseases and conditions of bone, n. e. c. (except calcification of cartilage).	0.19	265	0.29	
15	Derangement, internal, of knee.....	1.25	1,775	1.36	
16	Herniation of nucleus pulposus.....	0.70	995	0.76	
17	Affection of sacroiliac joint, n. e. c....	0.65	925	0.76	
18	Ankylosis.....	0.10	135	0.15	
19	Dislocation, joint, recurrent.....	0.48	680	0.52	
20	Diseases of joint, n. e. c.....	0.58	830	0.98	
21	(C) Other diseases of musculoskeletal system.	4.57	6,480	6.09	
22	Bunion.....	0.00	5	0.01	
23	Synovitis, bursitis, and tenosynovitis without mention of occupational origin.	2.19	3,100	2.83	
24	Synovitis, bursitis, and tenosynovitis of occupational origin.	-	-	-	
25	Infective myositis and other inflammatory diseases of tendon and fascia.	1.14	1,615	1.22	
26	Diseases of muscle, tendon, and fascia, n. e. c.	0.66	940	0.99	
27	Curvature of spine.....	0.11	160	0.22	
28	Flat foot.....	0.12	165	0.26	
29	Hallux valgus and varus.....	0.07	105	0.11	
30	Talipes.....	0.03	45	0.08	
31	Other musculoskeletal diseases and condi- tions.	0.25	345	0.37	
	Class XIX				
32	Congenital malformations.....	1.21	1,720	1.85	
33	Congenital malformations of nervous system and sense organs.	0.09	125	0.14	

PROPORTIONS, CASES TREATED, PATIENT CENSUS, LOSS OF TIME,
DIAGNOSIS, U. S. ARMY, 1954--Continued

Inci- dence-- Con. b/ Number (5)	EPTS cases included in inci- dence counts (6)	Total number of cases treated during year c/ (7)	Patient census as of 31 Dec. (8) (9)		Loss of time (10) (11)		Separa- tions due to diag- nosis shown e/ (12)	Number of deaths due to diag- nosis shown (13)	Line number
			1953	1954	Nonef- fective rate	Average days per case d/ (11)			
-	-	-	-	-	-	-	-	-	1
1,025	70	1,276	205	165	0.12	71	282	-	2
930	60	1,120	160	145	0.03	52	53	-	3
995	190	1,372	223	157	0.06	57	209	-	4
785	60	865	55	55	0.03	24	35	-	5
685	5	710	20	5	0.01	5	2	-	6
-	-	-	-	-	-	-	1	-	7
8,595	1,995	11,146	1,574	1,137	0.60	46	1,410	1	8
95	-	144	32	8	0.00	38	8	-	9
310	55	743	311	124	0.02	100	138	-	10
-	-	5	5	-	-	-	1	-	11
640	225	782	80	90	0.05	45	112	-	12
705	190	1,082	244	163	0.08	84	258	-	13
410	160	498	73	31	0.02	38	45	1	14
1,920	525	2,338	242	205	0.13	38	244	-	15
1,080	85	1,372	150	190	0.12	62	167	-	16
1,080	215	1,226	51	55	0.03	15	37	-	17
220	20	341	87	28	0.02	65	232	-	18
745	220	930	98	91	0.06	51	95	-	19
1,390	300	1,685	201	152	0.07	38	73	-	20
8,650	1,210	9,650	630	438	0.20	17	1,291	-	21
15	-	15	-	-	0.00	8	-	-	22
4,010	195	4,262	170	160	0.07	12	14	-	23
-	-	-	-	-	-	-	-	-	24
1,730	5	1,769	18	36	0.02	5	-	-	25
1,405	180	1,782	194	77	0.05	32	208	-	26
315	180	361	31	55	0.01	33	51	-	27
365	195	448	62	30	0.01	20	55	-	28
160	65	195	40	5	0.01	38	7	-	29
120	105	152	26	15	0.00	55	56	-	30
530	285	666	89	60	0.03	44	900	-	31
2,620	2,560	3,062	294	256	0.12	38	469	10	32
205	205	256	26	20	0.01	28	60	-	33

**Table 1.- GENERAL SUMMARY TABLE: ADMISSIONS, INCIDENCE, EPTS
SEPARATIONS, AND DEATHS, BY**

Line number	Diagnosis and, for traumatism, battle, nonbattle classification	Admissions ^{a/}		Incidence ^{b/}
		Rate (admissions per 1,000)	Number	Rate (cases per 1,000)
	(1)	(2)	(3)	(4)
	Class XIX--Continued			
1	Congenital malformations of circulatory system.	0.07	105	0.10
2	Congenital malformations of digestive system.	0.07	95	0.14
3	Congenital malformations of genitourinary system.	0.46	655	0.75
4	Congenital malformations of bone and joint.	0.24	340	0.35
5	Congenital malformations, n. e. c.....	0.28	400	0.37
	Class XXI			
6	Symptoms and ill-defined conditions	11.15	15,820	12.85
7	Symptoms related to nervous system and special senses.	0.31	445	0.42
8	Symptoms related to cardiovascular and lymphatic system.	0.69	975	0.80
9	Symptoms related to respiratory system....	0.69	980	0.79
10	Diarrhea, cause undetermined.....	3.02	4,280	3.10
11	Other symptoms related to gastrointestinal system.	1.82	2,570	2.18
12	Symptoms related to genitourinary system...	0.09	125	0.10
13	Symptoms related to limbs and back.....	1.07	1,520	1.23
14	Fever of unknown origin.....	2.09	2,970	2.25
15	General symptoms, n. e. c.....	0.20	290	0.38
16	Abnormal urinary constituents.....	0.55	785	0.67
17	Nervousness, debility, and headache.....	0.62	875	0.92
18	Uremia, unqualified.....	0.00	5	0.01
	Class XXII			
19	Special admissions.....	13.66	19,390	15.17
20	Observation, psychiatric.....	0.75	1,060	0.91
21	Observation, for aptitude.....	-	-	-
22	Observation, medical or surgical.....	11.51	16,355	12.39
23	Simple drunkenness.....	0.98	1,385	1.39
24	Senility.....	-	-	-
25	Other ill-defined and unknown causes.....	0.42	590	0.48
	Class XXIII			
	(NONBATTLE CASES ONLY)			
26	Accidents, violence, and poisonings	49.13	69,740	62.42
27	(A) Injuries.....	44.58	63,280	55.47
28	Fractures, total.....	10.03	14,250	11.47
	<u>By type:</u>			
29	Fracture, depressed, skull.....	0.24	340	0.26
30	Compound.....	0.07	100	0.07
31	Simple.....	0.17	240	0.19

PROPORTIONS, CASES TREATED, PATIENT CENSUS, LOSS OF TIME,
DIAGNOSIS, U. S. ARMY, 1954--Continued

Inci- dence-- Con. b/ Number	EPTS cases included in inci- dence counts	Total number of cases treated during year c/ (7)	Patient census as of 31 Dec.		Loss of time		Separa- tions due to diag- nosis shown e/ (12)	Number of deaths due to diag- nosis shown (13)	Line number
			1953	1954	Nonef- fective rate	Average days per case d/ (11)			
(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	
140	140	225	60	15	0.02	81	71	6	1
200	195	230	20	20	0.01	47	11	1	2
1,060	1,030	1,143	57	56	0.03	30	64	1	3
495	490	593	56	75	0.02	41	181	1	4
520	500	615	75	70	0.03	35	82	1	5
18,240	215	18,688	414	311	0.20	7	35	4	6
600	15	670	49	30	0.01	20	26	-	7
1,140	20	1,180	50	20	0.02	9	5	3	8
1,120	15	1,185	65	35	0.01	6	-	-	9
4,390	-	4,410	20	20	0.02	3	-	-	10
3,090	5	3,162	65	35	0.05	8	-	-	11
145	10	160	15	-	0.00	7	2	-	12
1,740	20	1,765	20	45	0.02	8	-	-	13
3,200	-	3,245	45	35	0.03	6	-	-	14
540	5	560	15	20	0.00	6	-	-	15
955	115	1,016	55	51	0.03	16	2	-	16
1,310	10	1,325	15	20	0.01	5	-	-	17
10	-	10	-	-	0.00	6	-	1	18
21,530	50	22,003	454	400	0.29	8	14	12	19
1,285	10	1,340	50	30	0.02	11	-	-	20
-	-	-	-	-	-	-	-	-	21
17,595	20	17,912	318	295	0.24	8	-	-	22
1,970	5	2,051	61	45	0.02	6	-	3	23
-	-	-	-	-	-	-	-	-	24
680	15	700	25	30	0.01	11	14	9	25
88,610	195	104,948	8,116	5,790	2.79	22	-	1,543	26
78,750	160	93,735	7,516	5,320	2.67	24	-	1,013	27
16,295	10	22,569	3,770	2,665	1.43	57	-	483	28
375	10	481	60	50	0.03	70	-	104	29
100	-	180	40	20	0.02	131	-	65	30
275	-	301	20	30	0.01	36	-	39	31

**Table 1.--GENERAL SUMMARY TABLE: ADMISSIONS, INCIDENCE, EPTS
SEPARATIONS, AND DEATHS, BY**

Line number	Diagnosis and, for traumatisms, battle, nonbattle classification	Admissions ^{a/}		Incidence ^{b/}
		Rate (admis- sions per 1,000)	Number	Rate (cases per 1,000)
	(1)	(2)	(3)	(4)
	Class XXIII--Continued			
	(NONBATTLE CASES ONLY--Continued)			
	(A) Injuries--Continued			
1	Fracture, compound, comminuted.....	0.69	975	0.82
2	Fracture, compound, n. e. c.....	0.67	950	0.74
3	Compression fracture, vertebra.....	0.33	470	0.37
4	Without spinal cord lesion.....	0.29	415	0.33
5	With spinal cord lesion.....	0.04	55	0.04
6	Simple fracture, other.....	7.94	11,290	9.08
7	Fracture, unqualified.....	0.16	225	0.20
	<u>By nerve or artery involvement:</u>			
8	With no nerve or artery involvement...	9.49	13,470	10.80
9	With nerve involvement only.....	0.44	625	0.54
10	With artery involvement only.....	0.02	35	0.03
11	With nerve and artery involvement....	0.08	120	0.10
12	Wounds, total.....	6.57	9,310	9.47
	<u>By type:</u>			
13	Wound, incised and lacerated.....	5.37	7,615	8.00
14	Wound, punctured.....	0.32	450	0.33
15	Wound, penetrating.....	0.37	530	0.52
16	Wound, perforating.....	0.28	395	0.34
17	Wound, n. e. c.....	0.23	320	0.28
	<u>By nerve or artery involvement:</u>			
18	With no nerve or artery involvement...	6.21	8,795	8.92
19	With nerve involvement only.....	0.24	345	0.39
20	With artery involvement only.....	0.07	100	0.10
21	With nerve and artery involvement....	0.05	70	0.06
22	Abrasions and blisters.....	1.44	2,050	3.01
23	Contusion.....	4.99	7,085	7.09
24	Traumatic amputation.....	0.33	465	0.34
25	Avulsion.....	0.30	420	0.34
26	Bite, animal, nonvenomous.....	0.08	120	0.09
27	Dislocation of joint.....	0.88	1,245	0.98
28	Sprain.....	9.24	13,130	9.46
29	Strain.....	2.89	4,105	2.99
30	Burn, chemical.....	0.22	310	0.30
31	Burn, electrical.....	0.02	30	0.06
32	Burn, n. e. c.....	2.11	2,990	3.27
33	Heat cramps and heat prostration.....	0.83	1,180	0.84
34	Sunstroke.....	0.04	50	0.04
35	Sunburn.....	0.14	205	0.25
36	Frostbite.....	0.81	1,150	0.88
37	Trench foot.....	0.02	35	0.03
38	Immersion foot.....	0.02	30	0.02
39	Conditions due to exposure to cold, n. e. c.	0.04	50	0.04
40	Barotrauma.....	0.01	20	0.02
41	Effects of compression and decompression	0.02	25	0.02
42	Air embolism.....	-	-	0.01

**PROPORTIONS, CASES TREATED, PATIENT CENSUS, LOSS OF TIME,
DIAGNOSIS, U. S. ARMY, 1954-Continued**

Inci- dence-- Con. b/ Number	EPTS cases included in inci- dence counts	Total number of cases treated during year c/ (7)	Patient census as of 31 Dec.		Loss of time		Separa- tions due to diag- nosis shown e/ (12)	Number of deaths due to diag- nosis shown (13)	Line number
			1953	1954	Nonef- fective rate	Average days per case d/ (11)			
(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	
1,160	-	2,737	843	460	0.28	166	-	40	1
1,055	-	1,392	186	215	0.10	52	-	38	2
530	-	804	166	110	0.08	84	-	11	3
475	-	732	146	110	0.07	80	-	4	4
55	-	72	20	-	0.01	111	-	7	5
12,895	10	16,064	2,350	1,745	0.92	45	-	83	6
280	-	1,091	165	85	0.02	47	-	207	7
15,340	10	20,722	3,289	2,370	1.22	52	-	205	8
770	-	1,508	380	215	0.15	120	-	219	9
45	-	94	40	25	0.02	288	-	7	10
140	-	245	61	55	0.04	188	-	52	11
13,455	20	17,752	1,491	900	0.30	18	-	250	12
11,355	20	12,796	837	675	0.21	14	-	70	13
475	-	521	20	10	0.01	10	-	12	14
745	-	2,357	299	90	0.03	48	-	51	15
485	-	816	100	45	0.03	42	-	64	16
395	-	1,262	235	80	0.02	40	-	53	17
12,670	20	16,197	1,269	775	0.25	16	-	166	18
565	-	1,213	162	100	0.03	57	-	33	19
135	-	190	25	15	0.01	66	-	27	20
85	-	152	35	10	0.01	68	-	24	21
4,275	-	4,590	260	140	0.02	5	-	-	22
10,080	-	10,533	297	160	0.11	8	-	37	23
480	-	732	115	70	0.06	80	-	11	24
485	-	567	40	40	0.02	29	-	12	25
125	-	125	-	5	0.00	6	-	-	26
1,385	-	1,722	155	155	0.07	29	-	1	27
13,445	5	14,499	361	360	0.25	10	-	-	28
4,245	-	4,471	76	75	0.06	8	-	-	29
425	5	453	-	-	0.01	9	-	3	30
80	-	125	45	5	0.00	22	-	-	31
4,645	5	5,136	275	295	0.09	17	-	30	32
1,190	-	1,190	-	-	0.01	3	-	1	33
50	-	55	5	5	0.00	32	-	3	34
350	-	350	-	5	0.00	5	-	-	35
1,255	-	1,506	61	15	0.05	19	-	-	36
40	-	50	5	-	0.00	26	-	-	37
30	-	30	-	-	0.00	5	-	-	38
50	-	65	-	-	0.00	3	-	1	39
25	-	25	-	-	0.00	8	-	-	40
25	-	25	-	-	0.00	29	-	4	41
15	-	20	-	5	-	-	-	-	42

**Table 1.--GENERAL SUMMARY TABLE: ADMISSIONS, INCIDENCE, EPTS
SEPARATIONS, AND DEATHS, BY**

Line number	Diagnosis and, for traumatisms, battle, nonbattle classification (1)	Admissions ^{a/}		Incidence ^{b/}
		Rate (admis- sions per 1,000)	Number	Rate (cases per 1,000)
		(2)	(3)	(4)
	Class XXIII--Continued			
	(NONBATTLE CASES ONLY--Continued)			
	(A) Injuries--Continued			
1	Concussion.....	1.46	2,075	1.63
2	Crushing.....	0.07	95	0.07
3	Bite or sting, insect, nonvenomous.....	0.16	225	0.17
4	Electric shock.....	0.04	55	0.04
5	Emphysema, traumatic.....	-	-	0.00
6	Retained foreign body.....	0.64	895	0.76
7	Hematoma, traumatic.....	0.57	815	0.80
8	Hemorrhage, postoperative.....	0.10	135	0.15
9	Hemorrhage, traumatic, n. e. c.....	0.23	330	0.46
10	Hemothorax, traumatic,	0.07	105	0.09
11	Injury, intracranial, n. e. c.....	0.01	15	0.01
12	Pneumothorax, traumatic.....	0.05	65	0.06
13	Rupture, traumatic.....	0.12	170	0.18
14	Submersion, nonfatal.....	0.03	45	0.03
15	(B) Poisonings.....	0.52	735	0.52
16	Poisoning, venom.....	0.04	50	0.04
17	Poisoning, by gas.....	0.21	295	0.21
18	Poisoning, other.....	0.27	390	0.27
19	(C) Prophylactic reactions and therapeutic misadventures.	3.19	4,530	5.42
20	Anaphylactic reaction, generalized.....	0.06	85	0.07
21	Herxheimer's reaction.....	-	-	-
22	Serum hepatitis.....	0.06	85	0.07
23	Serum sickness.....	0.11	160	0.12
24	Prophylactic inoculation, reaction to, n. e. c.	1.55	2,200	1.68
25	Anesthetic accident.....	0.01	15	0.03
26	Complications of surgical treatment.....	0.57	810	1.50
27	Therapeutic misadventure, n. e. c.	0.83	1,175	1.95
28	(D) Other traumatisms.....	0.84	1,195	1.01
29	Other specified traumatisms.....	0.33	475	0.47
30	Traumatism, nature unknown or n. e. c....	0.51	720	0.54
	Class XXIV			
31	Other admissions without disease	3.20	4,540	3.42
32	Medical or special examination.....	2.12	3,010	2.13
33	Pregnancy, uterine, not delivered.....	0.06	90	0.06
34	Follow-up examination.....	0.36	505	0.37
35	Medical and surgical after care.....	0.35	500	0.35
36	Fitting of prostheses.....	0.05	65	0.05
37	Admissions without disease, n. e. c.....	0.26	370	0.46

PROPORTIONS, CASES TREATED, PATIENT CENSUS, LOSS OF TIME,
DIAGNOSIS, U. S. ARMY, 1954--Continued

Incidence-- Con. b/ Number (5)	EPTS cases included in inci- dence counts (6)	Total number of cases treated during year s/ (7)	Patient census as of 31 Dec. (8) (9)		Loss of time (10) (11)		Separa- tions due to diag- nosis shown e/ (12)	Number of deaths due to diag- nosis shown (13)	Line number
			1953	1954	Nonef- fective rate	Average days per case d/ (11)			
2,310	-	2,552	212	200	0.08	18	-	29	1
95	-	105	-	5	0.00	8	-	34	2
235	-	240	5	-	0.00	9	-	-	3
55	-	55	-	-	0.00	3	-	23	4
5	-	25	15	-	-	-	-	2	5
1,075	105	1,266	105	45	0.03	17	-	7	6
1,130	-	1,221	57	45	0.02	9	-	6	7
220	-	233	11	5	0.00	3	-	-	8
650	5	705	35	30	0.01	13	-	34	9
125	-	169	30	25	0.01	40	-	46	10
20	-	45	5	10	0.01	189	-	35	11
80	-	135	35	10	0.01	86	-	3	12
255	-	349	50	45	0.02	56	-	58	13
45	-	45	-	-	0.00	6	-	-	14
740	-	775	30	25	0.01	9	-	67	15
50	-	50	-	-	0.00	4	-	-	16
295	-	305	10	5	0.00	9	-	38	17
395	-	420	20	20	0.01	10	-	29	18
7,690	20	8,396	414	380	0.08	8	-	1	19
100	-	105	5	-	0.00	4	-	1	20
-	-	-	-	-	-	-	-	-	21
100	-	160	38	35	0.01	75	-	-	22
165	-	170	5	-	0.00	2	-	-	23
2,380	-	2,395	20	5	0.01	3	-	-	24
40	-	41	6	5	0.00	5	-	-	25
2,125	20	2,561	212	230	0.04	18	-	-	26
2,780	-	2,964	128	105	0.02	8	-	-	27
1,430	15	2,042	156	65	0.03	16	-	462	28
665	15	805	71	20	0.01	22	-	458	29
765	-	1,237	85	45	0.02	12	-	4	30
4,860	140	5,120	125	132	0.07	8	-	-	31
3,020	5	3,025	5	-	0.01	2	-	-	32
90	-	90	-	-	0.00	29	-	-	33
525	-	550	15	20	0.02	12	-	-	34
500	-	505	5	20	0.01	9	-	-	35
65	-	65	-	-	0.00	24	-	-	36
660	135	885	100	92	0.03	48	-	-	37

**Table 1 .--GENERAL SUMMARY TABLE: ADMISSIONS, INCIDENCE, EPTS
SEPARATIONS, AND DEATHS, BY**

Line number	Diagnosis and, for traumatizations, battle, nonbattle classification	Admissions ^{a/}		Incidence ^{b/}
		Rate (admissions per 1,000)	Number	Rate (cases per 1,000)
	(1)	(2)	(3)	(4)
	Class XXIII			
	(BATTLE INJURY AND WOUND CASES)			
1	Accidents, violence, and poisonings.....	-	-	-
2	(A) Injuries.....	-	-	-
3	Fractures, total.....	-	-	-
	By type:			
4	Fracture, depressed, skull.....	-	-	-
5	Compound.....	-	-	-
6	Simple.....	-	-	-
7	Fracture, compound, comminuted.....	-	-	-
8	Fracture, compound, n. e. c.....	-	-	-
9	Compression fracture, vertebra.....	-	-	-
10	Without spinal cord lesion.....	-	-	-
11	With spinal cord lesion.....	-	-	-
12	Simple fracture, other.....	-	-	-
13	Fracture, unqualified.....	-	-	-
	By nerve or artery involvement:			
14	With no nerve or artery involvement...	-	-	-
15	With nerve involvement only.....	-	-	-
16	With artery involvement only.....	-	-	-
17	With nerve and artery involvement....	-	-	-
18	Wounds, total.....	-	-	-
	By type:			
19	Wound, incised and lacerated.....	-	-	-
20	Wound, punctured.....	-	-	-
21	Wound, penetrating.....	-	-	-
22	Wound, perforating.....	-	-	-
23	Wound, n. e. c.....	-	-	-
	By nerve or artery involvement:			
24	With no nerve or artery involvement...	-	-	-
25	With nerve involvement only.....	-	-	-
26	With artery involvement only.....	-	-	-
27	With nerve and artery involvement....	-	-	-
28	Abrasions and blisters.....	-	-	-
29	Contusion.....	-	-	-
30	Traumatic amputation.....	-	-	-
31	Avulsion.....	-	-	-
32	Dislocation of joint.....	-	-	-
33	Sprain.....	-	-	-
34	Burn, chemical.....	-	-	-
35	Burn, electrical.....	-	-	-
36	Burn, n. e. c.....	-	-	-
37	Concussion.....	-	-	-
38	Retained foreign body.....	-	-	-
39	Hematoma, traumatic.....	-	-	-
40	Hemorrhage, traumatic, n. e. c.....	-	-	-
41	Hemothorax, traumatic.....	-	-	-
42	Pneumothorax, traumatic.....	-	-	-
43	Rupture, traumatic.....	-	-	-

PROPORTIONS, CASES TREATED, PATIENT CENSUS, LOSS OF TIME,
DIAGNOSIS, U. S. ARMY, 1954--Continued

Inci- dence-- Con. b/ Number	EPTS cases included in inci- dence counts	Total number of cases treated during year c/ (7)	Patient census as of 31 Dec.		Loss of time		Separa- tions due to diag- nosis shown e/ (12)	Number of deaths due to diag- nosis shown (13)	Line number
			1953	1954	Nonef- fective rate	Average days per case d/ (11)			
(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	
-	-	2,682	2,682	138	0.26	---	...	-	1
-	-	2,664	2,664	138	0.26	---	...	-	2
-	-	1,125	1,125	73	0.17	---	...	-	3
-	-	44	44	-	0.01	---	...	-	4
-	-	43	43	-	0.01	---	...	-	5
-	-	1	1	-	-	---	...	-	6
-	-	963	963	60	0.16	---	...	-	7
-	-	36	36	6	0.00	---	...	-	8
-	-	5	5	2	0.00	---	...	-	9
-	-	-	-	1	0.00	---	...	-	10
-	-	5	5	1	0.00	---	...	-	11
-	-	69	69	5	0.01	---	...	-	12
-	-	8	8	-	0.00	---	...	-	13
-	-	725	725	48	0.08	---	...	-	14
-	-	296	296	17	0.06	---	...	-	15
-	-	40	40	5	0.01	---	...	-	16
-	-	64	64	3	0.02	---	...	-	17
-	-	1,328	1,328	53	0.06	---	...	-	18
-	-	66	66	5	0.00	---	...	-	19
-	-	1	1	-	-	---	...	-	20
-	-	1,058	1,058	39	0.05	---	...	-	21
-	-	165	165	6	0.01	---	...	-	22
-	-	38	38	3	-	---	...	-	23
-	-	1,056	1,056	44	0.02	---	...	-	24
-	-	195	195	6	0.03	---	...	-	25
-	-	22	22	-	0.00	---	...	-	26
-	-	55	55	3	0.01	---	...	-	27
-	-	3	3	-	-	---	...	-	28
-	-	10	10	1	0.00	---	...	-	29
-	-	103	103	5	0.03	---	...	-	30
-	-	22	22	5	-	---	...	-	31
-	-	1	1	-	-	---	...	-	32
-	-	1	1	-	-	---	...	-	33
-	-	10	10	-	0.00	---	...	-	34
-	-	-	-	-	-	---	...	-	35
-	-	3	3	-	-	---	...	-	36
-	-	2	2	-	-	---	...	-	37
-	-	9	9	-	0.00	---	...	-	38
-	-	6	6	-	-	---	...	-	39
-	-	5	5	-	-	---	...	-	40
-	-	25	25	1	0.00	---	...	-	41
-	-	4	4	-	0.00	---	...	-	42
-	-	7	7	-	0.00	---	...	-	43

**Table 1.--GENERAL SUMMARY TABLE: ADMISSIONS, INCIDENCE, EPTS
SEPARATIONS, AND DEATHS, BY**

Line number	Diagnosis and, for traumatisms, battle, nonbattle classification (1)	Admissions ^{a/}		Incidence ^{b/}
		Rate (admissions per 1,000)	Number	Rate (cases per 1,000)
		(2)	(3)	(4)
	Class XXIII--Continued (BATTLE INJURY AND WOUND CASES--Continued)			
1	(B) Poisonings.....	-	-	-
2	(C) Prophylactic reactions and therapeutic misadventures.	-	-	-
3	(D) Other traumatisms.....	-	-	-
	Other specified traumatisms.....	-	-	-
5	Traumatism, nature unknown or n. e. c.....	-	-	-

a/ Admissions include new cases only and exclude CRO (carded for record only) cases. The diagnoses represent causes of admission only. See text for comparability with 1953 Annual Report, which included CRO cases.

b/ In addition to causes of admission, incidence data include new secondary diagnoses among patients who were admitted or readmitted during 1954. CRO cases are excluded.

c/ The total number of cases treated during the year includes those patients remaining from 1953 plus the admissions and readmissions during 1954. In order to show the number of different patients, lines 1-5 are limited to causes of admission. The itemization by diagnosis includes secondary diagnoses as well as causes of admission. CRO cases are excluded.

d/ "Average days per case" are presented by cause of admission for dispositions in 1954, excluding CRO cases and including patients carried over from prior years. The days lost include all time between the date of admission and the date of final disposition. The symbol "-" indicates that there were no cases in the 20 percent sample used for tabulations. The symbol "---" is used for cells which include the 1954 dispositions of battle casualty cases carried over from 1953, because such cases are not representative of battle casualty durations.

PROPORTIONS, CASES TREATED, PATIENT CENSUS, LOSS OF TIME,
DIAGNOSIS, U. S. ARMY, 1954--Continued

Incidence-- Con. b/ Number	EPTS cases included in inci- dence counts	Total number of cases treated during year c/ (7)	Patient census as of 31 Dec.		Loss of time		Separa- tions due to diag- nosis shown e/ (12)	Number of deaths due to diag- nosis shown (13)	line number
			1953	1954	Nonef- fective rate	Average days per case d/ (11)			
(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	
-	-	-	-	-	-	---	...	-	1
-	-	-	-	-	-	---	...	-	2
-	-	18	18	-	-	---	...	-	3
-	-	16	16	-	-	---	...	-	4
-	-	2	2	-	-	---	...	-	5

e/ Column 12 includes disability separations only. The diagnosis in the stub represents the best equivalent to the residual condition causing separation. "Other musculoskeletal diseases and conditions" includes such residuals as loss of extremities, paralysis of extremities, etc. Separations are not shown opposite traumatism diagnoses because these are not residual conditions.

f/ Deaths from "battle injury and wounds" exclude 2 cases which were killed in action (KIA) on Quemoy Island. No other deaths during 1954 were caused by battle injury or wound.

g/ Incidence data for malaria include readmissions as well as new admissions.

h/ Class XXIV, "Other admissions without disease," is arbitrarily included with total disease (line 3 of first page).