

Table 6.--ADMISSION RATES FOR SELECTED DISEASE AND NONBATTLE
[Rates expressed as number of admissions]

Line no.	Diagnosis (Cause of admission)	Total new admissions	Age at admission	
			Under 20	20-24
	(1)	(2)	(3)	(4)
1	All nonbattle causes--total.....	475.63	634.04	481.20
2	All disease.....	420.64	560.40	425.04
3	All nonbattle injury.....	54.99	73.64	56.16
	Class I			
4	Infective and parasitic diseases (except certain acute respiratory infections and rheumatic fever).	91.31	126.14	102.26
5	Tuberculosis.....	0.97	0.58	0.84
6	Tuberculosis, pulmonary.....	0.77	0.32	0.66
7	Tuberculosis, pleural.....	0.09	0.04	0.10
8	Tuberculous meningitis.....	0.00	0.04	-
9	Tuberculosis, all other.....	0.11	0.18	0.08
10	Venereal disease. ^{a/}	64.59	85.49	74.25
11	Syphilis, early.....	0.96	1.12	1.15
12	Syphilis, other and sequelae.....	0.92	1.30	0.83
13	Gonorrhea, acute or unspecified.....	51.11	67.26	59.06
14	Gonococcal infection, other.....	0.11	0.13	0.10
15	Chancroid.....	11.13	15.46	12.69
16	Venereal disease, other.....	0.36	0.22	0.42
17	Infections commonly arising in the digestive tract.	1.31	2.59	1.15
18	Dysentery, bacillary.....	0.17	0.71	0.13
19	Amebiasis.....	0.26	0.09	0.18
20	Food infection or poisoning (except salmonella).	0.60	1.52	0.59
21	Other infections commonly arising in the digestive tract.	0.28	0.27	0.25
22	Other bacterial diseases.....	3.11	7.33	3.28
23	Streptococcal infections.....	2.90	6.88	3.05
24	Meningitis, meningoococcal.....	0.12	0.27	0.15
25	Other bacterial diseases.....	0.09	0.18	0.08
26	Spirochetal diseases (except syphilis).	0.30	0.40	0.34
27	Vincent's infection.....	0.30	0.40	0.34
28	Other spirochetal diseases (except syphilis).	-	-	-
29	Diseases attributable to viruses.....	14.51	23.68	15.95
30	Poliomyelitis, acute.....	0.06	0.09	0.05
31	Encephalitis, infectious, acute.....	0.04	0.13	0.02
32	Smallpox.....	0.00	-	0.00
33	Measles.....	0.87	1.56	0.97
34	Rubella (German measles).....	6.22	13.85	7.51
35	Chickenpox.....	0.86	0.89	0.90
36	Herpes zoster.....	0.25	-	0.29
37	Mumps.....	1.96	2.28	1.84
38	Infectious hepatitis.....	2.40	2.19	2.38
39	Infectious mononucleosis.....	1.20	2.06	1.31
40	Other viral diseases.....	0.65	0.63	0.68
41	Rickettsial diseases.....	0.00	-	-
42	Malaria, all types.....	1.14	0.98	1.13

^{a/} Includes cases carded-for-record only.

INJURY DIAGNOSES, BY AGE AT ADMISSION, U. S. ARMY, 1953

per 1,000 average strength per year]

Age at admission--Continued

25-29	30-34	35-39	40-44	45-49	50 and over	Lining
(5)	(6)	(7)	(8)	(9)	(10)	
461.29	377.36	357.11	381.69	397.88	486.38	1
404.32	336.24	318.95	344.92	367.20	455.48	2
56.97	41.12	38.16	36.77	30.68	30.90	3
83.97	40.89	25.46	21.46	17.12	12.59	4
1.36	1.36	1.12	1.57	1.94	2.86	5
1.14	1.07	0.91	1.43	1.62	2.29	6
0.11	0.10	-	-	-	-	7
-	-	-	-	-	-	8
0.11	0.19	0.21	0.14	0.32	0.57	9
60.01	21.01	11.51	7.87	5.80	0.57	10
0.79	0.34	0.28	-	-	-	11
1.63	0.63	0.42	0.72	0.65	-	12
46.85	15.66	8.78	5.29	4.51	-	13
0.11	0.10	0.21	-	0.32	-	14
10.28	4.09	1.75	1.72	0.32	0.57	15
0.35	0.19	0.07	0.14	-	-	16
1.14	1.07	1.75	2.15	0.97	2.29	17
0.11	0.10	0.07	0.43	-	-	18
0.30	0.49	0.63	1.15	0.33	1.72	19
0.35	0.29	0.77	-	0.32	-	20
0.38	0.19	0.28	0.57	0.32	0.57	21
2.14	1.51	0.56	1.00	0.65	1.14	22
2.03	1.32	0.56	1.00	0.65	1.14	23
-	-	-	-	-	-	24
0.11	0.19	-	-	-	-	25
0.24	0.19	0.07	0.14	-	-	26
0.24	0.19	0.07	0.14	-	-	27
-	-	-	-	-	-	28
10.87	8.80	5.89	4.43	4.20	1.72	29
0.05	0.15	-	-	-	-	30
0.05	0.15	-	0.14	-	-	31
-	-	-	-	-	-	32
0.89	0.10	0.07	0.14	-	-	33
2.01	0.73	0.07	-	-	-	34
1.03	0.87	0.42	0.14	-	-	35
0.19	0.24	0.28	0.43	-	-	36
2.28	2.81	1.89	0.86	0.65	-	37
2.61	2.82	1.97	2.01	3.55	1.72	38
1.14	0.44	0.49	0.14	-	-	39
0.62	0.49	0.70	0.57	-	-	40
-	-	-	0.14	-	-	41
1.46	1.12	0.98	1.01	0.65	0.57	42

Table 6.--ADMISSION RATES FOR SELECTED DISEASE AND NONBATTLE
 [Rates expressed as number of admissions

Line no.	Diagnosis (Cause of admission)	Total new admissions	Age at admission	
			Under 20	20-24
	(1)	(2)	(3)	(4)
Class I--Continued				
1	Other infective and parasitic diseases.....	5.38	5.09	5.32
2	Protozoal diseases, n. e. c.....	0.01	-	-
3	Ankylostomiasis (hookworm).....	0.62	0.58	0.55
4	Ascariasis.....	0.18	0.18	0.18
5	Other worm infestation.....	0.38	0.04	0.36
6	Dermatophytosis.....	2.93	3.14	2.88
7	Other fungus infections.....	0.20	0.36	0.18
8	Scabies.....	0.49	0.49	0.54
9	Pediculosis.....	0.09	0.13	0.05
10	Other infective and parasitic diseases.....	0.48	0.17	0.58
Class II				
11	Neoplastic diseases.....	5.63	4.02	5.85
12	Malignant neoplasms.....	0.30	0.09	0.20
13	Neoplastic conditions of lymphatic and hematopoietic tissues.....	0.08	0.04	0.08
14	Benign neoplasm, except pilonidal cyst.....	1.93	1.79	1.69
15	Pilonidal cyst.....	3.24	2.06	3.81
16	Neoplasm of unspecified nature.....	0.08	0.04	0.07
Class III				
17	Allergic, endocrine system, metabolic and nutritional diseases.....	6.19	6.70	5.35
18	Allergic disorders.....	5.20	6.17	4.87
19	Hay fever.....	0.23	0.27	0.18
20	Asthma.....	1.95	2.68	1.68
21	Urticaria.....	1.94	2.19	1.89
22	Other allergic disorders.....	1.08	1.03	1.12
23	Diseases of endocrine glands.....	0.59	0.31	0.30
24	Diseases of thyroid gland.....	0.17	0.09	0.08
25	Diabetes mellitus.....	0.34	0.09	0.17
26	Other diseases of endocrine glands.....	0.08	0.13	0.05
27	Metabolic disorders (including avitaminosis).....	0.40	0.22	0.18
Class IV				
28	Diseases of the blood and blood-forming organs.....	0.21	0.31	0.17
Class V				
29	Mental, psychoneurotic, and personality disorders.....	14.62	23.19	12.64
30	Psychotic disorders.....	2.02	3.08	1.88
31	Schizophrenic reactions.....	1.78	2.99	1.80
32	Other psychotic disorders.....	0.24	0.09	0.08

INJURY DIAGNOSES, BY AGE AT ADMISSION, U. S. ARMY, 1953--Continued
per 1,000 average strength per year]

Age at admission--Continued

25-29	30-34	35-39	40-44	45-49	50 and over	Line no.
(5)	(6)	(7)	(8)	(9)	(10)	
6.75	5.83	3.58	3.15	2.91	3.44	1
0.03	0.05	-	-	-	-	2
1.05	0.49	0.63	-	0.65	1.72	3
0.22	0.24	0.07	0.14	-	-	4
0.59	0.87	0.14	0.14	0.32	-	5
3.41	3.40	2.25	2.30	1.29	1.72	6
0.19	0.05	0.21	0.14	0.65	-	7
0.52	0.34	0.14	0.43	-	-	8
0.22	0.05	-	-	-	-	9
0.52	0.34	0.14	-	-	-	10
5.88	4.47	4.91	7.30	4.52	10.30	11
0.30	0.39	0.56	2.00	0.97	4.01	12
0.05	0.05	0.28	-	0.32	-	13
2.22	2.28	2.60	4.02	3.23	5.72	14
3.26	1.60	1.33	1.14	-	-	15
0.05	0.15	0.14	0.14	-	0.57	16
6.37	7.49	8.63	11.87	12.60	21.17	17
5.59	5.60	5.48	7.14	4.85	6.87	18
0.35	0.39	0.07	0.29	0.65	0.57	19
2.20	2.58	2.54	2.14	2.58	3.44	20
2.06	1.90	1.75	2.99	0.97	1.72	21
0.98	0.73	1.12	1.72	0.65	1.14	22
0.43	1.26	1.89	2.58	4.52	7.43	23
0.16	0.63	0.35	0.72	1.29	1.14	24
0.27	0.58	1.19	1.86	2.91	6.29	25
-	0.05	0.35	-	0.32	-	26
0.35	0.63	1.26	2.15	3.23	6.87	27
0.22	0.24	0.35	0.29	-	0.57	28
16.89	15.60	16.69	19.60	20.67	17.74	29
1.98	2.09	2.10	1.57	1.94	5.15	30
1.93	1.31	1.19	0.57	0.65	-	31
0.05	0.78	0.91	1.00	1.29	5.15	32

Table 6.--ADMISSION RATES FOR SELECTED DISEASE AND NONBATTLE
[Rates expressed as number of admissions

Line no.	Diagnosis (Cause of admission)	Total new admissions	Age at admission	
			Under 20	20-24
	(1)	(2)	(3)	(4)
Class V--Continued				
	Mental, psychoneurotic, and personality disorders--Continued			
1	Psychoneurotic disorders.....	5.50	6.26	4.68
2	Anxiety reaction without mention of somatic symptoms.	2.09	2.19	1.70
3	Hysterical reaction without mention of anxiety reaction.	0.97	1.79	0.93
4	Neurotic-depressive reaction.....	0.45	0.40	0.25
5	Psychoneurosis with somatic symptoms (somatization reaction).	1.83	1.61	1.65
6	Other psychoneurotic disorders.....	0.16	0.27	0.15
7	Character and behavior disorders.....	6.37	13.09	5.55
8	Pathological personality.....	2.12	5.54	1.92
9	Immature personality.....	3.47	7.37	3.34
10	Alcoholism.....	0.66	-	0.15
11	Other drug addiction.....	0.12	0.18	0.14
12	Primary childhood behavior disorders.....	-	-	-
13	Disorders of intelligence.....	0.21	0.36	0.21
14	Transient personality disorders.....	0.52	0.40	0.32
Class VI				
15	Diseases of the nervous system.....	2.95	3.84	2.52
16	Vascular lesions affecting central nervous system.	0.08	-	0.04
17	Meningitis, acute (excluding meningoococcal meningitis).	0.08	0.18	0.07
18	Encephalitis, myelitis, and encephalomyelitis (except acute infectious).	0.21	0.27	0.15
19	Epilepsy.....	0.78	2.14	0.72
20	Migraine.....	0.38	0.27	0.32
21	Other diseases of central nervous system.....	0.21	0.13	0.19
22	Diseases of nerves and peripheral ganglia.....	1.21	0.85	1.03
Class VII				
23	Diseases of the eye and adnexa.....	5.82	5.32	5.49
24	Conjunctivitis and ophthalmia.....	1.84	1.52	1.71
25	Other inflammatory diseases of eye.....	1.17	1.03	1.07
26	Refractive errors.....	0.88	0.89	0.91
27	Other diseases of eye.....	1.90	1.88	1.77
28	Blindness.....	0.03	-	0.03
Class VIII				
29	Diseases of the ear, nose, and throat.....	11.26	12.11	11.61
30	Diseases of ear and mastoid process.....	4.72	5.72	4.63
31	Otitis externa.....	0.83	0.85	0.76
32	Otitis media.....	2.98	4.29	3.15
33	Deafness and impaired hearing.....	0.60	0.36	0.51
34	Other diseases of ear and mastoid.....	0.31	0.22	0.21

INJURY DIAGNOSES, BY AGE AT ADMISSION, U. S. ARMY, 1953--Continued
per 1,000 average strength per year]

Age at admission--Continued

25-29	30-34	35-39	40-44	45-49	50 and over	Line no.
(5)	(6)	(7)	(8)	(9)	(10)	
7.20 2.67	6.85 2.76	7.51 3.87	8.15 4.00	6.78 2.57	7.44 4.01	1 2
0.98	0.83	0.56	0.72	0.65	0.57	3
0.60 2.81	1.02 2.14	1.05 1.82	1.71 1.72	2.26 0.65	0.57 2.29	4 5
0.14	0.10	0.21	-	0.65	-	6
6.43 2.28 3.42 0.65 0.08	5.78 1.46 2.37 1.90 0.05	5.82 1.05 2.03 2.74 -	8.59 1.00 2.29 5.30 -	10.98 0.97 1.94 8.07 -	4.01 0.57 0.57 2.87 -	7 8 9 10 11
-	-	-	-	-	-	12
0.30	0.05	-	-	-	-	13
0.98	0.83	1.26	1.29	0.97	1.14	14
2.55	3.94	4.42	4.86	6.78	9.16	15
-	0.15	0.35	0.29	0.65	3.44	16
0.05	0.10	-	-	-	-	17
0.41	0.29	0.35	0.29	-	-	18
0.38 0.57 0.11 1.03	0.49 0.53 0.34 2.04	0.84 0.56 0.35 1.97	0.85 0.43 0.29 2.71	0.65 0.32 0.32 4.84	0.57 - 1.72 3.43	19 20 21 22
7.78	5.74	5.96	5.87	6.14	5.72	23
2.30 1.57 1.33 2.50 0.08	1.61 1.31 0.53 2.29 -	2.88 1.12 0.56 1.40 -	2.15 1.43 0.29 2.00 -	1.29 2.92 0.32 1.61 -	2.29 1.14 - 2.29 -	24 25 26 27 28
12.23	8.26	7.15	9.30	10.01	15.45	29
5.40 1.06 3.28 0.57 0.49	3.26 0.78 1.21 0.78 0.49	3.30 0.63 1.41 0.77 0.49	5.44 1.87 1.57 1.00 1.00	5.17 0.32 1.95 1.61 1.29	11.44 2.86 1.14 6.87 0.57	30 31 32 33 34

Table 6.--ADMISSION RATES FOR SELECTED DISEASE AND NONBATTLE
 [Rates expressed as number of admissions

Line no.	Diagnosis (Cause of admission)	Total new admissions	Age at admission	
			Under 20	20-24
	(1)	(2)	(3)	(4)
Class VIII--Continued				
Diseases of the ear, nose, and throat--Continued				
1	Diseases of the nose and throat.....	6.54	6.39	6.98
2	Hypertrophy of tonsils and adenoids.....	3.60	3.75	4.06
3	Peritonsillar abscess (quinsy).....	0.56	0.45	0.69
4	Chronic sinusitis.....	0.68	0.85	0.60
5	Deflected nasal septum.....	0.98	0.67	1.00
6	Other diseases of the nose and throat.....	0.72	0.67	0.63
Class IX				
7	Acute respiratory infections.....	130.22	209.11	134.41
8	Acute upper respiratory infection.....	96.56	149.41	100.21
9	Acute bronchitis.....	9.93	17.16	9.35
10	Influenza.....	11.83	17.07	12.39
11	Pneumonia.....	11.90	25.47	12.46
Class X				
12	Other diseases of the respiratory system.....	2.62	2.90	2.14
13	Bronchitis, chronic and unqualified.....	0.98	1.03	0.72
14	Pleurisy.....	0.80	0.89	0.70
15	Spontaneous pneumothorax.....	0.28	0.49	0.27
16	Chronic interstitial pneumonia, n. e. c.....	0.15	0.04	0.08
17	Bronchiectasis.....	0.27	0.36	0.28
18	Other diseases of the respiratory system.....	0.14	0.09	0.09
Class XI				
19	Diseases of the circulatory system.....	10.32	6.93	7.93
20	Rheumatic fever.....	0.48	0.71	0.60
21	Chronic rheumatic heart disease.....	0.46	0.99	0.39
22	Other heart disease.....	0.99	0.13	0.41
23	Arteriosclerotic heart disease, including coronary disease.	0.45	-	0.02
24	Other chronic and degenerative heart disease	0.05	0.04	0.03
25	Acute carditis.....	0.10	-	0.09
26	Other and unspecified diseases of heart.....	0.39	0.09	0.27
27	Other diseases of the circulatory system.....	8.39	5.10	6.53
28	Hypertensive disease.....	0.70	0.04	0.19
29	Varicose veins of leg or unspecified site...	1.03	0.67	0.87
30	Hemorrhoids.....	5.00	3.00	4.01
31	Varicocele.....	0.43	0.36	0.48
32	Phlebitis and thrombophlebitis.....	0.52	0.40	0.40
33	Other diseases of the circulatory system....	0.71	0.63	0.58
Class XII				
34	Dental diseases and conditions.....	5.76	11.35	6.26

INJURY DIAGNOSES, BY AGE AT ADMISSION, U. S. ARMY, 1953--Continued
per 1,000 average strength per year]

Age at admission--Continued

25-29	30-34	35-39	40-44	45-49	50 and over	Line no.
(5)	(6)	(7)	(8)	(9)	(10)	
6.83	5.00	3.85	3.86	4.84	4.01	1
3.79	2.43	0.98	0.29	0.32	-	2
0.38	0.19	0.28	-	0.32	-	3
0.76	0.78	0.98	0.86	0.97	0.57	4
1.22	0.97	0.42	1.29	0.65	0.57	5
0.68	0.63	1.19	1.42	2.58	2.87	6
103.33	95.77	93.44	88.84	86.87	100.14	7
78.36	71.22	68.47	62.66	61.68	69.81	8
9.11	8.56	9.12	11.73	10.01	12.02	9
8.49	9.48	9.82	9.16	7.75	7.44	10
7.37	6.51	6.03	5.29	7.43	10.87	11
2.71	3.01	3.16	5.29	10.01	18.31	12
1.10	1.21	1.20	3.14	5.49	5.72	13
0.98	0.92	1.05	0.85	2.26	1.72	14
0.22	0.44	0.28	-	-	-	15
0.11	0.19	0.28	0.72	0.32	5.72	16
0.16	0.15	0.07	0.29	0.97	2.29	17
0.14	0.10	0.28	0.29	0.97	2.86	18
12.72	13.90	18.10	26.32	33.59	60.65	19
0.24	-	0.07	-	-	-	20
0.62	0.19	0.42	0.57	0.65	0.57	21
0.73	1.17	3.09	5.87	11.95	24.03	22
0.11	0.44	2.18	4.01	8.08	21.18	23
0.05	0.05	-	-	0.32	1.14	24
0.14	0.10	0.07	0.14	0.32	0.57	25
0.43	0.58	0.84	1.72	3.23	1.14	26
11.13	12.54	14.52	19.88	20.99	36.05	27
0.57	1.56	1.96	5.15	6.14	21.75	28
1.42	0.83	1.96	2.43	3.23	1.72	29
7.03	8.31	8.64	10.16	8.39	5.72	30
0.57	0.24	-	-	-	-	31
0.73	0.58	1.12	1.14	1.94	0.57	32
0.81	1.02	0.84	1.00	1.29	6.29	33
3.74	2.33	2.88	1.57	3.23	3.43	34

Table 6.--ADMISSION RATES FOR SELECTED DISEASE AND NONBATTLE
 [Rates expressed as number of admissions]

Line no.	Diagnosis (Cause of admission)	Total new admissions	Age at admission	
			Under 20	20-24
	(1)	(2)	(3)	(4)
Class XIII				
1	Diseases of the digestive system and hernia....	32.02	32.53	29.14
2	Diseases of buccal cavity.....	0.96	1.43	0.97
3	Diseases of esophagus.....	0.05	0.04	0.02
4	Ulcer of stomach and duodenum.....	3.07	1.39	1.94
5	Gastritis and duodenitis.....	3.33	3.62	2.71
6	Other diseases of stomach and duodenum.....	0.25	0.13	0.17
7	Appendicitis, acute and unqualified.....	3.65	4.42	3.95
8	Inguinal hernia.....	4.95	6.79	5.38
9	All other hernia.....	0.53	0.54	0.46
10	Gastroenteritis acute.....	10.59	10.91	10.13
11	Enteritis and colitis, acute.....	0.99	0.67	0.96
12	Anal fissure and fistula.....	0.81	0.27	0.55
13	Abscess of anal and rectal regions.....	0.78	0.58	0.65
14	Other diseases of intestine and peritoneum.....	1.41	1.70	1.11
15	Diseases of liver.....	0.21	-	0.05
16	Diseases of gallbladder and biliary tract.....	0.37	0.04	0.09
17	Diseases of pancreas.....	0.07	-	0.00
Class XIV				
18	Diseases of the urinary system and male genital system.	23.59	22.83	25.81
19	Nephritis and nephrosis.....	0.27	0.40	0.30
20	Infections of kidney.....	0.92	0.80	0.80
21	Calculi of kidney and ureter.....	0.97	0.45	0.71
22	Cystitis.....	0.59	1.25	0.49
23	Urethritis, nonvenereal or nongonococcal.....	9.57	8.18	11.32
24	Other diseases of urinary system.....	0.42	0.54	0.32
25	Prostatitis.....	0.97	0.58	0.83
26	Orchitis and epididymitis.....	2.90	3.26	3.00
27	Redundant prepuce and phimosis.....	4.69	4.96	5.68
28	Other diseases of male genital system.....	2.29	2.41	2.36
Class XV				
29	Diseases of the breast and female genital organs.	0.97	1.70	0.69
30	Gynecomastia and mastitis, male.....	0.27	0.31	0.33
31	Diseases of breast, ovary, fallopian tube, and parametrium, n. e. c.	0.22	0.49	0.13
32	Disorders of menstruation.....	0.36	0.72	0.19
33	Other diseases of female genital organs.....	0.12	0.18	0.04
Class XVI				
34	Deliveries and complications of pregnancy, childbirth, and puerperium.	0.16	0.49	0.13
Class XVII				
35	Diseases of skin and cellular tissue.....	25.50	34.32	26.17
36	Boil and carbuncle.....	3.32	4.34	3.47
37	Cellulitis and abscess.....	9.30	13.64	9.42

INJURY DIAGNOSES, BY AGE AT ADMISSION, U. S. ARMY, 1953--Continued
per 1,000 average strength per year]

Age at admission--Continued

25-29	30-34	35-39	40-44	45-49	50 and over	Line no.
(5)	(6)	(7)	(8)	(9)	(10)	
36.41	38.75	39.07	42.78	44.57	51.50	1
0.89	0.78	0.91	0.43	0.65	0.57	2
0.05	0.15	0.07	0.14	0.32	1.14	3
5.21	6.76	6.81	7.01	8.72	8.59	4
4.26	5.25	5.20	5.58	3.88	4.01	5
0.46	0.39	0.63	0.43	0.65	0.57	6
3.17	3.26	1.82	1.86	1.61	-	7
3.17	2.72	3.65	4.72	4.84	8.01	8
0.68	0.63	0.84	0.57	0.65	0.57	9
12.45	11.72	10.18	10.31	10.33	8.59	10
1.25	0.97	1.19	1.43	0.32	1.14	11
1.41	1.51	1.89	2.15	1.29	1.14	12
1.11	1.36	0.77	1.14	1.61	1.72	13
1.60	1.65	2.38	2.43	3.88	5.72	14
0.16	0.58	0.91	1.72	2.26	1.72	15
0.38	0.87	1.54	2.43	2.91	7.44	16
0.16	0.15	0.28	0.43	0.65	0.57	17
23.40	15.02	11.43	12.45	12.60	21.74	18
0.16	0.15	0.21	-	-	-	19
1.08	1.36	0.98	1.57	1.94	1.72	20
1.44	2.09	1.40	2.30	2.26	4.01	21
0.68	0.44	0.28	1.57	0.65	1.14	22
8.82	3.78	2.04	2.00	0.65	1.14	23
0.57	0.68	0.49	0.57	0.65	1.14	24
1.27	1.51	1.89	0.72	1.61	1.14	25
3.17	2.48	1.68	1.43	1.29	2.29	26
4.04	1.22	0.42	0.86	-	0.57	27
2.17	1.31	2.04	1.43	3.55	8.59	28
1.30	0.97	1.33	2.29	4.52	1.14	29
0.35	-	-	-	-	-	30
0.38	0.24	0.14	0.43	0.97	-	31
0.41	0.49	0.70	1.14	3.23	-	32
0.16	0.24	0.49	0.72	0.32	1.14	33
0.11	0.29	0.07	-	-	-	34
24.84	19.83	18.03	17.02	20.02	13.16	35
2.87	2.97	2.10	1.72	3.23	1.72	36
9.41	6.70	7.59	5.14	5.48	2.29	37

Table 6.--ADMISSION RATES FOR SELECTED DISEASE AND NONBATTLE

[Rates expressed as number of admissions]

Line no.	Diagnosis (Cause of admission)	Total new admissions	Age at admission	
			Under 20	20-24
	(1)	(2)	(3)	(4)
Class XVII--Continued				
1	Diseases of skin and cellular tissue--Continued Other infections of skin and subcutaneous tissue.	2.51	3.26	2.67
2	Dermatitis, seborrheic.....	0.17	0.13	0.11
3	Eczema.....	0.13	0.04	0.11
4	Dermatitis (includes occupational and other).....	3.47	5.46	3.59
5	Erythematous conditions.....	0.34	0.67	0.32
6	Psoriasis and similar disorders.....	0.39	0.40	0.38
7	Pruritus and related conditions.....	0.59	0.49	0.49
8	Other hypertrophic and atrophic conditions of skin.	0.62	0.63	0.62
9	Diseases of nail.....	1.80	2.23	1.99
10	Diseases of sweat and sebaceous glands.....	1.56	1.56	1.69
11	Other diseases of skin.....	1.30	1.47	1.31
Class XVIII				
12	Diseases of the bones and organs of movement...	13.67	13.76	12.18
13	Arthritis and rheumatism, except rheumatic fever.	2.46	1.70	1.82
14	Rheumatoid arthritis and allied conditions.	0.58	0.22	0.45
15	Other arthritis.....	1.43	1.03	1.00
16	Rheumatism, muscular or unspecified.....	0.45	0.45	0.37
17	Osteomyelitis and other diseases of bone and joint.	6.05	6.97	5.63
18	Malunion and nonunion of fracture.....	0.54	0.76	0.46
19	Osteomyelitis and other diseases of bone...	1.05	1.52	1.01
20	Derangement, internal, of knee.....	1.60	2.49	1.65
21	Herniation of nucleus pulposus.....	0.60	0.45	0.34
22	Affection of sacroiliac joint, n. e. c.	0.81	0.54	0.71
23	Other diseases of joint.....	1.45	1.21	1.46
24	Other diseases of musculoskeletal system.....	5.16	5.09	4.73
25	Synovitis, bursitis, and tenosynovitis.....	2.27	2.19	2.08
26	Other diseases of muscle, tendon, and fascia.	1.77	1.56	1.50
27	Deformities.....	1.12	1.34	1.15
Class XIX				
28	Congenital malformations.....	1.49	2.46	1.48
Class XXI				
29	Symptoms and ill-defined conditions.....	12.32	13.58	11.61
30	Diarrhea, cause undetermined.....	2.73	2.95	2.63
31	Fever of unknown origin.....	2.20	1.79	2.31
32	Other symptoms and ill-defined conditions....	7.39	8.84	6.67
Class XXII				
33	Special admissions.....	17.81	21.89	15.88

INJURY DIAGNOSES, BY AGE AT ADMISSION, U. S. ARMY, 1953--Continued
per 1,000 average strength per year]

Age at admission--Continued

25-29	30-34	35-39	40-44	45-49	50 and over	Line no.
(5)	(6)	(7)	(8)	(9)	(10)	
2.44	1.51	1.40	1.72	0.97	1.72	1
0.49	0.15	0.07	-	0.65	0.57	2
0.22	0.24	0.14	-	-	0.57	3
2.63	2.48	2.18	3.15	4.52	2.86	4
0.38	0.15	0.35	0.43	0.32	-	5
0.38	0.53	0.28	0.14	1.29	0.57	6
0.81	0.97	0.63	1.00	0.97	1.72	7
0.60	0.58	0.56	0.86	0.65	0.57	8
1.63	1.36	0.35	1.00	0.97	-	9
1.52	1.07	1.19	0.86	0.65	0.57	10
1.46	1.12	1.19	1.00	0.32	-	11
15.59	16.53	16.20	18.03	30.36	39.48	12
2.71	3.84	3.79	5.58	11.30	25.18	13
0.76	0.97	0.91	2.00	1.61	0.57	14
1.46	1.95	2.18	3.29	8.40	23.47	15
0.49	0.92	0.70	0.29	1.29	1.14	16
6.97	6.81	6.73	5.58	9.37	3.43	17
1.00	0.58	0.35	0.57	-	-	18
1.22	0.73	0.77	0.86	1.94	0.57	19
1.60	1.26	0.91	0.72	0.32	0.57	20
0.65	1.51	1.83	1.28	4.53	1.14	21
0.89	1.07	1.68	1.29	0.97	-	22
1.61	1.66	1.19	0.86	1.61	1.15	23
5.91	5.88	5.68	6.87	9.69	10.87	24
2.72	2.62	2.10	3.29	3.88	5.15	25
2.11	2.09	2.95	2.58	5.49	4.58	26
1.08	1.17	0.63	1.00	0.32	1.14	27
1.30	1.17	1.19	1.14	1.61	1.72	28
13.72	12.88	12.77	15.88	11.63	14.88	29
2.63	3.06	3.44	2.86	1.61	4.58	30
2.33	1.90	1.40	2.72	1.61	-	31
8.76	7.92	7.93	10.30	8.41	10.30	32
20.01	20.22	20.34	25.75	22.28	27.47	33

Table 6.--ADMISSION RATES FOR SELECTED DISEASE AND NONBATTLE
 [Rates expressed as number of admissions

Line no	Diagnosis (Cause of admission)	Total new admissions	Age at admission	
			Under 20	20-24
	(1)	(2)	(3)	(4)
Class XXII--Continued				
1	Special admissions--Continued			
1	Observation for disease.....	16.00	19.52	14.45
2	Simple drunkenness.....	1.08	1.30	0.73
3	Other ill-defined and unknown conditions.....	0.73	1.07	0.70
Class XXIII				
4	Accidents, violence, and poisonings.....	54.99	73.64	56.16
5	Fracture, compound, comminuted.....	1.09	1.07	1.22
6	Fracture, compound, other.....	0.80	0.71	0.79
7	Fracture, simple.....	9.89	12.61	9.75
8	Fracture, unqualified.....	0.36	0.49	0.34
9	Wound, lacerated.....	5.72	7.06	5.77
10	Wound, incised.....	0.28	0.27	0.30
11	Wound, punctured.....	0.43	0.58	0.42
12	Wound, penetrating.....	0.73	1.03	0.81
13	Wound, perforating.....	0.45	0.76	0.48
14	Wound, n. e. c.....	0.45	0.63	0.47
15	Abrasions and blister.....	2.00	2.99	2.08
16	Contusion.....	6.09	8.40	6.54
17	Traumatic amputation.....	0.38	0.31	0.40
18	Sprains, strains, dislocations.....	14.40	17.57	14.76
19	Burns.....	2.58	3.75	2.66
20	Effects of heat, n. e. c.....	0.86	2.41	0.88
21	Effects of cold.....	0.47	1.34	0.50
22	Concussion.....	1.74	2.81	1.77
23	Crushing.....	0.06	-	0.07
24	Hemothorax, traumatic.....	0.17	0.13	0.18
25	Pneumothorax, traumatic.....	0.07	-	0.06
26	Poisoning.....	0.48	0.58	0.41
27	Prophylactic reactions and therapeutic mis-adventures.	1.67	3.40	1.68
28	All other specified traumas.....	3.07	3.71	3.04
29	Unknown or unspecified.....	0.75	1.03	0.78
Class XXIV				
30	Other admissions without disease.....	6.20	4.92	5.32
31	Medical or special examination; follow-up examination; medical and surgical after care.	5.51	4.21	4.68
32	Pregnancy, uterine, not delivered.....	0.15	0.18	0.17
33	Fitting of prostheses.....	0.06	0.04	0.03
34	Other admissions without disease.....	0.48	0.49	0.44

INJURY DIAGNOSES, BY AGE AT ADMISSION, U. S. ARMY, 1953--Continued
per 1,000 average strength per year]

Age at admission--Continued						Line no.
25-29	30-34	35-39	40-44	45-49	50 and over	
(5)	(6)	(7)	(8)	(9)	(10)	
17.63 1.46 0.92	17.74 1.80 0.68	17.96 1.96 0.42	22.32 3.00 0.43	20.34 1.94 -	24.61 2.29 0.57	1 2 3
56.97	41.12	38.16	36.77	30.68	30.90	4
0.89 0.92 10.93 0.43 6.13 0.30 0.52 0.79 0.38 0.54 2.09 5.64 0.43 14.71 2.58 0.60 0.22 1.71 0.03 0.16 0.08 0.41 1.49 4.15 0.84	1.07 0.92 9.28 0.15 5.01 0.34 0.44 0.10 0.29 0.15 0.73 3.16 0.39 11.42 1.46 0.24 0.24 1.41 0.05 0.19 0.05 0.34 0.97 2.38 0.34	0.42 0.84 7.59 0.63 4.42 0.07 0.21 0.21 0.21 0.35 1.12 2.95 0.35 10.95 2.17 0.28 0.07 1.19 - 0.21 0.14 1.05 0.70 1.61 - 0.42	0.29 0.43 7.58 0.29 3.72 - 0.29 0.29 - 0.14 1.57 4.58 - 10.29 1.43 0.29 - 0.43 0.14 0.14 1.29 0.72 2.72 - 0.65	0.32 0.32 8.73 0.32 1.94 - - 0.65 0.32 - 1.61 3.23 0.32 8.72 0.32 - 0.32 0.32 - 0.57 - - - 0.65 0.65 0.65 0.57 - - - 0.57 - - - 0.57 1.72 2.86 2.86 0.57	- - 6.30 - 1.72 - - - 0.57 - 0.57 3.43 - 8.59 1.14 - - 0.57 - - - - 1.72 2.86 2.86 0.57	5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29
9.25	8.94	7.37	7.01	8.07	9.16	30
8.44	8.25	6.67	6.44	7.75	7.45	31
0.05 0.19 0.57	0.15 0.05 0.49	0.14 - 0.56	- - 0.57	- - 0.32	- 0.57 1.14	32 33 34