

TABLE 10.—*Malaria as a reported cause of death in Central and South American Republics and neighboring States, with selected examples*

[Rate expressed as number of deaths per annum per 100,000 population]

Country (or city)	Year	Deaths	
		Number	Rate
Bolivia.....	1940	178	(¹)
Rio de Janeiro (Brazil).....	1941	227	12. 5
São Paulo (Brazil).....	1941	42	3. 1
Colombia.....	1940	4, 817	52. 8
Costa Rica.....	1940	916	139. 6
Cuba.....	1933	1, 035	25. 2
Chile.....	1941	30	(¹)
Ecuador.....	1940	4, 847	(¹)
Guayaquil (Ecuador).....	1941	580	399. 0
El Salvador.....	1941	2, 937	163. 2
San Salvador (El Salvador).....	1941	122	115. 1
Guatemala.....	1938	10, 699	356. 0
Mexico.....	1941	26	(¹)
Nicaragua.....	1941	2, 584	188. 0
Panama City (R.P.).....	1941	15	(¹)
Paraguay.....	1941	216	54. 0
Lima (Peru).....	1939	84	28. 0
Dominican Republic.....	1941	2, 518	142. 4
Venezuela.....	1940	1, 261	34. 0
Caraças (Venezuela).....	1940	16	7. 5
British Guiana.....	1941	288	82. 3
Jamaica.....	1938	525	44. 7
Puerto Rico.....	1940	1, 814	97. 0
Dutch Guiana.....	1937	48	(¹)
Trinidad (B.W.I.).....	1941	480	96. 8

¹ Data were not provided.

Source: Informe Biodemográfico y Epidemiológico de las Americas. Washington: Oficina Sanitaria Panamericana, Publication No. 196, February 1943.