

TABLE 11.—Number of cases <sup>1</sup> and attack rates of malaria in the U.S. Army, worldwide and Latin America, by type of *Plasmodium* and year, 1942-45

[Preliminary data based on sample tabulations of individual medical records]

[Rate expressed as number of cases per annum per 1,000 average strength]

Type of <i>Plasmodium</i> and year of admission	Worldwide		Latin America	
	Number	Rate	Number	Rate
<b>Malaria, all forms:</b>				
1942.....	23, 267	7. 18	11, 042	108. 34
1943.....	174, 867	25. 45	4, 874	40. 34
1944.....	168, 155	21. 58	1, 245	14. 51
1945.....	126, 010	16. 95	730	10. 19
Total.....	492, 299	19. 43	17, 891	47. 05
<b><i>Vivax</i> malaria:</b>				
1942.....	11, 435	3. 53	7, 672	75. 27
1943.....	92, 221	13. 42	3, 430	28. 39
1944.....	129, 810	16. 66	990	11. 54
1945.....	107, 810	14. 51	565	7. 88
Total.....	341, 276	13. 47	12, 657	33. 29
<b><i>Falci-parum</i> malaria:</b>				
1942.....	4, 481	1. 38	2, 803	27. 50
1943.....	28, 299	4. 12	1, 173	9. 71
1944.....	12, 925	1. 66	200	2. 33
1945.....	5, 575	. 75	150	2. 09
Total.....	51, 280	2. 02	4, 326	11. 38
<b><i>Malariae</i> malaria:</b>				
1942.....	122	0. 04	59	0. 58
1943.....	685	. 10	33	. 27
1944.....	800	. 10	5	. 06
1945.....	270	. 04	5	. 07
Total.....	1, 877	0. 07	102	0. 27

See footnote at end of table.