

INDEX

- Abdominal injury
 from blast effects, 223
 and mortality, 225
 and pathology of primary blast injury, 289
 and wound ballistics, 149
- ABR. *See* Auditory brainstem response (ABR) audiometry
- Abrasions, 223
- Adrenal glands
 and pathology of primary blast injury, 289
- Adult respiratory distress syndrome (ARDS), 279,301
 and systemic air emboli, 314
- Aerodynamic performance of bullet, 114
- Aeromedical evacuation
 and casualties with primary blast injury, 299, 304
 and casualties with burn injury, 367
- Air blast, 242
 tolerance to, 253–258
- Air embolism
 and hypercarbia, 308
 and management of primary blast injury, 311–316
 definitive physical examination, 314
 diagnostic screening procedures, 314
 evacuation, 312
 initial physical examination and triage, 311–312
 initiation of life support, 312
 stabilization and life support, 312–314
 treatment, 314–316
 and mechanical ventilation, 311, 314
 and age of casualty, 314
 and mortality from blast, 226
 and pathology of primary blast injury, 284–285
 and cardiac effects, 286
 of retinal artery, 314
 and risk of anesthesia, 324
 and sequelae
 nonspecific treatment for, 316
 signs and symptoms, 312
 and underwater blast, 319
- Airway, patent
 and air embolism, 312
 for casualties with primary blast injury, 303
- Allograft skin, 339, 364
- Alveolovenous fistula, 275
- Amato, Joseph, 101
- Aminoglycoside, 210
- Ammunition, 2
 and Relative Incapacitation Index (RII), 77
- Ampicillin, 210
- Amputation
 and timing of, 86–87
 traumatic, and specific mortality, 226
 See also Mutilating blast injury
- Anaerobic cellulitis, 182, 210
 See also Anaerobic infections; Gas gangrene
 210
 See also Anaerobic infections; Gas gangrene
- Anaerobic infections, 181–183, 210–212
 See also Gas gangrene
- Anaerobic streptococcal myonecrosis, 210
 See also Anaerobic infections; Gas gangrene
- Anesthesia
 complications in gastrointestinal blast injury, 324–325
- Anesthesia and Critical Care*, 301
- Angle of incidence, 250
- Angle of reflection, 250
- Antibiotics, 93–95
 as adjunct to surgery, 95
 early experience, 180–181
 in managing ballistic soft-tissue wounds, 190–191
 penicillin, 93
 introduction of, 94
 in Vietnam, 95
 sulfonamides, 93–94
 and infection, 94
 at Pearl Harbor, 94
 See also Management of ballistic wounds of soft tissue;
 Management of burn injury; Penicillin
- Anticoagulants, 311
- Antimatériel munitions with antipersonnel effects, 27–31
 explosive antimateriel warheads, 27–31
 kinetic-energy antimatériel warheads, 27
- Antipersonnel exploding munitions, 16–27
 cargo-carrying munitions, 23
 cluster munitions, 23
 improved-fragmentation munitions, 19–23
 random-fragmentation munitions, 19
 secondary missiles, 23–27
- Antisepsis, 89–90**
 and mortality rate, 90
 and Carl Reyher (1881). 89–90
- Antiseptics
 for ballistic wounds of soft tissue, 189
 and Paul L. Frederich, 97
- Antitank guided 229
- APFSDS (armor-piercing, fin-stabilized, discarding-sabot) rounds, 27
- Apnea
 in research animals, 308
- ARDS. *See* Adult respiratory distress syndrome (ARDS)
- Armor-piercing round, 5
- Armored-vehicle personnel carrier

- foreign casualty data, 229
- Armored vehicles
 - and PBI, 229–230
 - animal** research, 229
- Arsenical vesicants, 372–373
- Asphyxia, and triage, 301
- Assault rifle, 9
- Atelectasis, lobar, 311
- ATGM Syndrome, 229
- Atomic bomb, 55
- Atropine, 319
- Auditory brainstem response (ABR) audiometry, 329
- Auditory system
 - and management of primary blast injury, 325–330
 - definitive physical examination, 327–329
 - diagnostic screening procedures, 329
 - evacuation, 326–327
 - initial physical examination and triage, 326–327
 - treatment, 329–330
 - and pathology of primary blast injury, 289–292
 - See also* Hearing loss; Tympanic-membrane rupture
- Autograft skin, 364
- Automatic rifle, 9

- Bacteriology
 - of contaminated wounds, 178–188
- Bacteriostatics, 94
- Ball ammunition, **5**
- Ballistic coefficient, 114
- Ballistic effects, 16
 - See also* Wound ballistics
- Ballistic injuries, 95, 108
 - and gelatin tissue simulant, 97
 - and kinetic-energy transfer, 98, 99
 - mechanisms** of, 96
 - and effect on performance, 73–76
 - See also* Incapacitation
 - treatment of, 84–95, 96
 - See also* Management of ballistic wounds of soft tissue
- Ballistics, 108
- Barbiturate sedation, 316
- Barotrauma
 - caused by primary blast injury, 296
 - from mechanical ventilation, 226
 - and mortality**, 226
 - and roentgenography, 305
 - and risk of anesthesia, 324
 - See also* Pneumothorax
- Barrel
 - in small arms, 12–13
- Barrel spring, 13
- Beehive round, 20

- Benzinger, Theodor, 234
- Beretta M9
 - and Relative Incapacitation Index, 77
- Beta-adrenergic antagonists**, 316
- Biobrane, 364
- Blast casualties
 - and asymmetrical pattern, 224
 - evaluation of, 298
 - gastrointestinal, underwater, 318
 - See also* Management of primary blast injury
- Blast effects, 16
 - See also* Pathology of primary blast injury; Primary blast injury: Physics and mechanisms
- Blast front, 244
- Blast injury
 - and body armor, 230
 - definition, 242
 - and hearing **loss**, 232–233
 - from terrorist bombings, 222–226
 - underwater, 231–232
 - See also* Management of primary blast injury; Pathology of primary blast injury; Primary blast injury: Physics and mechanisms; Primary blast injury (PBI); Secondary blast injury; Tertiary blast injury
- Blast loading, 249
 - See also* Primary blast injury: Physics and mechanisms
- Blast lung, 2, 35
 - and PBI, 226, 300
 - and specific mortality, 226
- Blast overpressure, 242
- Blast research
 - before World War II, 233
 - during World War II, 233–236
 - American, 236
 - British, 233–234
 - German, 234–236
 - modern international experimentation**, 236–237
 - morbidity and mortality, 222–226
- Blast strength, 242
- Blast tolerance. *See* Primary blast injury: Physics and mechanisms
- Blast wave, 242, 244
- Blast wind, 242
- Blind wound, 136
- Blood gases, 305–308
 - See also* Oxygen adequacy
- Blood vessels
 - and pathology of primary blast injury**, 287
 - and wound ballistics, 154
- Blow-back operation, 14
- Blunt trauma, 215
- Body armor, 230–231
 - and blunt trauma, 215
- Body positioning
 - and embolism, 312

- in medical record. **298-299**
- and tolerance to air blast. 255
- and underwater blast, 232,260
- Bolt** 13
- Bombings. *See* Terrorist bombings
- Bombs. 33, 35–37
- Bone injury
 - and wound ballistics, 152–154
- Booby traps. 47

- Bore caliber, 13
- Bougainville study, 57, 71, 95
- Bouncing Betty, 46
- Bounding mine, 46
- Bradley Fighting Vehicle, 9, 229
 - and casualty evaluations. 229
- Bradycardia
 - in animal research, 308
 - and hypotension, 319
- Brain injuries
 - and mortality from blast, 226
 - and wound ballistics. 144–146
- Breech, 13
- Breech block. 33
- Brunchodilators, 311
- Bronchoscopy. fiberoptic. 3
- Brown, Harv. 339
- Bubble pulses. 258
- Bullets, rubber and plastic, 215
- Bullet characteristics. 4, 108-119
 - and wound morphology, 199–202
 - See also* Weapons of conventional land warfare
- Bullet composition
 - a. experimental variable. **96**
 - See also* Weapons of conventional land warfare
- Bullet deformation
 - and energy transfer in **tissue**. 126
 - in Third Declaration of Hague Convention of 1899, 89
 - as wound determinant. 88, 96, 199–202
- Bullet stability
 - and wound morphology, 199–202
 - and wound severity, 90
- Burr-care history, 338–340
 - advances in skin grafting, 339
 - fluid resuscitation developments, 338–339
 - research and modern treatment, 340
 - hum wound. 338
 - Srr** *also* Management of bum injury
- Burn depth, 340, 342-344
- Burn injury. *See* Management of bum injury; Pathophysiology of burns
- Burn-wound closure, 361–366

- Calcium channel blockers, 316
- Caliber, 4
- Callender, George. 95, 99–100, 131, 146. 152–153
- Caloric requirements, for bum patients, formulae. 360–361
- Cannelures, 126
- Cannister shot. 22
- Cannons, 31
- Carbon inonoxide poisoning, 369
- Carded for Record Only, 54
- Cardiac dysrhythmia. 316
- Cardiac ischemia. 316
- Cardiovascular system
 - and response to blast. in animals, 308
- Cargo carrying munitions. 23
- Casualty
 - official definition, 54
- Casualty classifications
 - and methodological problems, 61–62
 - died of wounds. 61
 - killed in action. 61
 - wounded in action but survived. 61
- Casualty disposition. 59
- Casualty generation
 - inside armored vehicles, **229**
 - assessment, 70
 - methodology, 57
 - and combat tactics. 63. 64–66. **6748**. 70
 - definitions, 54
 - differentiated from lethality. 55
 - distributed by weapon, 56–57. 58–68
 - of foreign weapons, 78–80
 - by state of weapons technology, 70
 - See also* Weapons effectiveness
- CAT** scan. *See* Computed axial tomography (**CAT**) scan
- Cavitation, 96. 131–135
 - demonstrated, 100
 - and **tissue** damage. 98
 - See also* Wound ballistics: Physics and biophysics
- Cavity. *See* Permanent cavity; Temporary cavity; Wound ballistics: Physics and biophysics
- Celsus, Cornelius. 338
- Central nervous system
 - and air embolism, **312**
 - and lethality from **blast**, **226**
- Cerebral insult, 316
- Cerebrovascular accident, 311
- Chambering
 - of round into breech. 13
- Chemical injury, 370–373
 - hydrofluoric acid, 370
 - napalm, 48,370
 - vesicants, 372–373
 - white phosphorus, 49–50,370
 - See also* Inhalation injury

- Chemical warfare
 and leukocyte response, 173–174
See also Vesicants, 372–373
- Chest injury
 and wound ballistics, 146–149
- Chest-tube care
 and evacuation, 304
- Chest-tube insertion
 for casualties with primary blast injury, 303, 312
- China
 and wound ballistics research, 102
- Chlorovinyldichloroarsine**, 372
- Cholesteatoma, 291, 326, 328–329, 330
- Churchill, **Edward**, 93
- Circulatory shock, 173
- Circulatory system
 and pathology of primary blast injury, 272, 284–287
 and response to bum injury, 344–346
- Claymore mines, 47
- Clindamycin, 210
- Closed-plaster technique, 92–93
- Clostridial cellulitis, 210
See also Anaerobic infections; Gas gangrene
- Clostridial myonecrosis, 210–211
See also Anaerobic infections; Gas gangrene
- Clostridial myositis, 182, 210
See also Anaerobic infections; Gas gangrene
- Cluster munitions, 23
 implicated in 1944 English air-station accident, 23
 used by Germans in battle of the Kursk Salient in 1943, 23
- Cochlea
 and pathology of primary blast injury, 292
See also Auditory system
- Coefficient of drag, 113–114, 129
- Colloid-containing fluids, 339, 351
- Colt .45, 13, 73
 and Relative Incapacitation Index (RII), 77
- Combat tactics and casualty generation, 70
- Combined mechanical and thermal trauma, 369
- Commensals, 181
- Comminuted fractures. *See* Open comminuted fractures of the extremities
- Compartment syndrome, 174–175, 373
- Complex blast wave, 27, 253
- Composite rigid shots, 27
- Composition **C4**, **245**, **247**
- Computed axial tomography (CAT) scan, 299, 305
 and air embolism, 314
 gastrointestinal imaging, 320–324
- Computer Man, 73–77, 80
 and incapacitation, 73–77
 and injury severity, 75
 methodological limitations, 74, 75
 and prediction of performance, 74
 and probability of incapacitation, 74
 and prediction of treatment problem, 74
- Concussion, zone of, 141–142
- Concussion grenades, 40
- Conditional probability
 mathematical expression, 54
- Conoidal bullets
 and explosive tissue effects, 88
 Minie bullets, 87
 wounding effects of, 87–88, 96
- Contamination, 166–170
See also Wound contamination
- Contusions**
 of lung, 304
 from terrorist bombings, 223
- CONUS (continental United States), 71
- CONUS echelon of care, 195
- Copeland, W.P., 338
- Cope, Sir Zachary, 232
- Corticosteroids, 316
- Crepitation, subcutaneous, 304
- Crystalloid fluids, 339, 351
- Curling's ulcer, 340, 366
- Cut-off wave, 258, 260
- Cyanosis, 301, 304
- Cyclic rate of fire, 13
- Davis, John Stage, 339
- Dead space, 174
- Debridement, 86
 evolution of term, Y1
 use by the British, Y3
 in managing penetrating injuries, 92
 in noninfected wounds, 194–195
 for soft-tissue wounds, 95, 205–208
- Deformation of projectile, 126
 as experimental variable, 96
- Delayed primary closure
 technique for, 92
 in World War II, 93
- Density, 108
- Desaga, Hans, 234
- Desault, Pierre Joseph, 86
- Detonation
 of explosive munitions, 15–16
- Dexamethasone, 316
- Diagnostic peritoneal lavage (DPL), 320
- Diagnostic screening. *See* Management of primary blast injury
- Digestive
 used in wound treatment, 85
- Digestive system
 and pathology of primary blast injury, 288–289

- Direct blast
 and lung damage, 226
- Disseminated intravascular coagulation (DIC), 287
- Dougherty, Paul J., 96
- DPL. *See* Diagnostic peritoneal lavage (DPL)
- Drag of projectile, 112–113
- Drag-sensitive equipment. 249
- Drug therapy
 in gastrointestinal injury, 325
- Dum-Dum, India, 89
- Dumdum bullets, 89, 95
 and political controversy, 97
- Duoderm, 364
- Dupuytren, Baron, 338
- Duration effect of blast, 234
- Dynamic pressure, 249
- Dyspnea. 300.301
- Dysrhythmia
 and air embolism, 312
- Dziemian, A.J., 101
- Ebers and Smith Papyri (1600–1500 B.C.), 338
- Echelons of care. *See also* CONUS echelon of care; First echelon of care: Fourth echelon of care: Second echelon of care: Third echelon of care
- Effective radius, 3
- Effective range, 3
- Electrical injury, 340, 373
 compartment syndrome, 373
 neurological complications, 373
 resuscitation, 373
- Electrocardiogram
 and air embolism, 314
- Emergency War Surgery*, 191, 194
- Emphysema
 and pathology of primary blast injury. 279
 See also Interstitial emphysema; Subcutaneous emphysema
- Empyema, 311
- En seton bullet wounds, 94, 188
 and wound morphology, 199
- Endocrine system
 and response to bum injury, 347
- Endurance limit, 263
- Energy transfer. *See* Kinetic energy transfer; Wound ballistics: Physics and biophysics
- Enhanced-blast munitions, 35, 37, 38–39, 231
- Epluchage, 91, 93
- Equations of state, 243
- Escharotomy, 354–355
- Evacuation
 and animal research, 299
 bum care during, 367–368
 of casualties with bums, 367–368
 criteria for, 367
 long-distance, by air, 368
 and oxygen adequacy, 304
 and treatment results, 95
 See also Management of primary blast injury
- Excision
 by the British, 93
 for bum wounds, 361–366
 criteria for, 93
 en bloc, 94, 98
 excessive, 94
 See also Debridement: Epluchage; Freshening; Primary closure
- Explosive munitions, 15–47
 fragmentation of, and treatment for, 91
 See also Primary blast injury: Physics and mechanisms
- Explosive wounds
 and hydrodynamic effects, 98
 See also Cavitation
- Extracorporeal membrane oxygenation, 311
- Extravasation, zones of, 141–142
- Extremity wounds, 156–159, 199–202
 and mortality from blast, 226
- Eye and orbit
 and pathology of primary blast injury, 289
- Fackler, Martin, 102
- FAE. *See* Fuel-air explosive (FAE)
- Fatigue, 173, 262–263
- Fatigue factor, 297
- Fatigue stress, 263
- FEM. *See* Finite Element Modeling (FEM)
- Fiberoptic bronchoscopy. *See* Bronchoscopy, fiberoptic
- Fibrothorax, 311
- Finite Element Modeling (FEM), 263–266
- Firing pin, 13
- First-degree bum. 342
- First echelon of care, 71
 for ballistic wounds of soft tissue, 195
 for primary blast injury. 297–299
 establishing a medical record, 298–299
 evacuation, 279
 initial physical examination and triage. 298
 initiation of life support, 298
- Flame munitions, 48–50
 in Soviet-made weapons, 22
 and wound morphology, 199
- Fleming, Sir Alexander (World War I), 178–180
- Fluid-requirement formulae, 339, 351–354
- Fluid resuscitation
 in air embolism, 312

- in bum patients. 338–339, 351–354
 - for combined bum and pulmonary blast injuries, 303–304
 - animal research, 303
 - See also* Volume replacement
- Forrest. Nathan Bedford, 80
- .45 ACP. *See* Colt .45
- Four Cs, 93, 142, 175–177, 189, 208
- Fourth echelon of care
 - for ballistic wounds of soft tissue, 195
- Fractures
 - combined with thermal trauma, 369–370
- Fragment wounds, 199
 - See also* Assessing the effectiveness of conventional weapons
- Fragmentation. 126, 227
 - See also* Secondary blast injury
- Fragmentation munition
 - and wound morphology, 199
 - See also* Explosive munitions
- Frederich, Paul L., 96, 97–98, 167, 170
- Free field, 245
- French, Ralph, 99–100, 131, 146, 152–153
- Freshening, 98
- Friedlander waveform, 245
- Friendly fire. 66
- Fuel-air explosive (FAE), 35, 37, 38–39, 231
- Full metal jackets, 89
- Fumes
 - and inhalation injury, 299
- Fuse
 - in explosive munitions, 15, 42–44
- Gall bladder
 - and pathology of primary blast injury, 289
- Gas gangrene. 91. 179–183, 210–212
 - and Alexander Fleming, 178–179
 - and penicillin. 94, 192–193
 - animal research, 101
 - See also* Anaerobic infections
- Gas operation of weapons, 14
- Gastrointestinal tract
 - and management of primary blast injury, 316–325**
 - definitive physical examination. 319–320
 - diagnostic screening procedures, 320–324
 - diagnostic peritoneal lavage (DPL), 320
 - gastrointestinal imaging, 320–324
 - evacuation, 319
 - initial physical examination and triage. 318–319
 - initiation of life support, 319
 - signs and symptoms, 318
- treatment, 324–325
 - anesthesia complications, 324–325
 - drug therapy, 325
 - surgery, 324, 325
 - and underwater blast, 318
 - and pathology of primary blast injury, 272, 288–289
 - See also* Abdominal injury
- Gatling gun, 31
- Glover, J.L., 175
- Golden period, 167
 - and invasive sepsis, 98
- Graft take, 362
- Grenade fragments
 - and wound morphology, 193**
- Grenade launchers. 40–44
- Grenades, 37–44
- Guarding. 318, 319
- Guns, 2, 33–35
- Gunshot Injuries*, 73, 98
 - See also* La Garde, Louis A,
- Gut motility
 - and response to bum injury, 347
- Haber-Weiss reaction, 173
- HACS. *See* Hostile Action Casualty System (HACS)
- Hague Convention of 1899, 89
 - Third Declaration of. banning deforming bullets, 6, 89
- Hand grenades, 37–40
- Harvey, E. Newton, 100–101, 131, 135–136, 144–146, 150
- Head injuries
 - ballistic wounds of skull and brain, 144–146
 - and mortality from blast, 226
- Headache
 - and air embolism, 312
- Healing by secondary intent, 92, 93
- Hearing loss
 - from blast, 232–233
 - combined. 325
 - conductive, defined, 325
 - sensorineural, defined, 325
 - treatment, 329
 - See also* Auditory system: Tympanic-membrane rupture
- Hcan injury
 - and pathology of primary blast injury, 285–286
 - and effects of air embolism, 286
 - hemorrhage, 285–286
 - and wound ballistics, 149
- Heckler & Koch G11 automatic rifle. 15
- Hematemesis. 318
- Hematomas. 172–173
- Hemoglobin
 - serial determinations, 299, 320
- Hemopneumothorax. 274, 300

- and chest tube insertion. 303
- Hemoptysis, 300, 301, 311
- Hemorrhage
 - and blood vessels, from primary blast injury, 287
 - of gastrointestinal tract, from primary blast injury, 288–289
 - of heart, from primary blast injury, 285–286
 - of lungs, from primary blast injury, 273–279
 - of other organs, from primary blast injury, 289
 - of upper airways, from primary blast injury, 282–283
- Hemothorax, 300, 304, 311
 - 101
- High-explosive antitank (HEAT) weapons, 28
- High-explosive squash-head antiarmor warhead, 30–31
 - Fabricius, 338
- Hollow-charge warhead. 27
- Hooker, David, 233, 234
- Hopkinson's Rule, 246
- Horsley, Victor. 98, 144
- Hostile Action Casualty System (HACS), 229
 - casualty statistics, 229
- Housing, 13
- Howitzer, 34
- Hunter, John, 85–86, 87, 142
- Hydrofluoric acid, 370
- Hyperbaric-chamber treatment. 314–316
 - animal research, 314, 316
 - complications, 316
 - protocols, 316
- Hypercarbia, 305–308, 311
- Hypertonic resuscitation, 352
- Hypocarbia. 305
- Hypopharynx
 - physical examination, 304
- Hypotension
 - and air embolism. 312
 - etiology. incasualties with primary blast injury, 303.319
 - triage, 301
 - volume replacement. 303.318, 319
- Hypothermia, 316
 - of infection, 174
- Ideal blast waves, 245
- Immune response, 340
 - resistance to infection, 171–178
 - and response to burn injury, 347
- Implosion, 234–235
- Improved-fragmentation munitions, 19–23
- Impulse (pressure-time integral), 235
- Incapacitation
 - animal research, 73
 - assessing, 72–77
 - history, 72
 - computer simulation, 73–77
 - definition, 54
 - See also* Relative Incapacitation Index (RII); Weapons effectiveness
- Incendiary round. 6
- Incendiary weapons, 48.49, 50
- Incident wave, 245
- Inertia, 234, 235
- Infection. 166–167
 - among burn casualties. 347, 355–360
 - bacteriology of ballistic wounds, 178–188
 - managing wounds, 188–196
 - medicval theory *see*, 84
 - resistance to. 85, 171–178
 - See also* Anaerobic infections; Antibiotics; Antisepsis; Sepsis; Wound contamination
- Inhalation injury. 340, 369
 - and medical record, 299
- Injury
 - and definition of wound, 54
- Injury severity
 - among British casualties at Normandy (1944), 61
 - definition, 54
 - degrees
 - lethal, 74–75
 - serious, 75
 - See also* Weapons effectiveness
- Injury Severity Score (ISS), 223
- Inner-ear damage, 327, 328, 330
- Insensible water losses. formula, 354
- Insensitive explosives, 245
- Intercostal markings. 275
- Interstitial emphysema, 300
 - on roentgenogram, 305
- Intestinal perforation
 - and abdominal PBI from blast, 226
- Irreversible work, 263
- Irrigation
 - for soft-tissue ballistic wounds, 189
- Ischemic changes
 - and air embolism, 312
 - and compartment syndrome, 174–175, 373
 - and gus gangrene, 177
 - and resistance to infection, 173
- ISS. *See* Injury Severity Score (ISS)
- Jacketed bullets, 88–89
 - wounding effects, 89
 - and political controversy, 89, 97
 - research using, 98

- Karl Gustav antitank munition. 229
- Kidneys
 and pathology of primary blast injury, 289
 and response to burn injury. 346
 and soft-tissue ballistic injury, 149–150
- Kinetic energy
 and incapacitation, 74
 of projectile, 109. 1 II
 and wound management, 95
 and wound severity. **95**
See also The physics and biophysics of wound ballistics
- Kinetic energy transfer
 and ballistic injury, **98**
 and temporary cavity size. 100
 and wound severity. 156–159
See also The physics and biophysics of wound ballistics
- Knockdown power, 73
- Kocher. 101. 144
- La Garde, Louis A., 73, 88–89, 96. 98–99
 and incapacitation research. 73
- Lacerations, 223
- Larrey, Dominic Jean, 86–87
 and penetrating wound as dynamic entity, 86–87, 93, 97
- Laudable pus. 85
- LAW, 28.229
- Lead poisoning. 213–215
- Lethal area, 78–79
 of underwater blast, 297
- Lethality
 assessing, 69–70
 methodology, 56
 definitions, 54, 55–56
 differentiated from casualty generation, 55
See also Weapons effectiveness
- Letterman Army Institute of Research (LAIR), 123
- Light antitank weapons (LAWs), 28
- Lindsey, D.. 101
- Lister, Joseph, 89
- Livedo reticularis*, 314
- Liver
 and ballistic injury, 148–151
 laceration from blast, 226
 and pathology of primary blast injury, 289
- Long-rod penetrators, 27**
- Lund-Browder diagram, 340, 341
- Lungs
 and direct blast damage, 226
 and examination for primary blast injury. 304–305
 hemorrhage, in animals, 308
 and pathology of primary blast injury, 273–282
 hemorrhage. 273–279
 and wound ballistics, 146–149
See also Primary blast injury: Physics and mechanisms;
 Respiratory system: Upper airways
- Mach, Ernst, 250
- Mach stem, 250
- Machine gun, 7–9
- Machine pistol, 9
- Mafenide acetate, 357, 358
- Magazine, 13
- Magnetic resonance imager (MRI). 305
- Malnutrition
 and resistance to infection, **173**
- Management of ballistic wounds of soft tissue, 164–216.
See also Penetrating injuries
 anaerobic infections of military importance. 210–212
 gas gangrene, 210–212
 anaerobic fasciitis, 210
 clostridial myonecrosis, 210–211
 streptococcal myositis. 211–212
 tetanus, 212
- bacteriology of contaminated penetrating wounds, 178–188
 battlefield observations, 178–186
 World War I: *Bacillus aerogenes capsulatus*. 178
Bacillus welchii, 180
Clostridium perfringens 178–188
 World War I: gas gangrene, 179–180
 World War II: pre-antibiotic era, 180
 World War II: early antibiotic era. 180–181
 World War II: anaerobic infections, 181–183
 Korean War, 183–184
 Vietnam War, 184–186
 Yom Kippur War, 186
 animal research, 187–188, 193–194
 management overview, 188–194
 antibiotics, 190–194
 systemic antibiotics. 190–191
 topical antimicrobials, 191
 antiseptics, 189
clinical and experimental therapeutic trials, 191–194
 penicillin prophylaxis of gas gangrene in sheep, 192–193
 nonoperative treatment of assault-rifle wounds in swine, 193–194
 survival with untreated soft-tissue ballistic wounds, 193

- topical antimicrobial treatment of large soft-tissue wounds. 193
- irrigation, 189
- surgery, 188–189
- military soft-tissue wound care, 166
- practical aspects of managing soft-tissue combat wounds, 194–209
 - echelons of care, 195
 - management decisions, 202–204
 - management options, 194–195
 - matching injuries and options, 195–199
 - soft-tissue trauma: typical combat wounds, 199–202
 - surgical interventions, 204–209**
 - debridement, 205–208
 - primary and secondary suture techniques, 209
- resistance to infection: modifying factors, 171–178
 - animal-tissue research, 175
 - human-tissue research, 175–177
 - dead soft tissue in combat wounds, 174–17X
 - compartment syndrome, 174–175
 - anatomical features that predispose to **skeletal muscle death, 177**
 - major vessel injury, 174
 - iatrogenic factors, 174
 - dead space, 174
 - drains. 174
 - suture material, 174
 - systemic factors, 173–174
 - circulatory shock, 173
 - compromised leukocyte response in unconventional warfare, 173–174
 - malnutrition, exhaustion, and cold, 173**
- wound tract factors, 171–173
 - dead, injured, and ischemic skeletal muscle, 173
 - hematomas and extravasated blood.
 - soil and other foreign bodies, 171–172
- wound ballistics: ancillary aspects, **213–215**
 - blunt trauma from ballistic missiles, 215
 - behind body armor, 215
 - rubber and plastic bullets, 215
 - retained projectiles. 213–215
 - lead poisoning, 213–215
 - migrating projectiles, 213
- wound contamination, 166–170
 - mechanics, 167
 - type and magnitude, 167–170
- Management of burn injury, 350–376
 - chemical injury, 370–373
 - hydrofluoric acid. **370**
 - napalm, 370
 - vesicants, 372–373
 - white phosphorus, 370**
 - combined mechanical and thermal trauma, 369–370
 - electrical injury, 373
 - compartment syndrome, 373
 - neurological complications, 373
 - resuscitation, 373
 - evacuation, 367–368
 - care during transport, 367–368
 - evacuation criteria, 367
 - unique features of aeromedical transport, **368**
 - inhalation injury, 369**
 - research and future directions of hum therapies, 374–375
 - treatment of hums, 350–367
 - burn-wound closure, 361–366
 - excision, 361–364
 - skin grafts, 364–366
 - burn-wound management, 355–360
 - controlling infection, 355–357
 - initial wound care, 355
 - managing burn-wound infections, 357–360**
 - complications, 366–367
 - fluid resuscitation, 351–354
 - assessing resuscitation adequacy, 352–354
 - colloid or crystalloid, 351
 - hypertonic resuscitation, 352
 - resuscitation the second day, 354
 - metabolic support, 360–361**
 - miscellaneous early care, 354
- Management of primary blast injury, 296–330
 - definitive physical examination. 299
 - for air embolism, 314
 - for auditory system injury, 327–328
 - for gastrointestinal tract injury, 319–320
 - for respiratory system injury, 304–305
 - diagnostic screening procedures, 299–300
 - for air embolism, 314
 - for auditory system injury, **329**
 - for gastrointestinal tract injury, 320–324
 - for respiratory system injury, 305
 - establishing a medical record, **298–299**
 - evacuation, 299
 - for air embolism, 312
 - for auditory system injury, 326–327
 - for gastrointestinal tract injury, 319
 - for respiratory system injury, 304
 - initial physical examination and triage, 298
 - for air embolism. 311–312

- for auditory system injury. 326–327
 - for gastrointestinal tract injury. 318–319
 - for respiratory system injury, 301–303
 - initiation of life support, 298
 - for air embolism, 312
 - for gastrointestinal tract injury, 319
 - for respiratory system injury, 303–304
 - stabilization and life support, 299
 - for air embolism, 312–314
 - for respiratory system injury, 305–311
 - treatment, 300
 - for air embolism, 314
 - for auditory system injury, 329–330
 - for gastrointestinal tract injury, 324–325
 - for respiratory system injury, 311
- Mannitol, 316
- Mass
 - center of, 108
 - of fragment, and resulting incapacitation, 74–75
 - of projectile, 108
- MASHs. *See* Mobile Army Surgical Hospitals (MASHs)
- Mean area of effectiveness
 - definition, 79
 - mathematical expression. 78–79
- Material speed, 243
- Mechanical ventilation
 - and air embolism. 314
 - and age of casualty. 314
 - animal research, 314
 - and barotrauma, 226
 - and **CAI**' scan results, 305
 - and evacuation prohibition, 304
 - and pneumothorax, 300
 - in primary blast injury, 308–311
 - pulmonary contusion, 308–309, 311
 - special risks, 311, 314
- Medical record
 - establishment of, 298–299
 - requirements, 298–299
- Medical Treatment Facility (MTF), 54, 195
- MI 8 antipersonnel mines, 47
- Melt sheet, 28
- Mendelson, J.A., 101, 175
- Metabolic support for burn patients, 340, 360–361
- Metronidazole, 210
- Military soft-tissue wound care, 166
- Milan. 229
- Mines, 44
- Minié bullets, 87
- Minute volume, 308
- M 97 hand grenade, 55
- Mobile **Army** Surgical Hospitals (MASHs), 195
- M1A1 Abrams tank
 - and casualty evaluations. 229
- M113 armored personnel carrier, 229
- Morbidity and mortality
 - in Northern Ireland, 229
 - and organ-system injuries. 224–226
 - from terrorist bombings, 222–226
 - statistics, 223
- Mortars, 31–33
- MRI. *See* Magnetic resonance imager (MRI)
- M16 assault rifle
 - and bullet kinetic energy, 95
 - and rifling, 117
 - and wounding potential, 95
- M16A2 bounding mine, 46
- M60A3 tank
 - and casualty evaluations. 229
- MTF. *See* Medical Treatment Facility (MTF)
- M21 antitank mines, 47
- Multiple blast, 297
- Multiple-Launch Rocket System (MLRS), 35
- Munition, 2
- Mustard gas, 372
- Mutilating blast injury, 242
- Muzzle, 13
 - range, 88
 - velocity, 88
- Myocardial infarction, 311
 - and air embolism, 312
- Napalm, 48, 370
- Narcotics
 - and hypercarbia, 308
- Nasogastric decompression, 319
- Natural period (resonating frequency), 235
- Necrotizing fasciitis, 210
 - See also* Anaerobic infections: Gas gangrene
- Nelson-Lazarus DPL technique, 320
- Neosporin, 186, 191
- Nerve damage
 - and wound ballistics, 154–155
- Neurological complications of electrical injury, 373
- Nitrates, 316
- Nitrogen mustards. 372
- Nosocomial contamination, 178
- Nuclear blast waves, 249
- Ogive, of bullet, 108–110
- Open comminuted fractures of the extremities, 92
 - and closed-plaster technique, **92**
 - steps of, 92–93
 - mortality rates, 56
 - and need for wound closure, 93

- and treatment in World War I, 92
- Orbit. *See* Eye and orbit
- Orbital blowout, 289
- Organ-system injuries
 - and mortality from blast, 224–226
- Orthopedic injuries
 - combined with thermal trauma, 369
- Ossicular chain
 - and pathology of primary blast injury, 291–292
- Ossicular damage, 327, 328, 330
- Otalgia, **326, 327**
- Overtriage, 224, 298
- Oxygen adequacy
 - and air embolism, 312
 - animal research, 308
 - and chest-tube care, 304
 - and evacuation risk, 304
 - restoration of, 305–308
 - See also* Mechanical ventilation

- Paint-brush ecchymoses, 289
- Pancreas
 - and pathology of primary blast injury, 289
 - 85, 338
- Pathogens, 181
- Pathology of primary blast injury, 272–292
 - See also* Management of primary blast injury; Primary blast injury: Physics and mechanisms
- Pathophysiology of burns, 340–347
 - assessing extent of thermal burns, 340–342
 - burn depth, 342
 - physiological response, 342–347
 - circulatory system, 344–346
 - endocrine system, 347
 - gut motility, 347
 - immune response, 347
 - pulmonary function, 347
 - renal function, 346–347
 - thermoregulation, 347
- PBI. *See* Primary blast injury (PBI)
- Penetrating wounds
 - appearance, in Civil War, 87
 - categories of closure, 92
 - debridement for, **86**
 - as dynamic entity, 86–87, 93, 97
 - management of.
 - with antibiotics, 93–95
 - history, 84–95
 - natural history of, research, 101
 - surgical treatment of, 91–93
 - See also* Management of ballistic wounds of soft tissue; and Wound ballistics: Physics and biophysics
- Penetration of projectile, 119

- Penicillin, 93
 - as adjunct to surgery, 94, 95
 - and bacterial contamination, 188
 - introduction of, 94
 - and gas gangrene, 94, 101, 192–193
 - and infection, 191
 - to prevent infection, 95
 - in Vietnam, 95
 - in Yom Kippur War, 95
 - See also* Antibiotics
- Pentaerythritol tetranitrate (PETN), **245**
- Perforation, of gastrointestinal tract, 289
- Peritoneal irritation, 319
- Permanent cavity, 100, 130, 136–179, 140
 - See also* Cavitation
- Permanent wound tract. 76, 120
- Phenyldichloroarsine, 372
- Phosphorus-containing munitions, 49–50
 - See also* White phosphorus
- Physical examination. *See* Management of primary blast injury
- Physics and biophysics. *See* Primary blast injury: Physics and mechanisms; and Wound ballistics: Physics and biophysics
- Pistol, 10–12
- Pneumomediastinum, 300, 301, 304, 311
- Pneumonia
 - after thermal injury, 367
- Pneumoperitoneum. 305
- Pneumothorax
 - and air embolism, **312**
 - definition, 300
 - and evacuation, 304
 - mechanism, 300
 - and roentgenogram, 305
 - signs and symptoms, 300, 304
 - treatment, 311
 - triage. 301
- Pollock, George, 339
- Polybactrin, 186, 191
- Pool, Lieutenant Colonel Eugene H. (World War I), 204
 - treatise on soft-tissue wound management, 205–209
- Pop-up mine, 46
- Positive duration, 242
- Positive phase impulse, 247
- Positive-pressure ventilatory support, 225, 311
 - in air embolism, 314
 - See also* Mechanical ventilation; Oxygen adequacy
- Precursor shock **wave**, 249
- Pressure waveform, 245
- Pressure-time history, 242
- Primary blast injury (PBI), 40, 222, 242, 296–297
 - animal research, 297
 - inside armored vehicles, 229–230
 - inside body armor, 230
 - and concussion grenades, 40

- and fatigue factor, 297
- military
 - American data, 227
 - foreign data, 227–229
- and organ-system injury, 229
- statistics, 226
- in terrorist bombings, 226
- severity of, in enclosed space, 226
- and underwater detonation, 297
- See also* Management of primary blast injury; Pathology of primary blast injury; Primary blast injury: Physics and mechanisms
- Primary blast injury: Physics and mechanisms, 242–268
 - blast and blast waves, 242–249
 - blast wave, 244–245
 - conventional explosives, 245–246
 - nuclear blast waves, 249
 - physical characteristics of wave propagation, 243–244
 - pressure waveform, 245
 - scaling laws, 246–247
 - blast measurements and effects, 249
 - blast-pressure measurement, 249
 - complex blast waves, 253
 - structural blast loading and wave reflection, 249–251
 - primary blast injury to the lung, 260–268
 - modern view on mechanisms, 262–263
 - organ distortion and tissue stress, 262
 - rapid response to blast loading, 262
 - tissue stress and injury, 262–263
 - new models of lung injury, 263–268
 - blast to parenchymal distortion, 263–266
 - parenchymal distortion to tissue stress, 266
 - tissue stress to injury, 266–268
 - tolerance to air blast, 253–258
 - effects of body positioning, 253, 255
 - effects of repeated exposure, 255–258
 - underwater blast, 258–260
- Primary closure, 92
 - and adequate excision, 92
 - criteria for success, 92
 - See also* Delayed primary closure
- Primary explosives, 245
- Primary wound excision
 - by the British, 93
 - and dynamic nature of wound, 93
- Projectile-target interaction, 100
 - energy transfer in, 120–130
 - physical aspects of, 100
 - See also* Cavitation; Wound ballistics: Physics and bio-
 - physics
- Projectiles
 - definition, 108
 - deformation of, 96
 - Friederich's conclusions about, 97–98
 - migrating, 213
 - research, 96
 - retained, 213–215
 - and 101
 - size of, 95
 - velocity of, 85, 95
 - as wound determinant, 85
 - See also* Management of ballistic wounds of soft tissue; and Wound ballistics: Physics and biophysics
- Pulmonary contusion? 300
 - and air embolism, 312
 - resolution, 300
 - symptoms, 300
 - treatment, 311
 - See also* Respiratory system
- Pulmonary edema
 - among casualties with primary blast injury, 303
 - and pathology of primary blast injury, 279–280
- Pulmonary function
 - and response to bum injury, 347
- Pulmonary laceration
 - treatment, 311
- Pulmonary PBI
 - and mortality from blast, 226
 - See also* Primary blast injury (PBI); Respiratory system
- Pulse oximetry, 305
- Quasi-static overpressures, 146
- Random-fragmentation munitions, 19
- Rebound tenderness, 318, 319
- Recoilless gun, 2
- Reduced-power loading, 96
- Reflected pressure, 249
- Reflected region, 249–250
- Regular reflection, 250
- Relative Incapacitation Index (RII), 76–77
 - ammunition field testing, 77
 - assessment of, 77
 - See also* Temporary cavitation
- Renal function
 - and response to bum injury, 346
- Respiratory failure
 - and mortality from blast, 226, 301
- Respiratory system
 - and management of primary blast injury, 299, 300–311
 - animal research, 300

- definitive physical examination, 304–305
- diagnostic screening procedures, 305
- evacuation, 304
- initial physical examination and triage, 301–303
- initiation of life support, 303–304
- stabilization and life support, 305–311
- treatment, 311
- and pathology of primary blast injury, 272–283
- See also* Lungs: Upper airways
- Resuscitation**
 - after electrical injury, 373
- Retroperitoneal hemorrhage
 - and primary blast injury, 289
- Return spring, 13–14
- Reyher, Carl, 89–90
- Rib markings, 275
- Rich, Norman, 101
- Rifle grenades, 40
- Rifling, 12, 117
- RII. *See* Relative Incapacitation Index (RII)
- Ring hemorrhages, 278
- Rocket-propelled grenade (RPG), 68
 - See also* Shaped-charge warhead
- Rockets, 35–37
- Rössle, Robert, 234
- Round, 3
- RPG. *See* Rocket-propelled grenade (RPG)
- RPG6, 229
- Rule of Nines, 340
- Rupture modulus, 130
- Rusca, Franchino, 233

- Sabot, 27
- Sagger, 229
- Scaled distance, 246
- Scaling effect, 135
- Scaling laws, 246–247
- Second-degree burn, 342
- Schardin, Hubert, 234–235
- Second echelon of care
 - for ballistic wounds of soft tissue, 195
 - for casualties with primary blast injury, **299–300**
 - definitive physical examination, 299
 - diagnostic screening, 299–300
 - stabilization and life support**, 299
 - treatment, 300
- Secondary blast injury, 222, 242, 272, 296
 - fragmentation, 227
- Secondary closure of soft-tissue wounds, 92, 93
- Secondary explosives, 245
- Secondary intent. *See* Healing by secondary intent
- Secondary missiles, 23–27

- Sectional density of projectile, 111
- Seizure
 - and air embolism, 312
- Self-loading weapon, 13
- Semiautomatic weapon, 13
- Sepsis, 167
 - after burn injury, 367
 - increased likelihood of, in war wounds, 101
 - invasive, and temporal relationship with wound contamination, 97–98
 - Srr also* Infection; Management of **ballistic wounds of soft tissue**; Management of burn injury; Wound contamination
- Shape
 - of fragment, and resulting incapacitation, 74–75
 - of projectile, 108–110
 - cross-sectional area, 108–111
 - ogive, 108–110
 - sectional density, 111
- Shaped-charge warheads, 27, 66, 68, 229
 - See also* Rocket-propelled grenade (RPG)
- Shear waves, 130
- Shell, **15**
 - improved-fragmentation, and lethality, 70
 - random-fragmentation, and lethality, 70
- Shock, 318
- Shock wave, 242
- Shot, 84
- Shrapnel, 16
- Shunting, and lung hemorrhage, 308
- Silvadene, 357, 367
- Silver nitrate, 357
- Single-shot rifle, 7
- Skeletal muscle damage
 - and resistance to infection, 173, 177
- Skin grafts, 364–366
 - advances in, 339
- Skull injury
 - explosive wounds, 98
 - and mortality from blast, 226
 - and wound ballistics, 144–146
- Slugs, 22
- Small arms 4–14
 - blow-back operation, 14
 - developmental trends, 14–15
 - firing sequence of, 13
 - gas operation**, 14
 - historical development of, 6–12
 - mechanisms and operations of, 12–14
 - parts of, 12–13
 - recoil operation, 13–14
- Small-arms ammunition, 4–6
 - design and construction of, 6
 - measurement of, 4

- military objectives of, 5–6
 - tactical conditions, 5–6
 - velocity of, 4
- Soft-tissue wounds
 - and research of, 99–100
 - and cavitation, 96
 - infection rates, 95
 - in Vietnam War, 95
 - in Yom Kippur War, 95
 - management of, 93–95
 - mortality rates, 94
 - and sepsis prevention, 94
 - and treatment results, 94–95
 - See also Management of ballistic wounds of soft tissue; Penetrating Wounds; Wound ballistics: Physics and biophysics
- Spall, 27
- Spallation, 234
- Specific mortality, 224
- Spitzer bullets, 90
 - wounding effects, 90–91
- Spleen
 - and pathology of primary blast injury, 289
- Stability, of projectile, 114–118, 126–129
 - center of pressure (CP), 114
 - fin stabilization, 118
 - gyroscopic stabilization, 114
 - internal and external ballistic factors, 117
 - precession and yaw, 114–117
 - rifling, 117
 - stability equation, 117
 - tumbling, 114
- Stabilization. See Management of primary blast injury; Wound ballistics: Physics and biophysics
- State of a gas, 242
- Static (side-on) pressure, 249
- Stopping power, 73, 76
 - See also Relative Incapacitation Index (RII)
- Streptococcal myositis, 182, 211–212
 - See also Anaerobic infections; Gas gangrene
- Strew points, 262
- Stripped-epithelium lesions, 280–282
- Subcaliber, 27
- Subcutaneous emphysema, 300, 301, 311
- Submachine gun, 9
- Sulfamylon, 186, 191, 338, 357, 367
- Sulfonamides. See Antibiotics, sulfonamides
- Suppuration
 - of penetrating wounds, 84, 85
 - and sulfonamides, 93, 94
- Surgical treatment
 - for ballistic wounds of soft tissue, 204–209
 - and combat conditions, 93
 - epluchage, 91
 - in gastrointestinal blast injury, 324
 - of penetrating wounds, 11–93
 - for soft-tissue wounds, 94–95, 188–189
 - in World War II, 93
 - See also Debridement; Management of ballistic wounds of soft tissue; Management of burn injury
- Suture, primary and secondary techniques, 209
- Suture material, 174
- Systemic antibiotics, 190–191

- Tachycardia, 301
- Tachypnea, 301, 304
- Target media
 - as experimental variable in wound ballistics, 96
- TBSAB (total body surface area burned), 342
- Temporary cavitation, 76, 100, 130–131
 - and aspiration of foreign material, 101
 - contemporary research, 101
 - See also Cavitation: Relative Incapacitation Index (RII); Wound ballistics: Physics and biophysics
- Temporary cavity, 77
 - and projectile velocity, 101
 - determinants of cavity dimensions, 135
 - energetics of, 131
 - size and energy transfer, 100
 - See also Wound ballistics: Physics and biophysics
- Temporary threshold shift (TTS), 325, 326
- Tenesmus, 319
- Tensile strength, 262
- Tension, 262
- Tension pneumothorax
 - definition, 300
 - risk of, with mechanical ventilation, 311
 - and triage, 301
 - and tube thoracostomy, 303, 304, 305
- Tension wave, 258
- Terrorist bombings, 222–226
 - and explosive location, 224
 - morbidity and mortality, 222–226
 - and primary blast injury, 226
- Tertiary blast injury, 222, 242, 272, 296
- Testicles
 - and pathology of primary blast injury, 289
- Tetanus
 - in casualties' soft-tissue ballistic wounds, 212
 - See also Anaerobic infections: Gas gangrene
- Tetracycline
 - in Vietnam, 95
- Thermal effects, 16
 - See also Bum care history: Management of burn injury; Pathophysiology of burns
- Thermal injury. See Bum care history; Bum injury; Management of burn injury; Pathophysiology of burns

- Thermoregulation
and response to burn injury, 347
- Third-degree burn, 342
- Third echelon of care
for ballistic wounds of soft tissue, 195
for casualties with primary blast injury, 300
- Thoracic injury
from blast effects, 223
and mortality, 225
- Threshold overpressure, 255
- Tidal volume, 308
- Tinnitus, 326, 327
- Tolerance to air blast, 253–258
- Topical antimicrobials, 191, 193, 369
- Torque, 114
- Total pressure, 249
- Totale Wundexzision*, 98
- TOW1, 229
- Tracer round, 5
- Trajectory
of fragment, and effect, 74–75
of projectile, 108
- Traumatic lung cysts, 300
- Treatment. *See* Management of ballistic wounds of **soft tissue**;
Management of burn injury; Management of primary blast injury
- Trendelenburg position
contraindicated, with air embolism, 312
- Triage. *See* Management of primary blast injury: Overtriage;
Undertriage
- Trigger, 13
- Triple point, 250–251
- Troop health
and treatment results, 95
Jose, 92, 93, 177
- Truncal injuries
and mortality from blast, 224
- TTS. *See* Temporary threshold shift (TTS)
- Tunica albuginea
and pathology of primary blast injury, 289
- Twist, 117
- Tympanic-membrane rupture, 325, 326
definitive physical examination, 327
diagnostic screening procedures, 329
evacuation needs, 326–327
initial physical examination and triage, 326–327
in Northern Ireland, 229
from primary blast injury, 226, 272, 290–291
treatment, 329–330
See also Auditory system; Hearing loss
- Ultimate strength, 263
- Underhill, Frank, 338
- Undertriage, 298
impact on mass casualties, 224
- Underwater blast, 242, 258–260
and gastrointestinal casualties, 318, 319–320
research, 234–236
resulting injury, 231–232
- Upper airways
compromise of, and triage, 301
and pathology of primary blast injury, 282–283
See also Lungs; Respiratory system
- Urinary bladder
and pathology of primary blast injury, 289
- Vacuum bombs, 37
- Vaporific effect, 30, 229
- Velocity
of fragment, and resulting incapacitation, 74–75
Velocity of projectile, 4–5, 111, 129–130
as experimental variable, 96
and kinetic energy, 95
and wound severity, 95–100
- Ventilation. *See* Mechanical ventilation
- Vertigo, 326, 327
- Vesicants, 372–373
arsenic vesicants, 372–373
mustard gas, 372
nitrogen mustards, 372
See also Chemical warfare
- Vestibular dysfunction, 326
- Viscoelastic thorax model, 261
- Volume bombs, 37
- Volume replacement, 303–304
in air embolism, 312
animal research, 303
in hypotension, 318, 319
in shock, 318
See also Fluid resuscitation
- Von Clausewitz, Karl, 2–54
- Warhead, 15
- Wave propagation, 243
- Wave speed, 243
- Waveform. *See* Pressure waveform; Primary blast injury: Physics
and mechanisms
- WDMET. *See* Wound Data and Munitions Effectiveness Team
(WDMET)
- Weapon noise, 242
- Weapons development
and wound severity, 95
See also Weapons of conventional land warfare
- Weapons effectiveness, 53–80
distributed by weapon or projectile
in Bougainville Campaign (1944), 58–60

- present), 67
- invasion (1944), 60–61
- at German-Russian front (1944), 58**
- in Israeli casualties in Israeli-Lebanon War (1982), 67–68
- in U.S. casualties in Korean War (1950–1953), 62–64
- in U.S. casualties in Vietnam (1965–1970), 64–67
- in U.S. casualties in World War II, 61–62**
- and echelons of medical care, 71–72
- of foreign weapons, 78–80
- medical for, 71–72**
- See also* Casualty generation: Incapacitation; Injury severity; Lethality
- Weapons of conventional land warfare, 2–50
- small-arms characteristics, 4–15
- ammunition, 4–6
 - developmental trends, 14–15
 - historical development, 6–12
 - mechanisms and operations, 12–14
- explosive munitions, 1547
- antimatériel munitions with antipersonnel effects, 27–31**
 - antipersonnel exploding munitions, 16–27
 - ordnance using explosive munitions, 3147
- flame and incendiary munitions, 48–50
- flame munitions, 4849
 - incendiary weapons, 49
 - phosphorus-containing munitions, 49–50
- See also* White phosphorus
- Weapons technology
- and casualty generation, 70**
- White phosphorus, 49–50, 340, 370
- Wilson, Louis, 99
- Woodruff, Charles, 96, 98, 100, 144
- Wound
- definition, 54
- Wound Ballistics*, 95, 98, 131
- Wound ballistics
- and cavitation, 96
 - data collection, 95
 - definition, 108
 - and gelatin tissue simulant, 97
 - history, 85–87, 87–95
 - pioneers of, 85–87**
 - Desault, Pierre Joseph, 86
 - Hunter, John, 85–86, 87
 - Larrey, Dominic Jean, 86–87
 - 85
 - research, 96–102
 - in China, 102
 - See also* Penetrating injuries: Wound ballistics: Physics and biophysics; Management of ballistic wounds of soft tissue
- Wound ballistics: Physics and biophysics, 108–159
- energy transfer in projectile-target interaction in tissue, 120–130**
 - and projectile characteristics, 123–130
 - deformation, 126
 - fragmentation, 126
 - shape at impact, 123–126
 - stability, 126–129
 - velocity, 129–130
 - total energy transfer, 120–123
 - nonuniform energy transfer, 120–122
 - wound profile, 122–123
 - mechanisms of energy transfer in tissue, 130–136
 - cutting, 130
 - heating, 130, 136
 - pressure transients around temporary cavity, 135
 - stress waves, 135–136
 - stretch and shear, 130–135
 - determinants of cavity dimensions, 135
 - energetics of cavity formation, 131
 - gross characteristics, 131–135
 - temporary cavitation, 130–131**
- organ-specific wounds, 144–155
- abdomen, 149–152
 - brain, 144–146
 - chest, 146–149
 - heart, 149
 - lungs, 146–149
 - extremities, 152–155
 - blood vessels, 154
 - bone, 152–154
 - nerves, 154–155**
 - skull, 144–146**
- permanent cavity, 136–139, 140
- projectile characteristics, 108–118
- coefficient of drag, 113–114
 - drag, 112–113
 - kinetic energy, 111–112
 - mass, 108
 - shape, 108–111
 - stability, 114–118
 - velocity, 111**
- projectile penetration, 119
- soft-tissue ballistic wounds, 139–142
- pathomorphology, 140
- permanent cavity, 140
 - zones of extravasation and concussion, 141–142
- tissue damage, by debrided muscle, 142

- Wound closure
 - theoretical basis for, between wars. 93
- Wound contamination
 - anaerobic infections, 181–183, 210–212
 - bacteriology. 178–188
 - and environmental factors, 91, 95
 - in soft tissue
 - mechanics, 167
 - type and magnitude, 167–170
 - temporal relationship between, and invasive sepsis. 97–98
 - See also* Infection; Management of ballistic wounds of soft tissue; Sepsis
- Wound Data and Munitions Effectiveness Team (WDMET), 95, 227
 - and abdominal injury, 150–152
 - and Computer Man, 75–76
 - and lethality, 64–67
 - and migrating projectile, 213
 - and napalm casualties, 48
 - and primary blast injury, 227
 - and pulmonary injury, 149
 - and soldier behavior after wounding, 73
 - and weapons effectiveness, 57
 - and wound-tract morphology, 140
- Wound management
 - and kinetic energy, 95
- Wound morphology
 - and differing bullets, 188, 199–202
- Wound profile, 122–123
- Wound severity
 - and kinetic energy, 95
 - and weapons development, 95
- Wound tract, 171–173
 - and drains, 174
- Wounded**
 - definition. 54
- Wundexzision, totaler*, 98
- Xenograft, 339, 364
- Zuckennan, Solly, 100