ACRONYMS AND ABBREVIATIONS Volumes 1 and 2

A

AAEM: American Association of Electrodiagnostic Medicine

AAROM: active assistive range-of-motion

ABG: arterial blood gas

ABPM&R: American Board of Physical Medicine and Rehabilitation

ABPM: American Board of Physical Medicine

ABR: auditory brainstem response

AC: acromioclavicular

ACE: angiotensin converting enzyme ACL: anterior cruciate ligament ACTH: adrenocorticotropic hormones

ADH: antidisseretic hormone ADL: activities of daily living ADP: adenosine diphosphate

AE: above elbow

AFO: ankle/foot orthosis

AFQT: Armed Forces Qualification Test

AGR: Active Guard Reserve AKA: above-knee amputation AMC: Army Medical Center

AMEDD: U.S. Army Medical Department

AMSC-CIR: Army Medical Specialist Corps Clinical

Investigation and Research

AMSC: Army Medical Specialist Corps

ANG: Army National Guard AP: anterior–posterior

APDAB: Army Physical Disability Appeals Board

AR: Army Regulation
ARC: American Red Cross

ARG: Army Reservists and National Guard

AROM: active range-of-motion

ARVN: Army of the Republic of Vietnam ASIA: American Spinal Injury Association

ATH: air transportable hospital ATN: acute tubular necrosis ATP: adenosine triphosphate ATPase: adenosine triphosphatase

В

BAEP: brainstem auditory evoked potential BAER: brain stem auditory evoked response

BAM: basilar artery migraine

BE: Below elbow

BEAM: brain electrical activity mapping

BEE: basal energy expenditure BIA: Brain Injury Association

bid: twice daily

BKA: below-knee amputation

BP: blood pressure
BSA: body surface area
BUN: blood urea nitrogen

C

CAD/CAM: computer aided design/computer aided manufacturing

CAPTE: Commission on Accreditation for Physical Therapy Education

CASD: computer aided socket design

CAT/CAM: contoured adducted trochanteric-controlled alignment method

CDP: cytidene 5'-diphophocholine CED: cognitive enhancing drug

CK: creatine kinase

CMAP: compound motor action potential CMRR: common mode rejection ratio

CMST: circulation, motion, sensation, and temperature

CMUAP: compound motor unit action potential

CN: cranial nerve

CNS: central nervous system

C.O.: cardiac output CO₂: carbon dioxide COMMZ: combat zone

CONUS: continental United States CP: conventional prosthesis CP: creatine phosphate

CPAP: continuous positive airway pressure

CPM: continuous passive motion C-PMN: C polymodal nociceptors CPR: cardiopulmonary resuscitation CRPS: Complex Regional Pain Syndrome

CRT: cathode ray tube
CSF: cerebrospinal fluid
CT: computed tomography
CTR: carpal tunnel release
CTS: carpal tunnel syndrome

D

dB: decibel

DCCS: Deputy Commander for Clinical Services

DEXA: dual photon X-ray absorptiometry

DF: dorsiflexion

DIP: distal interphalangeal

diphosphonate EHDP: disodium ethane-1-hydroxy-1, 1-

diphosphonate

DoD: Department of Defense
DREZ: dorsal root entry zone
DVA: Department of Veterans Affairs
DVT: deep venous thrombosis

Ε

ECU: environmental control unit

 $EEG: \quad electroence phalogram/electroence phalographic/$

electroencephalography EF: Epileptiform findings

EMG: electromyographic/electromyography

ENG: electronystagmography

EPB

ERG: electroretinogram

ERMPs: early recovery management programs ESWL: extracorporeal shock wave lithotripsy

F

FAD: (McMaster) Family Assessment Devise

FAD: flavin adenine dinucleotide FADH₂: FAD gains electrons to become FAM: Functional Assessment Measure FDA: Food and Drug Administration

FDP: fibrin degradation product

FES: functional electrical stimulation

FF: full field

FIM: Functional Independence Measure FNQ: Family Needs Questionnaire FS: focal slowing

FVC: forced vital capacities

FY: fiscal year

G

GABA: gamma-aminobutyric acid GAP-43: growth-associated protein-43

GCS: Glasgow Coma Scale

GED: General Education Diploma

GI: gastrointestinal

GMO: general medical officer GOS: Glasgow Outcome Scale GPB: glossopharyngeal breathing

Η

H₂: Histamine₂-receptor

HDL: high density lipoprotein

HF: half field

HIV: human immunodeficiency virus

HO: heterotopic ossification

HR: heart rate

HTL: hearing threshold level

HTM: high threshold mechanoreceptors

IASP: International Association for the Study of Pain

IC: intermittent catheterization ICP: intracranial pressure ICU: intensive care unit

International 10-20: The International Ten-Twenty System of

Electrode Placement IP: interphalangeal IPI: interpotential interval

IPOP: immediate postoperative prosthesis IPORD: immediate postoperative rigid dressing

ISNY: Icelandic-New York ITB: iliotibial band IU: international units

IV: intravenous

K

KAFO: knee-ankle-foot orthosis

L

L-dopa: levodopa LE: lower extremity LHS: left heelstrike LLB: long leg brace LOD: line of duty

LTM: low threshold mechanoreceptors

M

MAOI: monoamine oxidase inhibitor MCL: medial collateral ligament MCP: metacarpophalangeal

MCVOST: Medical College of Virginia Olfactory Screening

Test

MEB: Medical Evaluation Board MEDCOM: Medical Command MEP: motor evoked potential

MESI: Mangled Extremity Syndrome Index

MF2K: Medical Force 2000

ML: medial-lateral

MMPI-2: Minnesota Multiphasic Personality Inventory-2

MMRB: Military Medical Retention Board

MMTN: myelinated mechanothermal nociceptors

MOD: modification

MOS: military occupation specialty

MP: myoelectric prosthesis MP: metacarpophalangeal

MPA: microstomia prevention appliance MRI: magnetic resonance imaging mRNA: messenger ribonucleic acid

MS: multiple sclerosis

MSH: melanocyte stimulating hormone MTF: medical treatment facility

MTP: metatarsophalangeal

MVC: maximum voluntary isometric contraction

NAD+: nicotinamide adenine-dinucleotide NADH: NAD+ gains hydrogen to become

NARSUM: narrative summary

NATO: North Atlantic Treaty Organization

NCS: nerve conduction study NG: National Guard NGF: nerve growth factor

NHIF: National Head Injury Foundation

NIH: National Institutes of Health

Nm: knee moment

NMDA: N-methyl D-aspartate NMS: neuromusculoskeletal NPO: nothing by mouth

NPT: nocturnal penile tumescence

NSAID: nonsteroidal antiinflammatory drug NSNA: normal shape, normal alignment

OBLA: onset of blood lactate accumulation

OEA: Operations, Evaluations, and Analysis Officer

OH: orthostatic hypotension OT: occupational therapist/therapy OTSG: Office of The Surgeon General

PA: Physician Assistant

PAFO: plastic ankle-foot orthosis PCA: patient controlled analgesia PCO₂: partial pressure of carbon dioxide PDB: Physical Disability Branch PEB: Physical Evaluation Board

PEBLO: Physical Evaluation Board Liaison Officer

PEEP: positive end-expiratory pressure

PERSCOM: Personnel Command

PF: plantarflexion

PFT: pulmonary function test PIP: proximal interphalangeal PMO: Personnel Management Officer PMR: physical medicine and rehabilitation PNF: proprioceptive neuromuscular facilitation

Po2: partial pressure of oxygen PROM: passive range-of-motion PT: physical therapist/therapy

PT: prothrombin time

PTA: posttraumatic amnesia
PTB-TCS: patellar tendon bearing, total contact socket

PTE: posttraumatic epilepsy PTSD: posttraumatic stress disorder R

1RM: one repetition maximum test RDA: recommended dietary allowance RGO: reciprocating gait orthosis

RH: thyrotropin releasing hormone

RHO: right heeloff RHS: right heelstrike RQ: respiratory quotient

RSD: reflex sympathetic dystrophy

RSDS: reflex sympathetic dystrophy syndrome

RTO: right toeoff RTS: right toestrike

S

3S: silicone suction socket

SACH: solid-ankle cushion-heel SAFE: stationary attachment, flexible endoskeleton

Sca: Slow component a Scb: Slow component b SCI: spinal cord injury SCL-90: Symptom Checklist-90 SCV: slow component velocity SEE: standard error of the estimate SFC: soluble fibrin complex

SIADH: secretion of inappropriate antidiuretic hormone

SIDS: Sudden Infant Death Syndrome SMP: sympathetically maintained pain SNAP: sensory nerve action potential

SP: silent period

SPECT: single photon emission computed tomography

scans

SPL: sound-pressure level

SSRI: selective serotonin reuptake inhibitors

STEN: STored ENergy foot STSG: split thickness skin graft

SV: stroke volume

SWOB: separated without benefits SWSP: separated with severance pay

TABPM: American Board of Physical Medicine

TBI: traumatic brain injury TBSA: total body surface area

TBSAB: total body surface area burned

TCA: tricyclic antidepressants TCL: tibial collateral ligament TDRL: Temporary Disability Retired List

TENS: transcutaneous electrical nerve stimulation

TES: total elastic suspension

TD: termal device

THA: tetrahydro-9-aminoacridine

tid: three times per day

TKA: trochanter, knee, ankle (line) TLE: temperolimbic epilepsy TLSO: thoracolumbosacral orthosis

TO: Theater of Operations TOS: thoracic outlet syndrome TPR: total peripheral resistance TRH: thyrotropin releasing hormone TRM: ten repetition maximum TUN: total urinary nitrogen

UCL-BC: University College of London Bioengineering

Center

UDS: Utah Dynamic Socket UE: upper extremity UN: United Nations

USAPDA: United States Army Physical Disability Agency

USAR: United States Army Reserve USC: United States Code UTI: urinary tract infection

UUN: urinary urea nitrogen

VA: Veterans Affairs, Department of VAMC: Veterans Affairs Medical Center

VASRD: Veterans Administration Schedule for Rating

Disabilities

VEP: visual evoked potentials VHIS: Vietnam Head Injury Study

Vo₂max: volume of maximum oxygen consumption

Vo₂: oxygen consumption

W

WBC: white blood cell

WBGT: wet-bulb globe temperature

WDR: wide dynamic range

WHFO: wrist, hand, finger orthosis WMSC: Women's Medical Specialist Corps WRAMC: Walter Reed Army Medical Center